Journal of Applied Polymer Science

Author Index to Volume 99

Abdel-Aal, S. E.
—; Gad, Y. H.; Dessouki, A. M.: The Use of Wood Pulp and Radiation-Modified Starch in Wastewater Treatment, 2460
Abdel-Hay, F. I. See Kenawy, E.-R., 2428
Abdel-Mohdy, F. A. See Mohamed, O. A., 2039
Abdullah, I.
—; Blackburn, R. S.; Russell, S. J.; Taylor, J.: Tensile and Elastic Behavior of Tencel Continuous Filaments, 1496
Abhishek, S. See Kumar, H., 177
Agarwal, N.
—; Varma, I. K.; Choudhary, V.: Methacrylate/Acrylate Terminated Derivatives of Diglycidyl Hexahydrophthalate: Synthesis, Structural, and Thermal Characterization, 2414
Aghjeh, M. K. R.
—; Nazockdast, H.; Assempour, H.: Parameters Affecting the Free-Radical Melt Grafting of Maleic Anhydride onto Linear Low-Density Polyethylene in an Internal Mixer, 141
Aguir, C.
—; M'Henni, M. F.: Experimental Study on Carboxymethylation of Cellulose Extracted from *Posidonia oceanica*, 1808
Ahmad, A. L.
—; Nawawi, M. G. M.; So, L. K.: Characterization and Performance Evaluations of Sodium Zeolite-Y Filled Chitosan Polymeric Membrane: Effect of Sodium Zeolite-Y Concentration, 1740
Ahmad, S. See Ashraf, S. M., 2512
Ahn, N.
—; Influences of Metallic Polymeric Materials on the Properties of Fresh Polyester and Acrylic Polymer Concrete, 2337
Ahn, Y. T. See Jeong, H. M., 2841
Airinei, A. See Rusu, G. I., 100
Akasaka, S.
—; Tobusawa, T.; Tominaga, Y.; Asai, S.; Sumita, M.: Low-Frequency Sound Absorption of Organic Hybrid Comprised of Chlorinated Polyethylene and *N,N'*-dicyclohexyl-2-benzothiazolyl Sulfenamide, 2878
Akhmetkhanov, R. M.
—; Kolesov, S. V.; Nagumanova, E. I.; Kabalnova, N. N.; Akhmetkhanov, R. R.; Zaikov, G. E.: Stabilization of Poly(vinyl chloride) by Elemental Sulfur, 2885
Akhmetkhanov, R. R. See Akhmetkhanov, R. M., 2885
Alagar, M. See Mahesh, K. P. O., 3592
Al-Ahmed, A.
—; Mohammad, F.; Rahman, M. Z. A.: Preparation, Characterization, Thermooxidative Degradation, and Stability of Polyaniline/Polyacrylonitrile Composites in Terms of Direct-Current Electrical Conductivity Retention, 437
Alam, M. See Ashraf, S. M., 2512
Al-Balakocy, N. G. See Shalaby, S. E., 613
Albérola, N. D. See Dubouloz-Monnet, F., 3466
Ali, A. E.-H. See Shawky, H. A., 2904
Ali, F. I. See El-Din, H. M. N., 1773
Ali, S. W. See Malik, M. A., 3565
Alston, W. B.
—; Scheiman, D. A.; Sivko, G. S.: A Comparison Study: The New Extended Shelf Life Isopropyl Ester PMR Technology *versus* the Traditional Methyl Ester PMR Approach, 3549
Altstädt, V. See Behrendt, N., 650
Alvarez, M. P.
—; Poblete, V. H.; Pilleux, M. E.; Fuenzalida, V. M.: Submicron Copper-Low-Density Polyethylene Conducting Composites: Structural, Electrical, and Percolation Threshold, 3005
Amanuel, S.
—; Malhotra, V. M.: Effects of Physical Confinement (< 125 nm) on the Curing Behavior of Phenolic Resin, 3183
Aminabhavi, T. M. See Babu, V. R., 2671; Narayan, R., 368; Nataraj, S. K., 1788
Antonucci, J. M. See Farahani, M., 1842
Äpírková, M. See Ävorčík, V., 1698
Arai, K. See Mizutani, T., 659
Arun, J. See Reddy, G. V. R., 218
Asai, S. See Akasaka, S., 2878
Asakura, T. See Kino, R., 2822
Ashraf, S. M.
—; Ahmad, S.; Riaz, U.; Alam, M.; Sharma, H. O.: Miscibility Studies on Linseed Oil Epoxy Blend with Poly(methacrylic acid), 2512
Asiltürk, M.
—; Sayılkan, F.; Sayılkan, H.; İçduygu, G.: The Synthesis and Application of Pb-Doped GLYMO/Chelated-Zirconium Complex Coating Materials for UV-Light Absorption, 1175
Assempour, H. See Aghjeh, M. K. R., 141
Asthana, S. N. See Sarwade, B. D., 2549; Sarwade, B. D., 3178
Atar, M. See Örs, Y., 3210
Ävorčík, V.
—; Slepička, P.; Ävorčíková, J.; Äpírková, M.; Zehentner, J.; Hnatowicz, V.: Characterization of Evaporated and Sputtered Thin Au Layers on Poly(ethylene terephtalate), 1698
Ävorčíková, J. See Ävorčík, V., 1698
Azooz, R. E. See Sayyah, S. M., 3093

Baban, C. See Rusu, G. I., 100
Babu, V. R.
—; Rao, K. S. V. K.; Sairam, M.; Naidu, B. V. K.; Hosamani, K. M.; Aminabhavi, T. M.: pH Sensitive Interpenetrating Network Microgels of Sodium Alginate-Acrylic Acid for the Controlled Release of Ibuprofen, 2671
Badawy, S. M.
—; Sokker, H. H.; Dessouki, A. M.: Chelating Polymer Granules Prepared by Radiation-Induced Homopolymerization. II. Characterizations, 1180
Badheka, P.
—; Magadala, V.; Devaraju, N. G.; Lee, B. I.; Kim, E. S.: Effect of Dehydroxylation of Hydrothermal Barium Titanate on Dielectric Properties in Polystyrene Composite, 2815

Badr, Y.
—; Mahmoud, M. A.: Enhancement of the Optical Properties of Poly Vinyl Alcohol by Doping with Silver Nanoparticles, 3608
Baer, E. See Bernal-Lara, T. E., 597; Prattipati, V., 225
Báez, J. E. See Mata-Mata, J. L., 2737
Bai, Z. See Dong, Y., 286
Balasubramaniam, S. See Reddy, B. S. R., 1919
Baldi, F.
—; Bignotti, F.; Tieghi, G.; Riccò, T.: Rubber Toughening of Polyamide 6/Organoclay Nanocomposites Obtained by Melt Blending, 3406
Balek, K. G. See Beneš, M., 788
Balek, V. See Beneš, M., 788
Bali Shah, G.
—; Fuzail, M.: Modification of Polyethylene and Incorporation of Fillers for Effective Reinforcement of Mechanical and Better Flame Retardant Properties, 1928
Baltá Calleja, F. J. See Bayer, R. K., 1880
Bandi, S. See Prattipati, V., 225
Bandyopadhyay, A. See Maiti, M., 1645
Bao, Y.-Z. See Qi, D.-M., 3425
Bao-Xiu, Z.
—; Peng, W.; Tong, Z.; Chun-yun, C.; Jing, S.: Preparation and Adsorption Performance of a Cellulosic-Adsorbent Resin for Copper(II), 2951
Barbosa, R. V.
—; Baumhardt-Neto, R.; Mauler, R. S.; Lima, É. C.; Schneider, C. G.: Comparative Effects of Pyrolyzed Oil Shale and Pyrolyzed Burned Oil Shale Used as Fillers in Poly(ethylene-*co*-vinyl alcohol), 1859
Barchi, A. T. See Stefani, P. M., 2957
Bartegi, A. See Zghida, H., 82
Barton, R. L. See King, J. A., 1552
Basarir, F.
—; Choi, E. Y.; Moon, S. H.; Song, K. C.; Yoon, T. H.: Electrochemical Properties of Polypropylene Membranes Modified by the Plasma Polymerization Coating of So_2/Acetylene, 3692
Basgorenay, B.
—; Ulubayram, K.; Serbetci, K.; Onurhan, E.; Hasirci, N.: Preparation, Modification, and Characterization of Acrylic Cements, 3631
Baumhardt-Neto, R. See Barbosa, R. V., 1859
Bawa, A. S. See Jagannath, J. H., 3355
Bayer, R. K.
—; Cagiao, M. E.; Baltá Calleja, F. J.: Structure Development in Amorphous Starch as Revealed by X-ray Scattering: Influence of the Network Structure and Water Content, 1880
Baziard, Y. See Nassiet, V., 679
Bechtold, T. See Ibanescu, C., 2848
Behrendt, N.
—; Mohmeyer, N.; Hillenbrand, J.; Klaiber, M.; Zhang, X.; Sessler, G. M.; Schmidt, H.-W.; Altstädt, V.: Charge Storage Behavior of Isotropic and Biaxially-Oriented Polypropylene Films Containing α- and β- Nucleating Agents, 650
Belbachir, M. See Reguieg, F., 3147
Belgacem, N. See Pelletier, H., 3218
Benedito-Borrás, A. See Martí-Ferrer, F., 1823
Beneš, M.
—; Plaček, V.; Kettrup, G. M. A.; Balek, K. G.; Balek, V.: Characterization of PVC Cable Insulation Materials and Products Obtained after Removal of Additives, 788
Bennett, C.
—; Zeng, J.; Kumar, S.; Mathias, L. J.: Synthesis of Copolyamides Containing Octadecanedioic Acid: An Investigation of Nylon 6/6,18 in Various Ratios, 2062
Bernal-Lara, T. E.
—; Masirek, R.; Hiltner, A.; Baer, E.; Piorkowska, E.; Galeski, A.: Morphology Studies of Multilayered HDPE/PS Systems, 597
Berzin, F.
—; Vergnes, B.; Canevarolo, S. V.; Machado, A. V.; Covas, J. A.: Evolution of the Peroxide-Induced Degradation of Polypropylene Along a Twin-Screw Extruder: Experimental Data and Theoretical Predictions, 2082
Bhardwaj, Y. K. See Dubey, K. A., 3638
Bhattacharyya, R.
—; Roy, N.; Chakraborty, D.: Mechanical, Thermomechanical, and Morphology of PVC/PBMA Blends and Full IPNs, 2033
Bhole, Y. S. See Lohokare, H. R., 3389
Bhowmick, A. K. See Maiti, M., 1645; Sengupta, R., 1633
—; Ray, S.; Shanmugharaj, A. M.; Heslop, J.; Köppen, N.; White, J. R.: Photomechanical Degradation of Thermoplastic Elastomers, 150
Bian, Z. See Wu, D., 3257
Bignotti, F. See Baldi, F., 3406
Birkinshaw, C. See O'Connell, D. W., 2888
Biswas, J.
—; Kim, H.; Choe, S.: Properties of Highly Filled Polypropylene Derivative Composites Containing Calcite and Zeolite, 2627
Blackburn, R. S. See Abdullah, I., 1496
Boo, W.-J. See Weon, J.-I., 3070
Boonpangrak, S.
—; Prachayasittikul, V.; Bülow, L.; Ye, L.: Molecularly Imprinted Polymer Microspheres Prepared by Precipitation Polymerization Using a Sacrificial Covalent Bond, 1390
Bose, S.
—; Mahanwar, P. A.: Effect of Titanate Coupling Agent on the Mechanical, Thermal, Dielectric, Rheological, and Morphological Properties of Filled Nylon 6, 266
Botros, S. H.
—; Eid, M. A. M.; Nageeb, Z. A.: Thermal Stability and Dielectric Relaxation of Natural Rubber/Soda Lignin and Natural Rubber/Thiolignin Composites, 2504
—; Moustafa, A. F.; Ibrahim, S. A.: Improvement of the Homogeneity of SBR/NBR Blends Using Polyglycidylmethacrylate-g-Butadiene Rubber, 1559
Bourbigot, S. See Fourdrin, S., 1117
Bousmina, M. See Reyna-Valencia, A., 756
Brar, A. S.
—; Puneeta: Two-Dimensional NMR Studies of Styrene/*n*-Butyl Acrylate Copolymers Synthesized by Atom Transfer Radical Polymerization, 2694
—; Singh, G.; Shankar, R.: Microstructure Analysis of Methyl Acrylate/Methyl Methacrylate Copolymers by

Two-Dimensional NMR Spectroscopy, 1437
—; Singh, G.; Shankar, R.: Microstructure Analysis of Methyl Acrylate/Methyl Methacrylate Copolymers by Two-Dimensional NMR Spectroscopy. II, 2174
Brennan, A. B. See Oréfice, R. L., 1153
Bretas, R. E. S. See Marinelli, A. L., 563
Brnardic, I. See Ivankovic, M., 550
Bülow, L. See Boonpangrak, S., 1390
Burdurlu, E.
—; Kılıç, Y.; Elibol, G. C.; Kılıç, M.: The Shear Strength of Calabrian Pine (*Pinus brutia* Ten.) Bonded with Polyurethane and Polyvinyl Acetate Adhesives, 3050
Burford, R. P. See Duong, H. T. T., 360

Cádiz, V. See Ribera, G., 1367
Cagiao, M. E. See Bayer, R. K., 1880
Cai, J. See Liu, B., 2578
Cai, R. See Wu, H., 828
Cai, Y.
—; Hu, Y.; Song, L.; Tang, Y.; Yang, R.; Zhang, Y.; Chen, Z.; Fan, W.: Flammability and Thermal Properties of High Density Polyethylene/Paraffin Hybrid as a Form-Stable Phase Change Material, 1320
Cai, Z.
—; Qiu, Y.: The Mechanism of Air/Oxygen/Helium Atmospheric Plasma Action on PVA, 2233
Çakir, T.
—; Serhatli, I. E.; Önen, A.: Graft Copolymerization of Methylmethacrylate with N-Substituted Maleimide-Styrene Copolymer by ATRP, 1993
Campo, L. F.
—; Rodembusch, F. S.; Stefani, V.: New Fluorescent Monomers and Polymers Displaying an Intramolecular Proton-Transfer Mechanism in the Electronically Excited State. III. Thermogravimetric Stability Study of the Benzazolylvinylene Derivatives, 495
—; Rodembusch, F. S.; Stefani, V.: New Fluorescent Monomers and Polymers Displaying an Intramolecular Proton-Transfer Mechanism in the Electronically Excited States (ESIPT). IV. Synthesis of Acryloylamide and Diallylamino Benzazole Dyes and Its Copolymerization with MMA, 2109
Can, H. K. See Özdemir, C., 2182
—; Güner, A.: Investigation of Adsorption-Desorption Dynamism of Bovine Serum Albumin on Crosslinked *N,N'*-Diethylaminoethyl Dextran Microbeads: Solution Phase, 2288
—; Güner, A.: Thermodynamic Aspects of the Bovine Serum Albumin Adsorption onto *N,N'*-Diethylaminoethyl Dextran Microbeads, 2300
Canevarolo, S. V. See Berzin, F., 2082
Cao, Y.-M. See Qin, J.-J., 430
Cario, F. O. Jr. See Soares, B. G., 14
Casagrande, O. L. Jr. See Pires, G. P., 2002
Casis, N.
—; Estenoz, D.; Gugliotta, L.; Oliva, H.; Meira, G.: Heterogeneous Bulk Polymerization of Styrene in the Presence of Polybutadiene: Calculation of the Macromolecular Structure, 3023
Castaño-Meneses, V. M. See Trejo-Duran, M., 520
Çelikbıçak, Ö. See Şahiner, N., 1657
Ceylan, D.
—; Ozmen, M. M.; Okay, O.: Swelling–Deswelling Kinetics of Ionic Poly(acrylamide) Hydrogels and Cryogels, 319
Cha, G.-C. See Jeong, H. M., 1732
Chadwick, J. C. See Smit, M., 986
Chae, D. W.
—; Kim, B. C.: Effects of Zinc Oxide Nanoparticles on the Physical Properties of Polyacrylonitrile, 1854
Chae, S. Y. See Choi, C., 3520
Chai, X. S. See Hou, Q. X., 1346
Chai, X.-S.
—; Hou, Q. X.; Schork, F. J.: Determination of the Methyl Methacrylate Monomer in Its Polymer Latex by Headspace Gas Chromatography, 392
—; Hou, Q. X.; Schork, F. J.: Determination of the Solubility of a Monomer in Water by Multiple Headspace Extraction Gas Chromatography, 1296
—; Schork, F. J.; Oliver, E. M.: ATR-UV Monitoring of Methyl Methacrylate Miniemulsion Polymerization for Determination of Monomer Conversion, 1471
Chaki, T. K. See Sengupta, R., 1633
Chakraborty, B. C. See Samui, A. B., 2542
Chakraborty, D. See Bhattacharyya, R., 2033; Goswami, S., 2857
Chan, C.-M. See Weon, J.-I., 3070
Chandrasekhar, L. See Samui, A. B., 2542
Chandrashekar, N. See Pandey, K. K., 2367
Chang, F.-C. See Yeh, J.-M., 1576
Chang, H. J.
—; Morikawa, J.; Hashimoto, T.: Thermal Diffusivity of Polyolefins by Temperature Wave Analysis, 1104
Chang, X.-J. See Zhou, L.-C., 1620
Chattopadhyay, D. K. See Narayan, R., 368
Chaudhari, C. V. See Dubey, K. A., 3638
Chauhan, G. S.
—; Chauhan, S.; Chauhan, K.; Sen, U.: Synthesis and Characterization of Acrylamide and 2-Hydroxylpropyl Methacrylate Hydrogels for Specialty Applications, 3040
Chauhan, K. See Chauhan, G. S., 3040
Chauhan, S. See Chauhan, G. S., 3040
Chen, B. See Yeh, J.-M., 1576
Chen, B.-K. See Tsay, S.-Y., 2966
Chen, C. See Jiang, G., 728; Jiang, G., 1147; Jiang, T.-Y., 2702
Chen, C.-H.
—; Li, H.-C.; Teng, C.-C.; Yang, C.-H.: Fusion, Electrical Conductivity, Thermal, and Mechanical Properties of Rigid Poly(vinyl chloride) (PVC)/Carbon Black (CB) Composites, 2167
Chen, C.-L. See Yeh, J.-M., 1576
Chen, C.-P. See Tsay, S.-Y., 2966
Chen, H.-T. See Lin, Y.-S., 744
Chen, J. See Pei, X., 3116; Yang, W., 1781
Chen, J.-C. See Mao, C.-F., 2771
Chen, K.-C. See Lin, Y.-H., 738
Chen, L. See Chen, Y., 2226; Jin, J., 3677
Chen, S.-C. See Yeh, J.-M., 1576
Chen, T. See Jiang, G., 728; Jiang, G., 1147; Wang, W., 734
—; Wang, J.; Huang, X.: Artificial Neural Network Modeling for Predicting Melt Blowing Processing, 424
Chen, W. See Song, B., 2759; Wu, H., 828
Chen, X. See Zhong, W., 1523; Zhong, W., 2558
Chen, X.-B. See Jiang, D., 472

Chen, Y. See Jiang, S., 2389; Liu, Y., 927; Wang, Jincheng, 3578; Xie, H.-Q., 1975; Ye, G., 3417
—; Chen, L.; Nie, H.; Kang, E. T.: Low-κ Nanocomposite Films Based on Polyimides with Grafted Polyhedral Oligomeric Silsesquioxane, 2226
—; Cheng, S.; Wang, Y.; Zhang, C.: Chemical Components and Properties of Core–Shell Acrylate Latex Containing Fluorine in the Shell and Their Films, 107
Chen, Y.-F. See Dai, C.-A., 1795
Chen, Z. See Cai, Y., 1320; Huang, H., 3203
—; Cui, X.; Jiang, W.; Cheng, X.; Wang, H.: Synthesis and Characterization of Fluoropolymer Modified Polyacrylate in Emulsion Polymerization, 558
Chen, Z.-H.
—; Lin, C. B.; Liu, W.-C.: Hydrolysis Induced Formation of Macrovoids in Poly(methyl methacrylate), 3451
Chenal, J.-M.
—; Colombini, D.; Widmaier, J.-M.: Influence of the Process on Phase Separation Induced by Radical Copolymerization of Styrene and Divinylbenzene in the Presence of Reactive Polyurethane Network Precursors, 2989
Cheng, G. See Lu, S., 2401; Lu, S., 3241
Cheng, R.
—; Yang, H.: Application of Time–Temperature Superposition Principle To Polymer Transition Kinetics, 1767
Cheng, S. See Chen, Y., 107
Cheng, X. See Chen, Z., 558
—; Xie, Z.; Song, Y.; Xiao, J.; Wang, Y.: Structure and Properties of Polycarbosilane Synthesized from Polydimethylsilane under High Pressure, 1188
Cheng, Z. See Zhou, N., 3535
Chi, B. See Wu, S., 2029
Chien, H.-C. See Dai, C.-A., 1960
Chiu, H.-J.
—; Huang, J.-M.: Lamellar Morphology of Poly(trimethylene terephthalate)/Poly(ether imide) Blends Studied via Small-Angle X-ray Scattering, 2421
Chiung-Hui, W. See Chun-Guey, W., 1530
Cho, B. G. See Chong, M. H., 1583
Cho, C. S. See Choi, C., 3520
Cho, H. See Choi, J. S., 2395
Cho, J.-D.
—; Kim, S.-G.; Hong, J.-W.: Surface Modification of Polypropylene Sheets by UV-Radiation Grafting Polymerization, 1446
Cho, K. See Kang, J. H., 3433
Choe, S. See Biswas, J., 2627
Choi, C.
—; Chae, S. Y.; Kim, T.-H.; Kweon, J. K.; Cho, C. S.; Jang, M.-K.; Nah, J.-W.: Synthesis and Physicochemical Characterization of Amphiphilic Block Copolymer Self-Aggregates Formed by Poly(ethylene glycol)-*block*-Poly(ε-caprolactone), 3520
Choi, E. Y. See Basarir, F., 3692
Choi, J. S. See Jeong, H. M., 2841
—; Im, S. H.; Song, M. Y.; Park, O. O.; Cho, H.; Hwang, J. T.: Fabrication of a Graded-Index Polymer Optical Fiber Preform without Cavity via the Automatic Refilling Process, 2395
Choi, S.-S.
—; Influence of Polymer–Filler Interactions on Retraction Behaviors of Natural Rubber Vulcanizates Reinforced with Silica and Carbon Black, 691
Choi, W. M. See Lee, J. W., 1752
Chong, M. H.
—; Chun, B. C.; Chung, Y.-C.; Cho, B. G.: Fire-Retardant Plastic Material from Oyster-Shell Powder and Recycled Polyethylene, 1583
Choudhary, M. S. See Kulshreshtha, A. K., 1004
Choudhary, V. See Agarwal, N., 2414; Roy, P. K., 236
Chow, W. K. See Qin, J., 2520
Chu, W.
—; Wu, L.; Karbhari, V. M.: Comparative Degradation of Pultruded E-Glass/Vinylester in Deionized Water, Alkaline Solution, and Concrete Leachate Solution, 1405
Chui, Y. H. See Zhang, Y., 1674
Chun, B. C. See Chong, M. H., 1583
Chun-Guey, W.
—; Chiung-Hui, W.; Ming-I, L.; Huey-Jan, C.: New Solid Polymer Electrolytes Based on PEO/PAN Hybrids, 1530
Chun-yun, C. See Bao-Xiu, Z., 2951
Chung, S.-J. See Jung, B.-O., 3500
Chung, Y.-C. See Chong, M. H., 1583
Cidade, M. T. See Filipe, S., 347
Ciković, N. See Mrkić, S., 1590
Cirpan, A.
—; Karasz, F. E.: Indium Tin Oxide Nanoparticles as Anode for Light-Emitting Diodes, 3125
Clark, A. E. See Oréfice, R. L., 1153
Çolak, N. See Özdemir, C., 2182
Colombini, D. See Chenal, J.-M., 2989
Commereuc, S. See Fraäisse, F., 2238
Conte, A. See Vieira Marques, M. d. F., 628
Cookson, D. See Hanley, T., 3328
Cooper, P. See Lopez, J. L., 2570
Coşkun, M. See Demirelli, K., 3344
Costa, F. R. See Schmachtenberg, E., 1485
Coulter, J. P. See Kikuchi, A., 2603
Coutinho, F. M. B. See Pires, N. M. T., 88
Coutinho, P. L. A. See Pires, N. M. T., 88
Covas, J. A. See Berzin, F., 2082
Cruz, S. A.
—; Zanin, M.: PET Recycling: Evaluation of the Solid State Polymerization Process, 2117
Cui, N.
—; Ke, Y.; Li, H.; Zhang, Z.; Guo, C.; Lv, Z.; Hu, Y.: Effect of Diether as Internal Donor on $MgCl_2$-Supported Ziegler–Natta Catalyst for Propylene Polymerization, 1399
Cui, X. See Chen, Z., 558
Cyras, V. See Stefani, P. M., 2957

Dai, C.-A.
—; Chen, Y.-F.; Liu, M.-W.: Thermal Properties Measurements of Renatured Gelatin Using Conventional and Temperature Modulated Differential Scanning Calorimetry, 1795
—; Liao, C.-C.; Tsui, T.-A.; Chien, H.-C.; Liu, M.-W.: Adhesion Measurement of Interfaces Between Gelatin and Poly(ethylene terephthalate) Using Microscratch Technique, 1960
Dai, J.
—; Yao, X.; Yeh, H. Y.; Liang, X.: Moisture Absorption of Filled Silicone Rubber Under Electrolyte, 2253
Dai, W. See He, W., 1140
Daimon, H. See Tsuji, H., 2245
Dalvi, V. G. See Samui, A. B., 2542
Dan, Y. See Feng, H., 1093
Dang, X.
—; Yuan, Q.; Fang, J.; Wang, D.: Phase Reversal during Water

Dispersion of Polyurethane Anionomer, 1234
Daniels, E. S. See Ding, T., 398
Das, A. See De, D., 957
—; De, D.; Naskar, N.; Debnath, S. C.: Effect of Vulcanization Technique on the Physical Properties of Silica-Filled EPDM Rubber, 1132
Das, C. K. See Jana, G. K., 2831
Das, S.
—; Ghosh, A.: Study of Creep, Stress Relaxation, and Inverse Relaxation in Mulberry *(Bombyx mori)* and Tasar *(Antheraea mylitta)* Silk, 3077
Daswal, S.
—; Mishra, A.: Methylmethacrylate Polymerization Photoinitiated by 1-(Bromoacetyl)pyrene, 920
Day, R. See Navabpour, P., 3658
De, D. See Das, A., 1132; De, D., 957
—; Das, A.; De, D.; Panda, P. K.; Dey, B.; Roy, B. C.: Reinforcing Effect of Silica on the Properties of Styrene Butadiene Rubber–Reclaim Rubber Blend System, 957
Dêbek, C. See Magryta, J., 2010
Dêbek, D. See Magryta, J., 2010
Debnath, S. C. See Das, A., 1132
Degamber, B. See Navabpour, P., 3658
De Kee, D. See Liu, Q., 2746
Delides, C. G. See Papanicolaou, G. C., 1328
de Lira, C. H. See Pires, N. M. T., 88
Delmotte, L. See Despres, A., 589
Demirelli, K.
—; Kaya, E.; Coşkun, M.: Polymers Based on Phenyl Methacrylate: Synthesis via Atom Transfer Radical Polymerization, Characterization, Monomer Reactivity Ratios, and Thermal Stabilities, 3344
Deng, Z. W.
—; Hu, X. X.; Li, L.; Xu, Z. S.; Yi, C. F.: Self-Assembled Poly(styrene-*co*-*N*-isopropylacrylamide) Film Induced by Capillary Force, 3514
Denktaş, C.
—; Yıldırım, H.; San, N.: Influence of Apple Flavor Absorption on Physical and Mechanical Properties of Poly(ethylene terephthalate) Films, 1802
Densmore, C. G.
—; Robison, T. W.; Smith, B. F.; Lewis, R. E.: Controlled Release and Absorption of Cetylpyridinium Chloride Using Polymer Hydrogels, 3153
de Paula, R. C. M. See Maciel, J. S., 326
Desai, P. See Michielsen, S., 2489
de Saja, J. A. See Ruiz-Herrero, J. L., 2204
Despres, A.
—; Pizzi, A.; Delmotte, L.: ^{13}C NMR Investigation of the Reaction in Water of UF Resins With Blocked Emulsifiable Isocyanates, 589
Dessouki, A. M. See Abdel-Aal, S. E., 2460; Badawy, S. M., 1180
Devaraju, N. G. See Badheka, P., 2815
—; Lee, B. I.: Dielectric Behavior of Three Phase Polyimide Percolative Nanocomposites, 3018
Devasahayam, S.
—; Effect of Moisture-Ingress on Adhesion Energy in a Metal Oxide-Polymer System, 2052
—; Towards Improving Wet-Adhesion in a Metal Oxide-Polymer Coating System, 3318
Dey, B. See De, D., 957
Di, Y.
—; Kang, M.; Zhao, Y.; Yan, S.; Wang, X.: Morphology and Mechanical Properties of Blends of Thermoplastic Polyurethane and Polyolefins, 875
Ding, J. See Zhu, W., 2375
Ding, Q. See Liu, B., 2578
Ding, T.
—; Daniels, E. S.; El-Aasser, M. S.; Klein, A.: Surface Treatment and Characterization of Functionalized Latex Particles and Inorganic Pigment Particles Used in the Study of Film Formation from Pigmented Latex Systems, 398
Dogu, Y.
—; Okay, O.: Swelling–Deswelling Kinetics of Poly(*N*-isopropylacrylamide) Hydrogels Formed in PEG Solutions, 37
Dolbin, I. V. See Kozlov, G. V., 3574
Dong, X. See Jiang, G., 1147
Dong, Y.
—; Bai, Z.; Zhang, L.; Liu, R.; Zhu, T.: Finishing of Cotton Fabrics with Aqueous Nano-Titanium Dioxide Dispersion and the Decomposition of Gaseous Ammonia by Ultraviolet Irradiation, 286
Dorschner, H. See Krause, B., 260
dos Santos, J. H. Z. See Pires, G. P., 2002
Drzal, L. T. See Mehta, G., 1055
Du, N. See Mei, Q., 1945
Du, Y. See He, W., 1140; Kang, K., 1934
Du, Y. K.
—; Yang, P.; Mou, Z. G.; Hua, N. P.; Jiang, L.: Thermal Decomposition Behaviors of PVP Coated on Platinum Nanoparticles, 23
Du, Z. See Liu, Y., 858
Duan, Y.
—; Li, H.; Ye, L.; Liu, X.: Study on the Thermal Degradation of Polyoxymethylene by Thermogravimetry–Fourier Transform Infrared Spectroscopy (TG–FTIR), 3085
Dubey, K. A.
—; Bhardwaj, Y. K.; Chaudhari, C. V.; Sabharwal, S.: Radiation-Processed Styrene–Butadiene-*co*-Ethylene–Propylene Diene Rubber Blends: Compatibility and Swelling Studies, 3638
Dubouloz-Monnet, F.
—; Albérola, N. D.; Mélé, P.: Effects of Fiber Aggregates on the Transverse Mechanical Behavior of Commingled PP–Glass Fiber Composites, 3466
Duong, H. T. T.
—; Burford, R. P.: Effect of Foam Density, Oil Viscosity, and Temperature on Oil Sorption Behavior of Polyurethane, 360

Ebrahimi, N. G. See Rezaei, M., 2344; Rezaei, M., 2352
Edwards, B. J. See Jiang, B., 405
Eichie, F. E.
—; Okor, R. S.; Groning, R.: Structure and Barrier Property of Acrylatemethacrylate Film Coating in Aspirin Microcapsules, 725
Eid, M. A. M. See Botros, S. H., 2504
El-Aasser, M. S. See Ding, T., 398
Elder, T. See Hou, Q. X., 1346
El-Din, H. M. N.
—; El-Naggar, A. W. M.; Ali, F. I.: Thermal Decomposition Behavior of γ-Irradiated Poly(vinyl acetate)/Poly(methyl methacrylate) Miscible Blends, 1773
Eleya, M. M. O. See Gunasekaran, S., 2470
El-Ghazzawy, E. H. See Saafan, S. A., 3370
Elibol, G. C. See Burdurlu, E., 3050

Elkholy, S. S.
—; Khalil, K. D.; Elsabee, M. Z.: Homogeneous and Heterogeneous Grafting of 4-Vinylpyridine onto Chitosan, 3308
El-Magd, A. A. See Kenawy, E.-R., 2428
El-Naggar, A. W. M. See El-Din, H. M. N., 1773
El-Nimr, M. K. See Saafan, S. A., 3370
El-Ola, S. M. A. See Shalaby, S. E., 613
El-Rabiey, M. M. See Sayyah, S. M., 3093
El-Rehim, S. S. A. See Sayyah, S. M., 3093
Elsabee, M. Z. See Elkholy, S. S., 3308
El Sayed, A. M. See Hirao, K., 3507
El Sheikh, R. A. See Shawky, H. A., 2904
Erhan, S. Z. See Song, B., 2759
Errico, M. E.
—; Greco, R.; Laurienzo, P.; Malinconico, M.; Viscardo, D.: Acrylate/EVA Reactive Blends and Semi-IPN: Chemical, Chemical–Physical, and Thermo-Optical Characterization, 2926
Esparza, C. See Rivas, B. L., 706
Estenoz, D. See Casis, N., 3023

Fan, W. See Cai, Y., 1320
Fan, X. See Wu, D., 3257
Fang, J. See Dang, X., 1234
Fang, Q. See Xiang, B., 1760
Farah, M. See Marinelli, A. L., 563
Farahani, M.
—; Wallace, W. E.; Antonucci, J. M.; Guttman, C. M.: Analysis by Mass Spectrometry of the Hydrolysis/Condensation Reaction of a Trialkoxysilane in Various Dental Monomer Solutions, 1842
Faridi-Majidi, R. See Naderi, N., 2943
Farris, R. J. See Xu, T., 2661
Fata, D.
—; Possart, W.: Aging Behavior of a Hot-Cured Epoxy System, 2726
Fave, J. L. See Jaballah, N., 2997
Fei, C. See Yujun, W., 3365
Felisberti, M. I. See Mazali, C. A. I., 644; Mazali, C. A. I., 2279
Feng, C. See Rana, D., 3062; Rana, D., 3650
Feng, H.
—; Dan, Y.: The Research of RATRP of Styrene in the Microemulsion, 1093
Feng, K. See Li, G., 2138
Feng, L.-F. See Wang, L., 945
Fernando, G. See Navabpour, P., 3658
Ferreira, A. A. See Pires, N. M. T., 88
Ferreira, M. See Fourdrin, S., 1117
Filipe, S.
—; Cidade, M. T.; Wilhelm, M.; Maia, J. M.: Evolution of the Morphological and Rheological Properties along the Extruder Length for Compatibilized Blends of a Commercial Liquid-Crystalline Polymer and Polypropylene, 347
Finelli, L.
—; Siracusa, V.; Lotti, N.; Gazzano, M.; Munari, A.: Synthesis and Thermal Properties of Randomly Branched Poly(butylene isophthalate) Containing Sodium Sulfonate Groups, 1374
Finkenstadt, V. L. See Willett, J. L., 52
Focke, W. W. See Karakatsanis, E., 2554
Fourdrin, S.
—; Rochery, M.; Lewandowski, M.; Ferreira, M.; Bourbigot, S.: Rheological and Thermogravimetric Studies of the Crosslinking Process of Functionalized Acrylic Latexes, 1117
Fraäisse, F.
—; Kumar, A.; Commereuc, S.; Verney, V.: Photo-Oxidation of Polymers: Validation of Oxygen Uptake and Relationship with Extent of Hydroperoxidation, 2238
Fu, L. See Wang, Q., 719
Fu, Q. See Zou, H., 1724
Fu, R. See Wu, D., 2263
Fuenzalida, V. M. See Alvarez, M. P., 3005
Fujie, K. See Tsuji, H., 2245
Fujioka, R. See Yoshimura, T., 3251
Fuzail, M. See Bali Shah, G., 1928
—; Hill, D. J. T.; Le, T. T.: An ESR Study of the Radiolysis of Semi-Crystalline Ethylene-Propylene Copolymers Containing DOP Mobilizer, 638

Gad, Y. H. See Abdel-Aal, S. E., 2460
Gafiichuk, V. See Gutsanu, V., 59
Galeski, A. See Bernal-Lara, T. E., 597
Galià, M. See Ribera, G., 1367
Galić, K. See Mrkić, S., 1590
Gam, K.-T. See Weon, J.-I., 3070
Gandini, A. See Pelletier, H., 3218
Ganesh, B.
—; Unnikrishnan, G.: Cure Characteristics, Morphology, Mechancial Properties, and Aging Characteristics of Silicone Rubber/Ethylene Vinyl Acetate Blends, 1069
Gao, J. See Wang, D., 670; Zhang, Y., 1705
Gao, W. D. See Wei, Q. F., 2384
García-Alvarez, M. See Ramis, X., 994
García-Gaitán, B.
—; Pérez-González, M. d. P.; Zárate-Acevedo, M. C.; Martínez-Richa, A.; Luna-Bárcenas, G.; Nuño-Donlucas, S. M.: Synthesis and Characterization of a Poly(ether–ester) Copolymer from Poly(2,6 dimethyl-1,4-phenylene oxide) and Poly(ethylene terephthalate), 2124
Gauthier, R. See Zghida, H., 82
Gawish, S. M.
—; Ramadan, A. M.; Mosleh, S.; Morcellet, M.; Martel, B.: Synthesis and Characterization of Novel Biocidal Cyclodextrin Inclusion Complexes Grafted onto Polyamide-6 Fabric by a Redox Method, 2586
Gazzano, M. See Finelli, L., 1374
Ge, X. C.
—; Zhu, Q.; Meng, Y. Z.: Fabrication and Characterization of Biodegradable Poly(propylene Carbonate)/Wood Flour Composites, 782
Geng, Y.
—; Li, K.; Simonsen, J.: Further Investigation of Polyaminoamide-Epichlorohydrin/Stearic Anhydride Compatibilizer System for Wood-Polyethylene Composites, 712
Géribaldi, S. See Saäidi, S., 821
Ghasem, N. M. See Heidarian, J., 1817
Ghosh, A. See Das, S., 3077
Gil, M. P. See Pires, G. P., 2002
Gilliam, M. A.
—; Yu, Q. S.: Surface Characterization of Low-Temperature Cascade Arc Plasma–Treated Low-Density Polyethylene Using Contact Angle Measurements, 2528
Glowacz-Czerwonka, D.
—; Kucharski, M.: New Melamine–Formaldehyde–Ketone Polymers. III. Coatings from Melamine and Reactive Solvents Based on Cyclohexanone, 1083

Göbel, S. See Schmachtenberg, E., 1485
Gök, A.
—; Oğuz, İ.: Structural and Thermal Characterization of Poly(2-chloroaniline)/Red Mud Nanocomposite Materials, 2101
Gomatam, R. R. See Kikuchi, A., 2603
Gong, J. See Jia, Y.-T., 1462
Goswami, S.
—; Chakrabarty, D.: Synthesis and Characterization of Sequential Interpenetrating Polymer Networks of Novolac Resin and Poly(ethyl acrylate), 2857
Greco, R. See Errico, M. E., 2926
Greer, R. W. See Khudyakov, I. V., 489
Groning, R. See Eichie, F. E., 725
Gu, S.-Y. See Ren, J., 1045
Gu, X.-P. See Wang, L., 945
Guan, J.-G. See Xie, H.-Q., 1887; Xie, H.-Q., 1975
Guan, R. See Xiang, B., 1760
Guangsheng, L. See Yujun, W., 3365
Gugliotta, L. See Casis, N., 3023
Guimon, C. See Saäidi, S., 821
Guittard, F. See Saäidi, S., 821
Gunasekaran, S.
—; Xiao, L.; Eleya, M. M. O.: Whey Protein Concentrate Hydrogels as Bioactive Carriers, 2470
Güner, A. See Can, H. K., 2288; Can, H. K., 2300; Özdemir, C., 2182
Gungor, A.
—; The Physical and Mechanical Properties of Polymer Composites Filled with Fe Powder, 2438
Guo, C. See Cui, N., 1399
Guo, L. See Zhang, H., 65
Guo, M.
—; Liu, M.; Liang, R.; Niu, A.: Granular Urea-Formaldehyde Slow-Release Fertilizer with Superabsorbent and Moisture Preservation, 3230
Guo, Z.-X. See Yi, F., 1340
Gutiérrez, J. A. See Mata-Mata, J. L., 2737
Gutsanu, V.
—; Gafiichuk, V.; Shofransky, V.; Turta, C.: Nature of Compounds Formed in Phase of Strongly Basic Anion Exchanger in Contact with $Fe_2(SO_4)_3$ Solutions, 59
Guttman, C. M. See Farahani, M., 1842

Habas, J. P. See Nassiet, V., 679
Hamada, H. See Tetsuya, T., 513
Hamin, S. See Mrkić, S., 1590
Han, H. See Seo, J., 1692
Han, K. See Yan, W., 775
Han, M.-J. See Lee, K.-W., 1903
Han, Y. S. See Seok, J.-W., 162
Hanley, T.
—; Sutton, D.; Cookson, D.; Kosior, E.; Knott, R.: Molecular Morphology of Petaloid Bases of PET Bottles: A Small-Angle X-ray Scattering Study, 3328
Hanna, M. A. See Xu, Y., 1684
Haponiuk, J. See Steller, R., 1872
Hasegawa, T. See Suzuki, A., 802
Hashimoto, T. See Chang, H. J., 1104
Hashimoto, Y. See Tetsuya, T., 513
Hashmi, S. A. R.
—; Attaining a Controlled Graded Distribution of Particles in Polymerizing Fluid for Functionally Graded Materials, 3009
Hasirci, N. See Basgorenay, B., 3631
Hassan, A. See Lim, J. W., 3441
Hassoune-Rhabbour, B. See Nassiet, V., 679
Häußler, L. See Krause, B., 260
Hauser, R. A. See King, J. A., 1552; Miller, M. G., 2144
Hay, J. N. See Jenkins, M. J., 2789
He, Q. See Liu, B., 2578
He, W. See Wang, Y., 2314
—; Du, Y.; Dai, W.; Wu, Y.; Zhang, M.: Effects of *N*-trimethyl Chitosan Chloride as an Absorption Enhancer on Properties of Insulin Liquid Suppository In Vitro and In Vivo, 1140
He, Z. See Huang, H., 3203
Heidarian, J.
—; Ghasem, N. M.; Wan Daud, W. M. A.: Optimum Temperature Profile for Noncatalytic Reaction to Produce Polyamide Hot Melt Adhesives, 1817
Helal, A. See Zghida, H., 82
Hervais, V. See Poisson, C., 974
Heslop, J. See Bhowmick, A. K., 150
Hilal, N. See Zulfikar, M. A., 3163
Hill, D. J. T. See Fuzail, M., 638
Hillenbrand, J. See Behrendt, N., 650
Hiltner, A. See Bernal-Lara, T. E., 597; Prattipati, V., 225
Hine, P. J. See Jenkins, M. J., 2789
Hirao, K.
—; Yamauchi, A.; El Sayed, A. M.: Material Transport Properties of Polymer–Gel Composite-Charged Mosaic Membrane with and without Reinforcement [II], 3507
Hirata, M. See Yamada, K., 381; Yamada, K., 1895
Hnatowicz, V. See Ävorčík, V., 1698
Hoa, S. V. See Wu, L., 580
Hodzic, A. See Shanks, R. A., 2305
Holmes, G. A. See Moon, C. K., 1541
Hong, J.-W. See Cho, J.-D., 1446
Hong, K. H.
—; Kang, T. J.: Polyaniline–Nylon 6 Composite Nanowires Prepared by Emulsion Polymerization and Electrospinning Process, 1277
Horikoshi, T. See Kawamoto, N., 1350
Hosamani, K. M. See Babu, V. R., 2671; Nataraj, S. K., 1788
Hou, C.
—; Liu, J.; Ying, L.; Wang, C.: Copolymerization of Acrylonitrile with Methyl Vinyl Ketone, 1940
—; Qu, R.; Ying, L.; Wang, C.: Reverse Atom Transfer Radical Polymerization of Acrylonitrile, 32
—; Ying, L.; Wang, C.: Atom Transfer Radical Polymerization of Acrylonitrile, 1050
Hou, D. Y. See Wei, Q. F., 2384
Hou, L. See Liu, H., 3300
Hou, Q. X. See Chai, X.-S., 392; Chai, X.-S., 1296
—; Chai, X. S.; Yang, R.; Elder, T.; Ragauskas, A. J.: Characterization of Lignocellulosic–Poly(lactic acid) Reinforced Composites, 1346
Hou, Y.-F. See Zhou, L.-C., 1620
Hsiao, C. N. See Huang, K. S., 2454
Hsieh, C.-D. See Liu, J.-H., 2443
Hsu, C.-W. See Lee, T.-M., 3491
Hsu, J.-T. See Yeh, J.-M., 1576
Hu, B. See Liu, B., 2578
Hu, H. See Qin, Y., 3110
—; Lin, J.; Zheng, Q.; Xu, X.: Effect of Filler Network on Dynamic Viscoelastic Properties of Uncured Polymethylvinylsiloxanes Filled with Silica and Carbon Black, 3477
Hu, J.-S.
—; Zhang, B.-Y.; Pan, W.; Li, Y.-H.; Ren, S.-C.: Synthesis and Characterization of Side-Chain Cholesteric Liquid-Crystalline Polymers Derived from Steroid Substituents, 2330
Hu, X. See Wang, Q., 719; Zhang, H., 65
Hu, X. X. See Deng, Z. W., 3514
Hu, Y. See Cai, Y., 1320; Cui, N., 1399; Li, H., 1018; Lu, Z., 2898;

Yang, L., 3275
Hu, Y. S. See Prattipati, V., 225
Hua, N. P. See Du, Y. K., 23
Huang, C.-C. See Yeh, J.-M., 1576
Huang, C.-M. See Shih, Y.-F., 188
Huang, F. See Zhang, Y., 1705
Huang, H. See Zhang, H.-T., 3586
—; Tian, M.; Liu, L.; He, Z.; Chen, Z.; Zhang, L.: Effects of Silicon Additive as Synergists of $Mg(OH)_2$ on the Flammability of Ethylene Vinyl Acetate Copolymer, 3203
Huang, J.-H.
—; Luo, M.-B.; Qian, C.-J.: Curie Temperature of a Ferromagnetic Polymer Chain Model, 969
Huang, J.-M. See Chiu, H.-J., 2421
Huang, J.-X. See Zhang, H.-T., 3586
Huang, K. S.
—; Hsiao, C. N.; Nien, Y. H.; Lin, J. M.: Synthesis, Characterization, and Application of PVP/PAM Copolymer, 2454
Huang, L. See Wu, N., 2936
Huang, M.
—; Yu, J.: Structure and Properties of Thermoplastic Corn Starch/Montmorillonite Biodegradable Composites, 170
Huang, R. See Wang, X., 2268
Huang, X. See Chen, T., 424; Qin, Y., 3110
Huang, Y. See Li, Y., 1832; Wan, Y. Z., 949
Huang, Y. D. See Liu, L., 3172
Huang, Z. See Liang, H., 3130
Huang, Z. F. See Tan, S. T., 1269
Huang, Z.-M. See Qi, D.-M., 3425
Hudson, N. E. See McAlpine, M., 2614
Huerta, M. See Pizarro, G. d. C., 2359
Huey-Jan, C. See Chun-Guey, W., 1530
Hwang, C. I. See Shin, D. H., 900
Hwang, J. T. See Choi, J. S., 2395
Hwang, S. J. See Lin, Y.-H., 738

Ibanescu, C.
—; Schimper, C.; Bechtold, T.: Alkaline Treatment of Cotton in Different Reagent Mixtures with Reduced Water Content. I. Influence of Alkali Type and Additives, 2848
Ibarra, L. See Valentín, J. L., 3222
Ibrahim, S. A. See Botros, S. H., 1559
İçduygu, G. See Asiltürk, M., 1175
Ikoma, T. See Kino, R., 2822
Im, J. E. See Lee, J. K., 2220
Im, S. H. See Choi, J. S., 2395
Imoto, Y. See Inoue, S.-I., 891
Inata, H.
—; Maki, I.; Ishikawa, T.; Takeda, K.: Diffusion of Additives and Deterioration with Passage of Time in Polypropylene, 2152
Incorvia, M. J. See Obendorf, S. K., 1720
Inoue, S.-I.
—; Nakakita, S.; Zhang, M.; Imoto, Y.; Sakaki, T.; Muraoka, K.; Mizoguti, T.; Okamoto, H.: Preparation and Properties of a Siloxane-Containing 2-Vinylpyridine–styrene–butadiene Copolymer with Water Glass, 891
Inoue, T. See Yang, B., 1
Ishiaku, U. S. See Tetsuya, T., 513
Ishikawa, T. See Inata, H., 2152
Işiklan, N.
—; Controlled Release of Insecticide Carbaryl from Sodium Alginate, Sodium Alginate/Gelatin, and Sodium Alginate/Sodium Carboxymethyl Cellulose Blend Beads Crosslinked with Glutaraldehyde, 1310
Ismail, H. See Mohamad, Z., 1504
Itakura, M.
—; Shimada, K.; Matsuyama, S.; Saito, T.; Kinugasa, S.: A Convenient Method to Determine the Rayleigh Ratio with Uniform Polystyrene Oligomers, 1953
Ivankovic, H. See Ivankovic, M., 550
Ivanković, M. See Mrkić, S., 1590
Ivankovic, M.
—; Brnardic, I., Ivankovic, H.; Mencer, H. J.: DSC Study of the Cure Kinetics During Nanocomposite Formation: Epoxy/Poly(oxypropylene) Diamine/Organically Modified Montmorillonite System, 550
Ivanova, G. See Mokreva, P., 75

Jaballah, N.
—; Trad, H.; Majdoub, M.; Jouini, M.; Roussel, J.; Fave, J. L.: Synthesis and Characterization of New Blue-Photoluminescent Copolymer Derived from Bisphenol A, 2997
Jacobsson, P. See Shtykova, L., 2797
Jagannath, J. H.
—; Nadanasabapathi, S.; Bawa, A. S.: Effect of Starch on Thermal, Mechanical, and Barrier Properties of Low Density Polyethylene Film, 3355
Jana, G. K.
—; Mahaling, R. N.; Das, C. K.: A Novel Devulcanization Technology for Vulcanized Natural Rubber, 2831
Jang, M.-K. See Choi, C., 3520
Jang, S. M. J. See Zhen, H., 2497
Jang, W. See Seo, J., 1692
Jara, M. See Rivas, B. L., 706
Jayakumar, R. See Nanjundan, S., 2913
Jędrzejewska, B. See Kabatc, J., 207
Jeng, R.-J. See Shih, Y.-F., 188
Jenke, D. R.
—; Examination of Data Relating to the Thermodynamic and Kinetic Interactions Between Nonvolatile Aqueous Solutes and Three Ethylene–Vinyl Acetate Copolymers, 253
Jenkins, M. J.
—; Hine, P. J.; Hay, J. N.; Ward, I. M.: Mechanical and Acoustic Frequency Responses in Flat Hot-Compacted Polyethylene and Polypropylene Panels, 2789
Jeong, H. M.
—; Choi, J. S.; Ahn, Y. T.; Kwon, K. H.: Characteristics of Polystyrene/Organoclay Nanocomposites Prepared by In-Situ Polymerization with Macroazoinitiator Containing Poly(dimethylsiloxane) Segment, 2841
—; Woo, S. M.; Lee, S.; Cha, G.-C.; Mun, M. S.: Effect of Molecular Structure on Performance of Electroactive Ionic Acrylic Copolymer–Platinum Composites, 1732
Jeong, H. Y.
—; Kim, B. K.: Electrochemical Behavior of a New Type of Perfluorinated Carboxylate Membrane/Platinum Composite, 2687
Ji, G. See Zhang, C., 2782
Jia, Y.-T.
—; Kim, H.-Y.; Gong, J.; Lee, D.-R.: Electrospun Nanofibers of Block Copolymer of Trimethylene Carbonate and ε-Caprolactone, 1462
Jiang, B.
—; Kamerkar, P. A.; Keffer, D. J.; Edwards, B. J.: Using Multiple-Mode Models for Fitting and Predicting Rheological Properties of Polymeric Melts, 405
Jiang, D.
—; Chen, X.-B.; Niu, Y.-M.; Zhang, Y.-H.; Jiang, Z.-H.; Ma, R.-T.: Preliminary Investigation of Poly(ether sulfone)/Poly(aryl

ether ketone) Containing 1,4-Naphthalene Blends, 472
Jiang, G.
—; Wang, L.; Chen, T.; Chen, C.; Yu, H.: Synthesis of Multi-Arm Star Polystyrene with Hyperbranched Polyester Initiators by Atom Transfer Radical Polymerization, 728
—; Wang, L.; Dong, X.; Chen, C.; Chen, T.: Synthesis and Self-Assembly of Hyperbranched Polyethers Peripherally Modified with Adenosine 5′-Monophosphate, 1147
—; Zheng, Q.; Yang, D.: Synthesis of a Water-Soluble Fullerene Derivative Nanoball and its Biological Activity, 2874
Jiang, H. L.
—; Zhu, K. J.: Comparison of Poly(aspartic acid) Hydrogel and Poly(aspartic acid)/Gelatin Complex for Entrapment and pH-Sensitive Release of Protein Drugs, 2320
Jiang, L. See Du, Y. K., 23
Jiang, S. See Wang, L., 945
—; Wang, L.; Yu, H.; Chen, Y.; Shi, Q.: Study on Antibacterial Behavior of Insoluble Quaternary Ammonium, 2389
Jiang, T.-Y.
—; Wang, Z.-Y.; Tang, L.-X.; Mo, F.-K.; Chen, C.: Polymer Micellar Aggregates of Novel Amphiphilic Biodegradable Graft Copolymer Composed of Poly(aspartic acid) Derivatives: Preparation, Characterization, and Effect of pH on Aggregation, 2702
Jiang, W. See Chen, Z., 558
Jiang, X.
—; Zhang, Yong; Zhang, Yinxi: Study of Dynamically Cured PP/MAH-*g*-PP/Talc/Epoxy Composites, 2752
Jiang, Y. See Xiang, B., 1760
Jiang, Z.-H. See Jiang, D., 472
Jianping, D.
—; Lianying, L.; Wantai, Y.: Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride and Their Charge-Transfer Complex. VII. Charge-Transfer Complex (3), 2810
—; Wantai, Y.: Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride, and Their Charge-Transfer Complex. VIII. Charge-Transfer Complex (4), 2710
Jiao, Z. See Zu, J., 3396
Jin, J.
—; Song, M.; Yao, K. J.; Chen, L.: A Study on Viscoelasticity of Polyurethane–Organoclay Nanocomposites, 3677
Jin, L.
—; Liu, Z.; Xu, Q.; Li, Y.: Preparation of Soap-Free Cationic Emulsion Using Polymerizable Surfactant, 1111
Jin, R. See Wu, D., 3336
Jing, G. See Kan, J., 1848
Jing, S. See Bao-Xiu, Z., 2951
Jose, S.
—; Nair, S. V.; Thomas, S.; Karger-Kocsis, J.: Effect of Reactive Compatibilisation on the Phase Morphology and Tensile Properties of PA12/PP Blends, 2640
Joshi, J.
—; Lehman, R.; Nosker, T.: Selected Physical Characteristics of Polystyrene/High Density Polyethylene Composites Prepared from Virgin and Recycled Materials, 2044
Jothibasu, S. See Mahesh, K. P. O., 3592
Jouini, M. See Jaballah, N., 2997
Jubsilp, C. See Rimdusit, S., 1240
Juneja, H. D. See Ukey, V. V., 273
Jung, B.-O.
—; Chung, S.-J.; Lee, S. B.: Preparation and Characterization of Eugenol-Grafted Chitosan Hydrogels and Their Antioxidant Activities, 3500

Kabalnova, N. N. See Akhmetkhanov, R. M., 2885
Kabatc, J.
—; Jędrzejewska, B.; Pączkowski, J.: Asymmetric Cyanine Dyes as Fluorescence Probes and Visible-Light Photoinitiators of Free-Radical Polymerization Processes, 207
Kacar, T. See Serhatli, I. E., 3187
Kadhum, A. A. See Zulfikar, M. A., 3163
Kadla, J. F. See Uner, B., 3528
Kaesaman, A. See Nakason, C., 1600
Kaliaguine, S. See Reyna-Valencia, A., 756
Kaliyappan, T. See Vijayalakshmi, S., 1516
Kamerkar, P. A. See Jiang, B., 405
Kan, C. W. See Yuen, C. W. M., 3700
Kan, C. Y. See Kang, K., 1934
Kan, J.
—; Zhang, S.; Jing, G.: Effect of Ethanol on Chemically Synthesized Polyaniline Nanothread, 1848
Kang, E. T. See Chen, Y., 2226
Kang, J. H.
—; Kim, Y. C.; Cho, K.; Park, C. E.: Effects of Particle Size on the Molecular Orientation and Birefringence of Magnetic Nanoparticles/Polyimide Composites, 3433
Kang, K.
—; Kan, C. Y.; Du, Y.; Liu, D. S.: Influences of the Polymerization Ingredients on the Porous Morphology of Soap-Free Poly(methyl methacrylate/ethyl acrylate/methacrylic acid) Seeded Latex Particles, 1934
—; Kang, P. H.; Nho, Y. C.: Preparation and Characterization of a Proton-Exchange Membrane by the Radiation Grafting of Styrene onto Polytetrafluoroethylene Films, 1415
Kang, M. See Di, Y., 875
Kang, P. H. See Kang, K., 1415
Kang, T. J. See Hong, K. H., 1277
Kantoğlu, Ö. See Şahiner, N., 1657
Karakatsanis, E.
—; Focke, W. W.; Summers, G. J.: SEM Studies of Surfactant-Assisted Micro-Mixing of Melamine and Wax Particles, 2554
Karasz, F. E. See Cirpan, A., 3125
Karbhari, V. M. See Chu, W., 1405
Karger-Kocsis, J. See Jose, S., 2640
Kariduraganavar, M. Y. See Kulkarni, S. S., 1380
Karunanayake, L.
—; Perera, G. M. P.: Effect of Magnesium and Phosphate Ions on the Stability of Concentrated Natural Rubber Latex and the Properties of Natural Rubber Latex–Dipped Products, 3120
Kato, M.
—; Tsukigase, A.; Usuki, A.; Shimo, T.; Yazawa, H.: Preparation and Thermal Properties of Resole-Type Phenol Resin–Clay Nanocomposites, 3236
Kawabata, N.
—; Ohashi, K.; Nishiyama, T.: Releasing Polyacrylonitrile from Poor Biodegradability by Insertion of a Highly Biodegradable Chemical

Structure into the Main Chain, 852
Kawamoto, N.
—; Horikoshi, T.; Nomura, K.; Yokota, H.; Negishi, Y.; Tobita, E.; Terano, M.: Novel Stabilization System for Polypropylene via the Ziegler–Natta Catalyzed Polymerization in the Presence of Aluminum Aryloxide, 1350
Kaya, E. See Demirelli, K., 3344
Ke, Y. See Cui, N., 1399; Li, H., 1018
Ke, Y.-C. See Wang, H., 1568
Keffer, D. J. See Jiang, B., 405
Keith, J. M. See King, J. A., 1552; Miller, M. G., 2144
Kenawy, E.-R.
—; Abdel-Hay, F. I.; El-Magd, A. A.; Mahmoud, Y.: Synthesis and Antimicrobial Activity of Some Polymers Derived from Modified Amino Polyacrylamide by Reacting It with Benzoate Esters and Benzaldehyde Derivatives, 2428
Keskin, H. See Örs, Y., 3210
Kettrup, G. M. A. See Beneš, M., 788
Khalikov, R. M.
—; Kozlov, G. V.; Zaikov, G. E.: Gas Diffusion in Branched and Crosslinked Polymers: A Model of Treelike Clusters, 3571
Khalil, A. A.
—; Exchange Reactions of Poly-2-(*N*-phthalimido)ethyl Acrylate with Hydroxy and Amino Compounds, 2258
Khalil, K. D. See Elkholy, S. S., 3308
Khanna, P. K. See Kulkarni, M. V., 812
Kharul, U. K. See Lohokare, H. R., 3389
Khayyat-Naderi, B. See Naderi, N., 2943
Khudyakov, I. V.
—; Swiderski, K. W.; Greer, R. W.: Structure-Property Relations in UV-Curable Urethane Acrylate Oligomers, 489
Khulbe, K. C. See Rana, D., 3062; Rana, D., 3650
Kiatkamjornwong, S. See Nuisin, R., 1195
Kikuchi, A.
—; Coulter, J. P.; Gomatam, R. R.: Assessing the Effect of Processing Variables on the Mechanical Response of Polysytrene Molded Using Vibration-Assisted Injection Molding Process, 2603
Kılıç, M. See Burdurlu, E., 3050
Kılıç, Y. See Burdurlu, E., 3050
Kim, B. C. See Chae, D. W., 1854
Kim, B. K. See Jeong, H. Y., 2687
Kim, E. S. See Badheka, P., 2815
Kim, H. See Biswas, J., 2627; Koh, J., 279
Kim, H.-Y. See Jia, Y.-T., 1462
Kim, I. Y. See Kim, S. J., 1100
Kim, J. H. See Oh, S. B., 869
Kim, J. Y.
—; Kim, S. H.: Structure and Property Relationship of Thermotropic Liquid Crystal Polymer and Polyester Composite Fibers, 2211
Kim, K. Y.
—; Nam, G. J.; Lee, S. M.; Lee, J. W.: Rheological Properties of Polypropylene Modified by High-Intensity Ultrasonic Waves, 2132
Kim, M. H. See Lee, J. W., 1752
Kim, S. D. See Koh, J., 279
Kim, S.-G. See Cho, J.-D., 1446
Kim, S. H. See Kim, J. Y., 2211
Kim, S. I. See Kim, S. J., 1100
Kim, S. J.
—; Lee, K. J.; Kim, I. Y.; Shin, D. I.; Kim, S. I.: Temperature and pH-Response Swelling Behavior of Poly(2-ethyl-2-oxazoline)/Chitosan Interpenetrating Polymer Network Hydrogels, 1100
Kim, T.-H. See Choi, C., 3520
Kim, Y. C. See Kang, J. H., 3433
Kim, Y. J. See Oh, S. B., 869
Kimura, Y. See Mizutani, T., 659
King, J. A. See Miller, M. G., 2144
—; Miller, M. G.; Barton, R. L.; Keith, J. M.; Hauser, R. A.; Peterson, K. R.; Sutter, L. L.: Thermal and Electrical Conductivity of Carbon–Filled Liquid Crystal Polymer Composites, 1552
Kini, G. S. See Kumar, H., 177
Kino, R.
—; Ikoma, T.; Monkawa, A.; Yunoki, S.; Munekata, M.; Tanaka, J.; Asakura, T.: Deposition of Bone-Like Apatite on Modified Silk Fibroin Films From Simulated Body Fluid, 2822
Kinugasa, S. See Itakura, M., 1953
Kiserow, D. J. See Whittier, R. E., 540
Kittur, A. A. See Kulkarni, S. S., 1380
Klaiber, M. See Behrendt, N., 650
Klein, A. See Ding, T., 398
Kloosterboer, H. See Mank, A., 1287
Knott, R. See Hanley, T., 3328
Koh, J.
—; Oh, M.-J.; Kim, H.; Kim, S. D.: Alkaline Dissolution Monitoring of Radial-Type Polyester Microfiber Fabrics by a Cationic Dye-Staining Method, 279
Kolesov, S. V. See Akhmetkhanov, R. M., 2885
Kong, F.
—; Ou, C. G.; Zheng, Y.; Zhang, S. Y.; Yang, C. Z.; Wu, X. L.; Yuan, R. K.: Effect of Thermal Annealing in Atmosphere on Photoluminescence of BTEO–PPV Films, 2477
Kontopoulou, M. See Rezaei, M., 2344; Rezaei, M., 2352
Köppen, N. See Bhowmick, A. K., 150
Kosior, E. See Hanley, T., 3328
Kosmidou, Th. V. See Papanicolaou, G. C., 1328
Kowsari, E. See Mallakpour, S., 1038
Kozlov, G. V. See Khalikov, R. M., 3571
—; Dolbin, I. V.; Zaikov, G. E.: Description of the Structure of Branched Polyphenylquinoxaline Macromolecular Coil within the Framework of Fractal Theory, 3574
Krajnc, M. See Poljanšek, I., 2016
Krause, B.
—; Stephan, M.; Volkland, S.; Voigt, D.; Häußler, L.; Dorschner, H.: Long-Chain Branching of Polypropylene by Electron-Beam Irradiation in the Molten State, 260
Krawczak, P. See Poisson, C., 974
Kroutilová, I.
—; Matějka, L.; Sikora, A.; Souček, K.; Staš, L.: Curing of Epoxy Systems at Sub-Glass Transition Temperature, 3669
Kucharski, M. See Glowacz-Czerwonka, D., 1083
Kulkarni, M. V.
—; Viswanath, A. K.; Khanna, P. K.: Synthesis and Characterization of Poly(*N*-Methyl Aniline) Doped with Sulphonic Acids: Their Application as Humidity Sensors, 812
Kulkarni, S. S.
—; Tambe, S. M.; Kittur, A. A.; Kariduraganavar, M. Y.: Modification of Tetraethylorthosilicate Crosslinked Poly(vinyl alcohol) Membrane Using Chitosan and Its Application to the Pervaporation Separation of Water–Isopropanol Mixtures, 1380

Kulshreshtha, A. K.
—; Maiti, A. K.; Choudhary, M. S.; Rao, K. V.: Nano-Addition of Raw Bentonite Enhances Polypropylene (PP) Properties, 1004
Kumar, A. See Fraäisse, F., 2238
Kumar, H.
—; Siddaramaiah; Somashekar, R.; Mahesh, S. S.; Abhishek, S.; Row, T. N. G.; Kini, G. S.: Structure–Property Relationship of Polyethylene Glycol-Based PU/PAN Semi-Interpenetrating Polymer Networks, 177
Kumar, S. See Bennett, C., 2062
Kuo, C.-C. See Yeh, J.-M., 1576
Kuribayashi, M.
—; Narita, Y.; Shibata, M: Metallization of UV-Cured Acrylate Resins by Reduction of Polymer-Incorporated Cobalt Ion, 1627
Kurihara, S. See Nonaka, T., 449
Kuriyama, T. See Yang, B., 1
Kutty, S. K. N. See Seema, A., 532
Kweon, J. K. See Choi, C., 3520
Kwon, K. H. See Jeong, H. M., 2841
Kwon, O. H. See Shin, D. H., 900
Kwon, Y. See Seok, J.-W., 162

Lacrampe, M. F. See Poisson, C., 974
Laurienzo, P. See Errico, M. E., 2926
Le, T. T. See Fuzail, M., 638
Lee, B. I. See Badheka, P., 2815; Devaraju, N. G., 3018
Lee, C. See Seo, J., 1692
Lee, D.-R. See Jia, Y.-T., 1462
Lee, H. L. See Yuen, C. W. M., 3700
Lee, J. K.
—; Im, J. E.; Park, J. H.; Won, H. Y.; Lee, K. H.: Morphology Development and Crystallization Behavior of a Poly(ethylene terephthalate)/Polycarbonate Blend, 2220
Lee, J. W. See Kim, K. Y., 2132
—; Kim, M. H.; Choi, W. M.; Park, O. O.: Effects of Organoclay Modification on Microstructure and Properties of Polypropylene–Organoclay Nanocomposites, 1752
Lee, K. H. See Lee, J. K., 2220
Lee, K. J. See Kim, S. J., 1100
Lee, K.-W.
—; Seo, B.-K.; Lim, N.-J.; Nam, S.-T.; Han, M.-J.: Effect of Nonsolvent Coagulant on the Morphology and Radionuclide Detection Efficiency of CAYS-Impregnated Polysulfone Films, 1903
Lee, S. See Jeong, H. M., 1732
Lee, S. B. See Jung, B.-O., 3500
Lee, S. J. See You, Y., 1214
Lee, S. M. See Kim, K. Y., 2132
Lee, T.-M.
—; Ma, C.-C. M.; Hsu, C.-W.; Wu, H.-L.: Syntheses of Epoxy-Bridged Polyorganosiloxanes and the Effects of Terminated Alkoxysilanes on Cured Thermal Properties, 3491
Lee, W.-C. See Shih, Y.-F., 188
Lehman, R. See Joshi, J., 2044
Leonard, M. J. See Obendorf, S. K., 1720
Leong, Y. W. See Tetsuya, T., 513
Lewandowski, M. See Fourdrin, S., 1117
Lewis, R. E. See Densmore, C. G., 3153
Li, C.-C. See Wang, H., 1568
Li, F. See Wu, H., 828
—; Zhou, S.; You, B.; Wu, L.: Kinetic Investigations on the UV-Induced Photopolymerization of Nanocomposites by FTIR Spectroscopy, 1429
—; Zhou, S.; You, B.; Wu, L.: Kinetic Study on the UV-Induced Photopolymerization of Epoxy Acrylate/TiO_2 Nanocomposites by FTIR Spectroscopy, 3281
Li, G.
—; Li, X.; Shen, Y.; Ren, Q.: Effect of Hydrophilic Monomer on the Surface Properties of Cationic Polyurethane-Fluorinated Acrylate Hybrid Dispersions, 2721
—; Mai, K.; Feng, K.: Plasticization of Nano-$CaCO_3$ in Polystyrene/Nano-$CaCO_3$ Composites, 2138
Li, H. See Cui, N., 1399; Duan, Y., 3085; Liu, Y., 858
—; Ke, Y.; Hu, Y.: Polymer Nanofibers Prepared by Template Melt Extrusion, 1018
Li, H.-C. See Chen, C.-H., 2167
Li, H.-s. See Xiao, J., 45
Li, J. See Ni, P., 6
Li, K. See Geng, Y., 712; Zhen, H., 2497
Li, L. See Deng, Z. W., 3514
Li, Q. See Yi, F., 1340
Li, S. See Ni, P., 6
—; Wang, L.: Curing Behavior of 4,4′-Diamonodiphenyl Methane-Based Benzoxazine Oligomers/Bisoxazoline Copolymers and the Properties of Their Cured Resins, 1359
Li, S.-D. See Yu, H.-P., 1981; Yu, H.-P., 1986
Li, X. See Li, G., 2721
Li, Y. See Jin, L., 1111; Lu, Z., 2898; Zhang, Z., 2273
—; Huang, Y.: Preparation of Collagen–Polyurethane Composite Film and Its Subcutaneous Implantation in Rats: The Improvement of Tissue Compatibility, 1832
—; Moon, K.-s.; Wong, C. P.: Enhancement of Electrical Properties of Anisotropically Conductive Adhesive Joints via Low Temperature Sintering, 1665
—; Wang, S.; Zhang, Y.; Zhang, Y.: Carbon Black-Filled Immiscible Polypropylene/Epoxy Blends, 461
—; Xie, T.; Yang, G.: Effects of Polyphenylene Oxide Content on Morphology, Thermal, and Mechanical Properties of Polyphenylene Oxide/Polyamide 6 Blends, 2076
—; Xie, T.; Yang, G.: Studies on Novel Composites of Polyoxymethylene/Polyamide 6, 335
Li, Y.-F. See Zhou, L.-C., 1620
Li, Y.-H. See Hu, J.-S., 2330
Li, Z. G. See Zhu, Y. G., 2868
Li, Z.-M. See Yang, W., 1781
Li, Z. Q. See Zhu, Y. G., 501
Li, Z.-Y. See Wang, H., 1568
Liang, G.-z. See Lu, S.-h., 3195
Liang, H.
—; Huang, Z.; Shi, W.: Different Effects of Tri(acryloyloxyethyl) Phosphate on the Thermal Degradation of Photopolymerized Epoxy Acrylate and Polyurethane Acrylate Films, 3130
Liang, R. See Guo, M., 3230
Liang, X. See Dai, J., 2253
Lianying, L. See Jianping, D., 2810
Liao, C. C. See Dai, C.-A., 1960
Liao, M.
—; Zhang, W.; Shan, W.; Zhang, Y.: Structure and Properties of Polybutadiene/Montmorillonite Nanocomposites Prepared by *In Situ* Polymerization, 3615
Liggat, J. J. See McAlpine, M., 2614
Lim, J. W.
—; Hassan, A.; Rahmat, A. R.; Wahit, M. U.: Rubber-Toughened Polypropylene Nanocomposite: Effect of Polyethylene Octene Copolymer on Mechanical

Properties and Phase Morphology, 3441
Lim, N.-J. See Lee, K.-W., 1903
Lima, É. C. See Barbosa, R. V., 1859
Lin, C. B. See Chen, Z.-H., 3451
Lin, F. See Sun, J., 2193
Lin, J. See Hu, H., 3477
Lin, J. M. See Huang, K. S., 2454
Lin, Y. See Wu, H., 828
Lin, Y.-H.
—; Hwang, S. J.; Shih, W.-C.; Chen, K.-C.: Development of a Novel Microorganism Immobilization Method Using Anionic Polyurethane, 738
Lin, Y.-S.
—; Liu, H.-M.; Chen, H.-T.: Surface Modification of Polyimide Films by Argon Plasma for Copper Metallization on Microelectronic Flex Substrates, 744
Liu, B.
—; Ding, Q.; He, Q.; Cai, J.; Hu, B.; Shen, J.: Novel Preparation and Properties of EPDM/Montmorillonite Nanocomposites, 2578
Liu, D.-G. See Xie, H.-Q., 1887
Liu, D. S. See Kang, K., 1934
Liu, H. See Obendorf, S. K., 1720; Wan, Y. Z., 949
—; Xie, T.; Hou, L.; Ou, Y.; Yang, G.: Toughening and Compatibilization of Polypropylene/Polyamide-6 Blends with a Maleated–Grafted Ethylene-*co*-vinyl acetate, 3300
Liu, H.-M. See Lin, Y.-S., 744
Liu, J. See Hou, C., 1940
Liu, J.-H.
—; Hsieh, C.-D.: Synthesis and Physical Properties of Liquid-Crystalline Copolymers with Azobenzene Segments, 2443
Liu, L. See Huang, H., 3203
—; Huang, Y. D.; Zhang, Z. Q.; Yang, X. B.: Effect of Ultrasound on Wettability Between Aramid Fibers and Epoxy Resin, 3172
Liu, M. See Guo, M., 3230
Liu, M. N. See Tan, S. T., 1269
Liu, M.-W. See Dai, C.-A., 1795; Dai, C.-A., 1960
Liu, Q.
—; Xiao, S.; De Kee, D.; Moresoli, C.: Diffusion in Elongated Membranes, 2746
Liu, R. See Dong, Y., 286
Liu, W. See Varley, R. J., 3288
Liu, W.-C. See Chen, Z.-H., 3451
Liu, X. See Duan, Y., 3085; Sun, J., 2193; Zu, J., 3396; Zu, J., 3401
—; Yu, W.: Evaluating the Thermal Stability of High Performance Fibers by TGA, 937
Liu, Y.
—; Zhang, C.; Du, Z.; Li, H.: Preparation and Curing Kinetics of Bisphenol A Type Novolac Epoxy Resins, 858
—; Zhang, W.; Chen, Y.; Zheng, S.: Polybenzoxazine Containing Polysilsesquioxane: Preparation and Thermal Properties, 927
Liu, Z. See Jin, L., 1111; Song, B., 2759
Liu, Z.-Y. See Yang, W., 1781
Lohokare, H. R.
—; Bhole, Y. S.; Kharul, U. K.: Effect of Support Material on Ultrafiltration Membrane Performance, 3389
Loos, J. See Smit, M., 986
Lopez, J. L.
—; Sain, M.; Cooper, P.: Performance of Natural-Fiber–Plastic Composites under Stress for Outdoor Applications: Effect of Moisture, Temperature, and Ultraviolet Light Exposure, 2570
Lotti, N. See Finelli, L., 1374
Lu, H. See Sancaktar, E., 1024; Yang, L., 3275
Lu, J.
—; Wool, R. P.: Novel Thermosetting Resins for SMC Applications from Linseed Oil: Synthesis, Characterization, and Properties, 2481
Lu, L. See Zhou, N., 3535
Lu, M. See Mei, Q., 1945
Lu, S.
—; Cheng, G.; Pang, X.: Protein-Imprinted Soft-Wet Gel Composite Microspheres with Magnetic Susceptibility. II. Characteristics, 2401
—; Cheng, G.; Zhang, H.; Pang, X.: Preparation and Characteristics of Tryptophan-Imprinted Fe_3O_4/P(TRIM) Composite Microspheres with Magnetic Susceptibility by Inverse Emulsion–Suspension Polymerization, 3241
Lu, S.-h.
—; Liang, G.-z.; Wang, J.-l.; Ren, H.-j.: Synthesis and Performance Characteristics of a Water-Based Polyacrylate Microemulsion for UHMWPE Fiber Adhesive Coating, 3195
Lu, X. See Xiao, J., 45
Lu, Z.
—; Zhang, Z.; Li, Y.; Wu, C.; Hu, Y.: Synthesis of Branched Polyethylene by *In Situ* Polymerization of Ethylene with Combined Iron Catalyst and Ziegler–Natta Catalyst, 2898
Luna-Bárcenas, G. See García-Gaitán, B., 2124
Luo, A. See Qin, Y., 3110
Luo, H. L. See Wan, Y. Z., 949
Luo, M.-B. See Huang, J.-H., 969
Lutz, P. J. See Reguieg, F., 3147
Lv, Z. See Cui, N., 1399

Ma, C.-C. M. See Lee, T.-M., 3491
Ma, R.-T. See Jiang, D., 472
Ma, Y.
—; Wu, Y.-P.; Wang, Y.-Q.; Zhang, L.-Q.: Structure and Properties of Organoclay/EPDM Nanocomposites: Influence of Ethylene Contents, 914
Ma, Z.-L. See Wang, L., 945
Machado, A. V. See Berzin, F., 2082
Maciel, J. S.
—; Paula, H. C. B.; Miranda, M. A. R.; Sasaki, J. M.; de Paula, R. C. M.: Reacetylated Chitosan/Cashew Gum Gel: Preliminary Study for Potential Utilization as Drug Release Matrix, 326
Magadala, V. See Badheka, P., 2815
Magryta, J.
—; Dêbek, C.; Dêbek, D.: Mechanical Properties of Swelled Vulcanizates of Polar Diene Elastomers, 2010
Mahaling, R. N. See Jana, G. K., 2831
Mahanwar, P. A. See Bose, S., 266
Mahdavinia, G. R.
—; Pourjavadi, A.; Zohuriaan-Mehr, M. J.: A Convenient One-Step Preparation of Chitosan-Poly(sodium acrylate-*co*-acrylamide) Hydrogel Hybrids with Super-Swelling Properties, 1615
Mahesh, K. P. O.
—; Alagar, M.; Jothibasu, S.: A Comparative Study on the Preparation and Characterization of Aromatic and Aliphatic Bismaleimides-Modified Polyurethane–Epoxy Interpenetrating Polymer Network Matrices, 3592
Mahesh, S. S. See Kumar, H., 177
Mahmoud, M. A. See Badr, Y., 3608
Mahmoud, Y. See Kenawy, E.-R., 2428
Mai, K. See Li, G., 2138

Maia, J. M. See Filipe, S., 347
Maiti, A. K. See Kulshreshtha, A. K., 1004
Maiti, M.
—; Bandyopadhyay, A.; Bhowmick, A. K.: Preparation and Characterization of Nanocomposites Based on Thermoplastic Elastomers from Rubber–Plastic Blends, 1645
Majdoub, M. See Jaballah, N., 2997
Maki, I. See Inata, H., 2152
Malcı, S. See Şahiner, N., 1657
Malhotra, V. M. See Amanuel, S., 3183
Malik, M. A.
—; Ali, S. W.; Waseem, S.: A Simple Method for Estimating Parameters Representing Macroporosity of Porous Styrene–Divinylbenzene Copolymers, 3565
Malinconico, M. See Errico, M. E., 2926
Mallakpour, S.
—; Kowsari, E.: Polycondensation Reaction of *N,N′*-(4,4′-Oxydiphthaloyl)-bis-L-methionine Diacid Chloride with Aromatic Diamines: Synthesis and Properties, 1038
Mallikarjuna, N. N. See Narayan, R., 368
Mank, A.
—; Verstegen, E.; Kloosterboer, H.: In-Situ Curing Analysis of Photoreplicated Objective Lenses using Raman and IR Spectroscopy, 1287
Mann, T. See Navabpour, P., 3658
Mao, C.-F.
—; Chen, J.-C.: Cascade Model for Coupled Two-Component Polymer Gels, 2771
Mao, D. See Wu, D., 3257
Marambio, O. G. See Pizarro, G. d. C., 2359
Marcos-Fernández, A. See Valentín, J. L., 3222
Mardare, D. See Rusu, G. I., 100
Marinelli, A. L.
—; Farah, M.; Bretas, R. E. S.: Optical Monitoring of Polyesters Injection Molding, 563
Martel, B. See Gawish, S. M., 2586
Martí-Ferrer, F.
—; Vilaplana, F.; Ribes-Greus, A.; Benedito-Borrás, A.; Sanz-Box, C.: Flour Rice Husk as Filler in Block Copolymer Polypropylene: Effect of Different Coupling Agents, 1823
Martínez-Richa, A. See García-Gaitán, B., 2124; Mata-Mata, J. L., 2737; Trejo-Duran, M., 520
Masirek, R. See Bernal-Lara, T. E., 597
Mata-Mata, J. L.
—; Báez, J. E.; Gutiérrez, J. A.; Martínez-Richa, A.: Ring-Opening Polymerization of Lactones Using $RuCl_2(PPh_3)_3$ as Initiator: Effect of Hydroxylic Transfer Agents, 2737
Matějka, L. See Kroutilová, I., 3669
Mathias, L. J. See Bennett, C., 2062
Matsuo, K. See Yoshimura, T., 3251
Matsuura, T. See Mosqueda-Jimenez, D. B., 2978; Rana, D., 3062; Rana, D., 3650
Matsuyama, S. See Itakura, M., 1953
Mauler, R. S. See Barbosa, R. V., 1859
Mazali, C. A. I.
—; Felisberti, M. I.: Vinyl Ester Resin Modified with Silicone-Based Additives. I. Mechanical Properties, 2279
—; Felisberti, M. I.: Vinyl Ester Resin Modified With Silicone-Based Additives. II. Flammability Properties, 644
McAlpine, M.
—; Hudson, N. E.; Liggat, J. J.; Pethrick, R. A.; Pugh, D.; Rhoney, I.: Study of the Factors Influencing the Exfoliation of an Organically Modified Montmorillonite in Methyl Methacrylate/Poly(methyl methacrylate) Mixtures, 2614
McDonough, W. G. See Moon, C. K., 1541
McGlinchey, C. See Yuan, B., 2408
Mehta, G.
—; Drzal, L. T.; Mohanty, A. K.; Misra, M.: Effect of Fiber Surface Treatment on the Properties of Biocomposites from Nonwoven Industrial Hemp Fiber Mats and Unsaturated Polyester Resin, 1055
Mehta, S. See Prattipati, V., 225
Mei, Q.
—; Du, N.; Lu, M.: Synthesis and Characterization of High Molecular Weight Metaloquinolate-Containing Polymers, 1945
Meira, G. See Casis, N., 3023
Meissner, W. See Steller, R., 1872
Mélé, P. See Dubouloz-Monnet, F., 3466
Mencer, H. J. See Ivankovic, M., 550
Mendoza-Diaz, G. See Trejo-Duran, M., 520
Meng, F.-B. See Tian, M., 1254
Meng, J.-q. See Xiao, J., 45
Meng, Y. Z. See Ge, X. C., 782; Wang, J. T., 200
Mercado, L. A. See Ribera, G., 1367
M'Henni, M. F. See Aguir, C., 1808
Mi, F.-L. See Peng, C.-K., 2091
Micewicz, E. See Steller, R., 1872
Michielsen, S.
—; Pourdeyhimi, B.; Desai, P.: Review of Thermally Point-Bonded Nonwovens: Materials, Processes, and Properties, 2489
Miller, M. G. See King, J. A., 1552
—; Keith, J. M.; King, J. A.; Hauser, R. A.; Moran, A. M.: Comparison of the Guarded-Heat-Flow and Transient-Plane-Source Methods for Carbon-Filled Nylon 6,6 Composites: Experiments and Modeling, 2144
Min, B. G. See Shin, D. H., 900
Min, B.-M. See You, Y., 1214
Ming-I, L. See Chun-Guey, W., 1530
Miranda, M. A. R. See Maciel, J. S., 326
Mishra, A. See Daswal, S., 920
Misra, M. See Mehta, G., 1055
Miyamoto, M. See Mizutani, T., 659
Miyashita, N. See Takasa, K., 835
Miyoshi, M. See Shibata, M., 2594
Mizoguchi, M. See Tetsuya, T., 513
Mizoguti, T. See Inoue, S.-I., 891
Mizutani, T.
—; Arai, K.; Miyamoto, M.; Kimura, Y.: Preparation of Spherical Nanocomposites Consisting of Silica Core and Polyacrylate Shell by Emulsion Polymerization, 659
Mo, F.-K. See Jiang, T.-Y., 2702
Mohakhova, T. V.
—; Nedorezova, P. M.; Shlyapnikov, Y. A.: Thermooxidative Degradation of Isotactic Polypropylene Prepared on Metallocene Catalyst and Its Sorption Capacity, 808
Mohamad, Z.
—; Ismail, H.; Thevy, R. C.: Characterization of Epoxidized Natural Rubber/Ethylene Vinyl Acetate (ENR-50/EVA) Blend: Effect of Blend Ratio, 1504
Mohamed, O. A.
—; Abdel-Mohdy, F. A.: Preparation of Flame-Retardant Leather Pretreated with Pyrovatex CP, 2039
Mohammad, A. W. See Zulfikar, M. A., 3163

Mohammad, F. See Al-Ahmed, A., 437
Mohanty, A. K. See Mehta, G., 1055
Mohanty, S.
—; Verma, S. K.; Nayak, S. K.: Rheological Characterization of PP/Jute Composite Melts, 1476
Mohmeyer, N. See Behrendt, N., 650
Mokreva, P.
—; Tsocheva, D.; Ivanova, G.; Terlemezyan, L.: Copolymers of Aniline and *o*-Methoxyaniline: Synthesis and Characterization, 75
Monkawa, A. See Kino, R., 2822
Moon, C. K.
—; Holmes, G. A.; McDonough, W. G.: Study on the Interfacial Properties of Two-Dimensionally Arranged Glass Fiber/Epoxy Resin Model Composites, 1541
Moon, K.-s. See Li, Y., 1665
Moon, S. H. See Basarir, F., 3692
Moran, A. M. See Miller, M. G., 2144
Morcellet, M. See Gawish, S. M., 2586
Moresoli, C. See Liu, Q., 2746
Morikawa, J. See Chang, H. J., 1104
Mosleh, S. See Gawish, S. M., 2586
Mosqueda-Jimenez, D. B.
—; Narbaitz, R. M.; Matsuura, T.: Effects of Preparation Conditions on the Surface Modification and Performance of Polyethersulfone Ultrafiltration Membranes, 2978
Moteei, N. See Tajvidi, M., 2199
Mou, Z. G. See Du, Y. K., 23
Moustafa, A. F. See Botros, S. H., 1559
Mrkić, S.
—; Galić, K.; Ivanković, M.; Hamin, S.; Ciković, N.: Gas Transport and Thermal Characterization of Mono- and Di-Polyethylene Films Used for Food Packaging, 1590
Mun, M. S. See Jeong, H. M., 1732
Munari, A. See Finelli, L., 1374
Munekata, M. See Kino, R., 2822
Muñoz-Guerra, S. See Ramis, X., 994
Muraoka, K. See Inoue, S.-I., 891

Nadanasabapathi, S. See Jagannath, J. H., 3355
Naderi, N.
—; Sharifi-Sanjani, N.; Khayyat-Naderi, B.; Faridi-Majidi, R.: Preparation of Organic–Inorganic Nanocomposites with Core-Shell Structure by Inorganic Powders, 2943
Nagano, R. See Yamada, K., 1895
Nageeb, Z. A. See Botros, S. H., 2504
Nagumanova, E. I. See Akhmetkhanov, R. M., 2885
Nah, J.-W. See Choi, C., 3520
Naidu, B. V. K. See Babu, V. R., 2671
Nair, S. V. See Jose, S., 2640
Najafi, S. K. See Tajvidi, M., 2199
Nakakita, S. See Inoue, S.-I., 891
Nakason, C.
—; Pechurai, W.; Sahakaro, K.; Kaesaman, A.: Rheological, Thermal, and Curing Properties of Natural Rubber-*g*-Poly(methyl methacrylate), 1600
Nam, G. J. See Kim, K. Y., 2132
Nam, S.-T. See Lee, K.-W., 1903
Nanjundan, S.
—; Jayakumar, R.; Selvamalar, C. S. J.: Homopolymer and Copolymers of 4- Methacrylamidophenyl-4-methoxystyryl Ketone with Methyl Methacrylate: Synthesis, Characterization, Reactivity Ratios, and Photocrosslinkable Properties, 2913
Narayan, R.
—; Chattopadhyay, D. K.; Sreedhar, B.; Raju, K. V. S. N.; Mallikarjuna, N. N.; Aminabhavi, T. M.: Synthesis and Characterization of Crosslinked Polyurethane Dispersions Based on Hydroxylated Polyesters, 368
Narbaitz, R. M. See Mosqueda-Jimenez, D. B., 2978
Narita, Y. See Kuribayashi, M., 1627
Narusue, S. See Suzuki, A., 27
Naskar, N. See Das, A., 1132
Nassiet, V.
—; Habas, J. P.; Hassoune-Rhabbour, B.; Baziard, Y.; Petit, J. A.: Correlation between Viscoelastic Behavior and Cooling Stresses in a Cured Epoxy Resin System, 679
Nataraj, S. K.
—; Hosamani, K. M.; Aminabhavi, T. M.: Electrodialytic Removal of Nitrates and Hardness from Simulated Mixtures Using Ion-Exchange Membranes, 1788
Navabpour, P.
—; Nesbitt, A.; Degamber, B.; Fernando, G.; Mann, T.; Day, R.: Comparison of the Curing Kinetics of the RTM6 Epoxy Resin System Using Differential Scanning Calorimetry and a Microwave-Heated Calorimeter, 3658
Nawawi, M. G. M. See Ahmad, A. L., 1740
Nayak, S. K. See Mohanty, S., 1476
Nazockdast, H. See Aghjeh, M. K. R., 141
Nebioglu, A.
—; Teng, G.; Soucek, M. D.: Dual-Curable Unsaturated Polyester Inorganic/Organic Hybrid Films, 115
Nedorezova, P. M. See Mohakhova, T. V., 808
Negishi, Y. See Kawamoto, N., 1350
Nesbitt, A. See Navabpour, P., 3658
Nho, Y. C. See Kang, K., 1415
Ni, P.
—; Wang, Q.; Li, J.; Suo, J.; Li, S.: Novel Polyether Polyurethane/Clay Nanocomposites Synthesized with Organicly Modified Montmorillonite as Chain Extenders, 6
Nicolini, L. F. See Pires, N. M. T., 88
Nie, H. See Chen, Y., 2226
Nien, Y. H. See Huang, K. S., 2454
Ninan, K. N. See Saxena, A., 1303
Nishiyama, T. See Kawabata, N., 852
Niu, A. See Guo, M., 3230
Niu, Y.-M. See Jiang, D., 472
Nomura, K. See Kawamoto, N., 1350
Nonaka, T.
—; Yasunaga, A.; Ogata, T.; Kurihara, S.: Formation of Thermosensitive Copolymer Beads Having Phosphinic Acid Groups and Adsorption Ability for Metal Ions, 449
Nosker, T. See Joshi, J., 2044
Nuisin, R.
—; Omi, S.; Kiatkamjornwong, S.: The Effects of Acrylate Monomers and Polystyrene Addition on the Morphology of DOP-Plasticized Styrene–Acrylate Polymer Particles Prepared by SPG Emulsification and Suspension Polymerization, 1195
Nuño-Donlucas, S. M. See García-Gaitán, B., 2124
Nydén, M. See Shtykova, L., 2797

Obendorf, S. K.
—; Liu, H.; Leonard, M. J.; Young, T. J.; Incorvia, M. J.: Effects of Aroma Chemical Vapor Pressure and Fiber Morphology on the Retention of Aroma Chemicals on Cotton and Poly(ethylene terephthalate) Fabrics, 1720
O'Connell, D. W.
—; Birkinshaw, C.; O'Dwyer, T. F.: A Chelating Cellulose Adsorbent for the Removal of Cu(II) from Aqueous Solutions, 2888

O'Dwyer, T. F. See O'Connell, D. W., 2888
Ogata, T. See Nonaka, T., 449
Oğuz, İ. See Gök, A., 2101
Oh, M.-J. See Koh, J., 279
Oh, S. B.
—; Kim, Y. J.; Kim, J. H.: Preparation and Properties of Polyimide Nanocomposites via a Soluble Polyisoimide Precursor, 869
Ohashi, K. See Kawabata, N., 852
Okamoto, H. See Inoue, S.-I., 891
Okay, O. See Ceylan, D., 319; Dogu, Y., 37
Okino, R. See Tsuji, H., 2245
Okor, R. S. See Eichie, F. E., 725
Oliva, H. See Casis, N., 3023
Oliver, E. M. See Chai, X.-S., 1471
Omi, S. See Nuisin, R., 1195
Önen, A. See Çakir, T., 1993
Onurhan, E. See Basgorenay, B., 3631
Oo, M.-H. See Qin, J.-J., 430
Oréfice, R. L.
—; Clark, A. E.; Brennan, A. B.: Bioactive Composites with Designed Interphases Based on Hyperbranched Macromers, 1153
Orell, M. J. See Pizarro, G. d. C., 2359
Orihara, M. See Shibata, M., 2594
Örs, Y.
—; Atar, M.; Keskin, H.; Yavuzcan, H. G.: Impacts of Impregnation with Imersol-Aqua on the Modulus of Elasticity in Bending, 3210
Ostrovskii, D. See Shtykova, L., 2797
Ou, C. G. See Kong, F., 2477
Ou, Y. See Liu, H., 3300
Özdemir, C.
—; Can, H. K.; Çolak, N.; Güner, A.: Synthesis, Characterization, and Comparison of Self-Doped, Doped, and Undoped Forms of Polyaniline, Poly(*o*-anisidine), and Poly[aniline-*co*-(*o*-anisidine)], 2182
Ozmen, M. M. See Ceylan, D., 319

Pączkowski, J. See Kabatc, J., 207
Pae, Y.
—; Preparation and Characterization of Polyimide-*g*-Nylon 6 Copolymers from Nonfunctionalized Polyimides, 292
—; Preparation of Polyimide/Nylon 6 Graft Copolymers from Polyimides Containing Ester Moieties: Synthesis and Characterization, 309
—; Structure and Properties of Polyimide-*g*-Nylon 6 and Nylon 6-*b*-Polyimide-*b*-Nylon 6 Copolymers, 300
Pan, W. See Hu, J.-S., 2330
Panda, J. See Reddy, G. V. R., 218
Panda, P. K. See De, D., 957
Pandey, K. K.
—; Chandrashekar, N.: Photostability of Wood Surfaces Esterified by Benzoyl Chloride, 2367
Pang, X. See Lu, S., 2401; Lu, S., 3241
Papanicolaou, G. C.
—; Kosmidou, Th. V.; Vatalis, A. S.; Delides, C. G.: Water Absorption Mechanism and Some Anomalous Effects on the Mechanical and Viscoelastic Behavior of an Epoxy System, 1328
Park, C. E. See Kang, J. H., 3433
Park, J. H. See Lee, J. K., 2220
Park, L. S. See Seok, J.-W., 162
Park, O. O. See Choi, J. S., 2395; Lee, J. W., 1752
Park, W. H. See You, Y., 1214
Patri, M. See Samui, A. B., 2542
—; Rath, S. K.; Suryavansi, U. G.: A Novel Polyurethane Sealant Based on Hydroxy-Terminated Polybutadiene, 884
Paula, H. C. B. See Maciel, J. S., 326
Pearce, E. M. See Yuan, B., 2408
Pechurai, W. See Nakason, C., 1600
Pedroso, L. M.
—; Simões, P.; Portugal, A.: Cyanuric Acid–Epichlorohydrin Prepolymers, 3684
Pei, X.
—; Wang, Q.; Chen, J.: Friction and Wear Behavior of Proton-Implanted Phenolphthalein Poly(ether sulfone), 3116
Pelletier, H.
—; Belgacem, N.; Gandini, A.: Acrylated Vegetable Oils as Photocrosslinkable Materials, 3218
Peng, C.-K.
—; Yu, S.-H.; Mi, F.-L.; Shyu, S.-S.: Polysaccharide-Based Artificial Extracellular Matrix: Preparation and Characterization of Three-Dimensional, Macroporous Chitosan and Chondroitin Sulfate Composite Scaffolds, 2091
Peng, W. See Bao-Xiu, Z., 2951
Peng, Z. See Wang, S., 905
Pereira, E. See Rivas, B. L., 706
Perera, G. M. P. See Karunanayake, L., 3120
Pérez-González, M. d. P. See García-Gaitán, B., 2124
Perrin, L. See Touchal, S., 3622
Petchkaew, A. See Tanrattanakul, V., 127
Peterson, K. R. See King, J. A., 1552
Pethrick, R. A. See McAlpine, M., 2614
Petit, J. A. See Nassiet, V., 679
Piglowski, J. See Steller, R., 1872
Pilleux, M. E. See Alvarez, M. P., 3005
Piorkowska, E. See Bernal-Lara, T. E., 597
Pires, G. P.
—; Gil, M. P.; Rohrman, J. A.; Stedile, F. C.; Casagrande, O. L. Jr.; dos Santos, J. H. Z.; Sano, T.: Supported Hybrid Catalysts based on Zirconocene and Tris(pyrazolyl)borate Titanium Derivatives, 2002
Pires, N. M. T.
—; Ferreira, A. A.; de Lira, C. H.; Coutinho, P. L. A.; Nicolini, L. F.; Soares, B. G.; Coutinho, F. M. B.: Performance Evaluation of High-cis 1,4-Polybutadienes, 88
Pizarro, G. d. C.
—; Marambio, O. G.; Orell, M. J.; Huerta, M.; Rivas, B. L.: Synthesis, Characterization, and Metal Complexation of Poly(*N*-phenylmaleimide-*co*-acrylic acid) and Poly(*N*-phenylmaleimide-*co*-acrylamide) as Polychelatogens in Aqueous Solution, 2359
Pizzi, A. See Despres, A., 589
Plaček, V. See Beneš, M., 788
Poblete, V. H. See Alvarez, M. P., 3005
Poisson, C.
—; Hervais, V.; Lacrampe, M. F.; Krawczak, P.: Optimization of PE/Binder/PA Extrusion Blow-Molded Films. I. Heat Sealing Ability Improvement Using PE/EVA Blends, 974
Poljanšek, I.
—; Šebenik, U.; Krajnc, M.: Characterization of Phenol–Urea–Formaldehyde Resin by Inline FTIR Spectroscopy, 2016
Portugal, A. See Pedroso, L. M., 3684
Posadas, P. See Valentín, J. L., 3222
Possart, W. See Fata, D., 2726
Pourdeyhimi, B. See Michielsen, S., 2489
Pourjavadi, A. See Mahdavinia, G. R., 1615
Prachayasittikul, V. See Boonpangrak, S., 1390
Prattipati, V.
—; Hu, Y. S.; Bandi, S.; Mehta, S.; Schiraldi, D. A.; Hiltner, A.; Baer,

E.: Improving the Transparency of Stretched Poly(ethylene terephthalate)/Polyamide Blends, 225
Pugh, D. See McAlpine, M., 2614
Puneeta. See Brar, A. S., 2694

Qi, D.-M.
—; Bao, Y.-Z.; Huang, Z.-M.: Weng, Z.-X.: Synthesis and Characterization of Poly(butyl acrylate)/Silica and Poly(butyl acrylate)/Silica/Poly(methyl methacrylate) Composite Particles, 3425
Qian, C.-J. See Huang, J.-H., 969
Qiao, X. See Zhong, W., 1523; Zhong, W., 2558
Qin, J.
—; Chow, W. K.: Bench-Scale Studies of Poly(vinyl chloride) Fires with Water Mist, 2520
Qin, J.-J.
—; Cao, Y.-M.; Oo, M.-H.: Preparation of Poly(ether sulfone) Hollow Fiber UF Membrane for Removal of NOM, 430
Qin, Y.
—; Hu, H.; Luo, A.; Wang, Y.; Huang, X.; Song, P.: Effect of Carboxymethylation on the Absorption and Chelating Properties of Chitosan Fibers, 3110
Qiu, Y. See Cai, Z., 2233
Qu, B. See Tang, L., 2068
Qu, R. See Hou, C., 32
Quilodrán, B. See Rivas, B. L., 697
Quiroz, E. See Rivas, B. L., 697

Radhakrishnan, T. S.
—; Thermal Degradation of Poly(dimethylsilylene) and Poly(tetramethyldisilylene-*co*-styrene), 2679
Ragauskas, A. J. See Hou, Q. X., 1346
Rahman, M. Z. A. See Al-Ahmed, A., 437
Rahmat, A. R. See Lim, J. W., 3441
Rajagopal, C. See Roy, P. K., 236
Rajagopan, S. See Vijayalakshmi, S., 1516
Raju, K. V. S. N. See Narayan, R., 368
Ramadan, A. M. See Gawish, S. M., 2586
Raman, R. See Roy, P. K., 236
Raman, S. See Wan, Y. Z., 949
Ramasubramanian, M. K. See Uner, B., 3528
Ramis, X.
—; García-Alvarez, M.; Muñoz-Guerra, S.: Mechanical Relaxations of Poly(β-L-aspartate)s, 994
Rana, D.
—; Matsuura, T.; Khulbe, K. C.; Feng, C.: Study on the Spin Probe Added Polymeric Dense Membranes by ^{13}C Solid-State Nuclear Magnetic Resonance Spectroscopy, 3062
—; Matsuura, T.; Khulbe, K. C.; Feng, C.: Study on the Spin Probe-Added Polymeric Dense Membranes by ^{13}C Solid-State Nuclear Magnetic Resonance Spectroscopy, 3650
Rao, K. S. V. K. See Babu, V. R., 2671
Rao, K. V. See Kulshreshtha, A. K., 1004
Rao, V. L. See Saxena, A., 1303
Rath, S. K. See Patri, M., 884
Ravindran, P. V. See Saxena, A., 1303
Ray, S. See Bhowmick, A. K., 150
Reddy, B. S. R. See Vijayaraghavan, P. G., 1167
—; Balasubramaniam, S.; Suriyan, M. R.: 4-Acetamidophenyl Acrylate Copolymers with Acrylonitrile and *N*-Vinyl-2-pyrrolidone: Synthesis, Characterization, and Reactivity Ratios, 1919
Reddy, G. V. R.
—; Arun, J.; Panda, J.: Kinetic Study of the Polymerization of Ethyl Acrylate in an Aqueous Nitric Acid Medium, 218
Reguieg, F.
—; Sahli, N.; Belbachir, M.; Lutz, P. J.: One-Step Synthesis of Bis-Macromonomers of Poly(1,3-dioxolane) Catalyzed by Maghnite-H^+, 3147
Ren, H.-j. See Lu, S.-h., 3195
Ren, J.
—; Wang, Q.-F.; Gu, S.-Y.; Zhang, N.-W.; Ren, T.-B.: Chain-Linked Lactic Acid Polymers by Benzene Diisocyanate, 1045
Ren, Q. See Li, G., 2721
Ren, S.-C. See Hu, J.-S., 2330
Ren, T.-B. See Ren, J., 1045
Ren, X. See Xu, Y., 1684
Reyna-Valencia, A.
—; Kaliaguine, S.; Bousmina, M.: Structural and Mechanical Characterization of Poly(Ether Ether Ketone) (PEEK) and Sulfonated PEEK Films: Effects of Thermal History, Sulfonation, and Preparation Conditions, 756
Rezaei, M.
—; Ebrahimi, N. G.; Kontopoulou, M.: Surface Modification of Ultra-High-Molecular-Weight Polyethylene. I. Characterization and Sintering Studies, 2344
—; Shirzad, A.; Ebrahimi, N. G.; Kontopoulou, M.: Surface Modification of Ultra-High-Molecular-Weight Polyethylene. II. Effect on the Physicomechanical and Tribological Properties of Ultra-High-Molecular-Weight Polyethylene/Poly(ethylene terephthalate) Composites, 2352
Rhoney, I. See McAlpine, M., 2614
Riaz, U. See Ashraf, S. M., 2512
Ribera, G.
—; Mercado, L. A.; Galià, M.; Cádiz, V.: Flame Retardant Epoxy Resins Based on Diglycidyl Ether of Isobutyl Bis(hydroxypropyl)phosphine Oxide, 1367
Ribes-Greus, A. See Martí-Ferrer, F., 1823
Riccò, T. See Baldi, F., 3406
Ridderhof, D. See Shanks, R. A., 2305
Rimdusit, S.
—; Tanthapanichakoon, W.; Jubsilp, C.: High Performance Wood Composites from Highly Filled Polybenzoxazine, 1240
Rivas, B. L. See Pizarro, G. d. C., 2359
—; Pereira, E.; Jara, M.; Esparza, C.: Resins with the Ability to Bind Copper and Uranyl Ions, 706
—; Quilodrán, B.; Quiroz, E.: Metal Ion Retention Properties of Water-Insoluble Polymers Containing Carboxylic Acid Groups, 697
—; Villegas, S.; Ruf, B.: Water-Insoluble Polymers Containing Amine, Sulfonic Acid, and Carboxylic Acid Groups: Synthesis, Characterization, and Metal-Ion-Retention Properties, 3266
Roberts, G. W. See Whittier, R. E., 540
Robison, T. W. See Densmore, C. G., 3153
Rochery, M. See Fourdrin, S., 1117
Rodembusch, F. S. See Campo, L. F., 495; Campo, L. F., 2109
Rodríguez, A. See Valentín, J. L., 3222

Rodríguez-Pérez, M. A. See Ruiz-Herrero, J. L., 2204
Roh, Y. H.
—; Shin, C. S.: Preparation and Characterization of Alginate–Carrageenan Complex Films, 3483
Rohrman, J. A. See Pires, G. P., 2002
Roizard, D. See Touchal, S., 3622
Roussel, J. See Jaballah, N., 2997
Row, T. N. G. See Kumar, H., 177
Roy, B. C. See De, D., 957
Roy, N. See Bhattacharyya, R., 2033
Roy, P. K.
—; Surekha, P.; Rajagopal, C.; Raman, R.; Choudhary, V.: Study on the Degradation of Low-Density Polyethylene in the Presence of Cobalt Stearate and Benzil, 236
Ruf, B. See Rivas, B. L., 3266
Ruiz-Herrero, J. L.
—; Rodríguez-Pérez, M. A.; de Saja, J. A.: Sample Size Effect on the Effective Diffusion Coefficients for the Gas Contained in Closed-Cell Polyethylene-Based Foam Subjected to Compressive Creep Tests, 2204
Russell, S. J. See Abdullah, I., 1496
Rusu, G. G. See Rusu, G. I., 100
Rusu, G. I.
—; Airinei, A.; Baban, C.; Rusu, G. G.; Mardare, D.; Rusu, M.: Studies on the Electronic Transport and Optical Properties of Some New Chelate Modified Polysulfones in Thin Films, 100
Rusu, M. See Rusu, G. I., 100

Saafan, S. A.
—; El-Nimr, M. K.; El-Ghazzawy, E. H.: Study of Dielectric Properties of Polypyrrole Prepared using Two Different Oxidizing Agents, 3370
Sabharwal, S. See Dubey, K. A., 3638; Sengupta, R., 1633
Sadhana, R. See Saxena, A., 1303
Sahakaro, K. See Nakason, C., 1600
Şahiner, N.
—; Çelikbıçak, Ö.; Malcı, S.; Kantoğlu, Ö.; Salih, B.: Characterization of Poly(*N*-(hydroxymethyl)methacrylamide-ATU) Hydrogels Synthesized by γ Radiation, 1657
Sahli, N. See Reguieg, F., 3147
Saïdi, S.
—; Guittard, F.; Guimon, C.; Géribaldi, S.: Fluorinated Acrylic Polymers: Surface Properties and XPS Investigations, 821
Sain, M. See Lopez, J. L., 2570
Sairam, M. See Babu, V. R., 2671
Saito, T. See Itakura, M., 1953
Sajeesh, S.
—; Sharma, C. P.: Interpolymer Complex Microparticles Based on Polymethacrylic Acid-Chitosan for Oral Insulin Delivery, 506
Sakaki, T. See Inoue, S.-I., 891
Salam, M. A.
—; Effect of Hydrogen Peroxide Bleaching onto Sulfonated Jute Fiber, 3603
Salih, B. See Şahiner, N., 1657
Samui, A. B.
—; Dalvi, V. G.; Chandrasekhar, L.; Patri, M.; Chakraborty, B. C.: Interpenetrating Polymer Networks based on Nitrile Rubber and Metal Methacrylates, 2542
San, N. See Denktaş, C., 1802
Sancaktar, E.
—; Lu, H.: The Effects of Excimer Laser Irradiation at 248 nm on the Surface Mass Loss and Thermal Properties of PS, ABS, PA6, and PC Polymers, 1024
Sanghavi, R. R. See Sarwade, B. D., 2549; Sarwade, B. D., 3178
Sano, T. See Pires, G. P., 2002
Sanz-Box, C. See Martí-Ferrer, F., 1823
Sarwade, B. D.
—; Sanghavi, R. R.; Sarwade, D. B.; Asthana, S. N.: Morphology of Pyrolysed Polystyrene–Isoprene–Styrene and Polystyrene–Butadiene–Styrene Block Copolymers, 2549
—; Sanghavi, R. R.; Sarwade, D. B.; Asthana, S. N.: Morphology of Pyrolyzed Polystyrene–Isoprene–Styrene and Polystyrene–Butadiene–Styrene Block Copolymers, 3178
Sarwade, D. B. See Sarwade, B. D., 2549; Sarwade, B. D., 3178
Sasaki, J. M. See Maciel, J. S., 326
Sato, M. See Yang, B., 1
Saxena, A.
—; Sadhana, R.; Rao, V. L.; Ravindran, P. V.; Ninan, K. N.: Synthesis and Properties of Poly Ether Nitrile Sulfone Copolymers with Pendant Methyl Groups, 1303
Sayılkan, F. See Asiltürk, M., 1175
Sayılkan, H. See Asiltürk, M., 1175
Sayyah, S. M.
—; El-Rabiey, M. M.; El-Rehim, S. S. A.; Azooz, R. E.: Electropolymerization Kinetics of *o*-Aminophenol and Characterization of the Obtained Polymer Films, 3093
Scheiman, D. A. See Alston, W. B., 3549
Schimper, C. See Ibanescu, C., 2848
Schiraldi, D. A. See Prattipati, V., 225
Schirp, A.
—; Wolcott, M. P.: Fungal Degradation of Wood-Plastic Composites and Evaluation Using Dynamic Mechanical Analysis, 3138
Schmachtenberg, E.
—; Costa, F. R.; Göbel, S.: Microwave Assisted HMDSO/Oxygen Plasma Coated Polyethylene Terephthalate Films: Effects of Process Parameters and Uniaxial Strain on Gas Barrier Properties, Surface Morphology, and Chemical Composition, 1485
Schmidt, H.-W. See Behrendt, N., 650
Schneider, C. G. See Barbosa, R. V., 1859
Schork, F. J. See Chai, X.-S., 392; Chai, X.-S., 1296; Chai, X.-S., 1471
Schumann, H. See Sun, J., 2193
Šebenik, U. See Poljanšek, I., 2016
Seema, A.
—; Kutty, S. K. N.: Effect of an Epoxy-Based Bonding Agent on the Cure Characteristics and Mechanical Properties of Short-Nylon-Fiber-Reinforced Acrylonitrile–Butadiene Rubber Composites, 532
Selvamalar, C. S. J. See Nanjundan, S., 2913
Sen, U. See Chauhan, G. S., 3040
Sengupta, R.
—; Sabharwal, S.; Tikku, V. K.; Somani, A. K.; Chaki, T. K.; Bhowmick, A. K.: Effect of Ambient-Temperature and High-Temperature Electron-Beam Radiation on the Structural, Thermal, Mechanical, and Dynamic Mechanical Properties of Injection-Molded Polyamide-6,6, 1633
Seo, B.-K. See Lee, K.-W., 1903
Seo, J.
—; Lee, C.; Jang, W.; Sundar, S.; Han, H.: Water Sorption and Diffusion Behaviors in Composite Films of Poly(ether imide) and Bismaleimide, 1692
Seok, J.-W.
—; Han, Y. S.; Kwon, Y.; Park, L. S.: Structural Effect of

Photoinitiators on Electro-optical Properties of Polymer-Dispersed Liquid Crystal Composite Films, 162
Serbetci, K. See Basgorenay, B., 3631
Serhatli, I. E. See Çakir, T., 1993
—; Kacar, T.: Synthesis of Liquid Crystalline–Amorphous Block Copolymers by Combination of CFRP and ATRP Mechanisms, 3187
Sessler, G. M. See Behrendt, N., 650
Severn, J. R. See Smit, M., 986
Shalaby, S. E.
—; Al-Balakocy, N. G.; El-Ola, S. M. A.: Graft Copolymerization of Glycidylmethacrylate onto Modified Nylon-6 Fibers, 613
Shamekhi, M. A. See Yeganeh, H., 1222
Shan, W. See Liao, M., 3615
Shankar, R. See Brar, A. S., 1437; Brar, A. S., 2174
Shanks, R. A.
—; Hodzic, A.; Ridderhof, D.: Composites of Poly(lactic acid) with Flax Fibers Modified by Interstitial Polymerization, 2305
Shanmugharaj, A. M. See Bhowmick, A. K., 150
Shao, H. See Zhang, H., 65
Sharifi-Sanjani, N. See Naderi, N., 2943
Sharma, C. P. See Sajeesh, S., 506
Sharma, H. O. See Ashraf, S. M., 2512
Shaw, L. See Wu, M., 477
Shawky, H. A.
—; Ali, A. E.-H.; El Sheikh, R. A.: Characterization and Adsorption Properties of the Chelating Hydrogels Derived from Natural Materials for Possible Use in the Improvement of Groundwater Quality, 2904
Shen, J. See Liu, B., 2578; Wu, S., 2029
Shen, X. See Zhang, Y., 1705
Shen, Y. See Li, G., 2721
Shi, Q. See Jiang, S., 2389
Shi, W. See Liang, H., 3130; Yang, W., 1781
Shibata, M. See Kuribayashi, M., 1627
—; Someya, Y.; Orihara, M.; Miyoshi, M.: Thermal and Mechanical Properties of Plasticized Poly(L-lactide) Nanocomposites with Organo-Modified Montmorillonites, 2594
Shibuya, M. See Yamada, K., 381
Shih, W.-C. See Lin, Y.-H., 738
Shih, Y.-F.
—; Lee, W.-C.; Jeng, R.-J.; Huang, C.-M.: Water Bamboo Husk-Reinforced Poly(butylene succinate) Biodegradable Composites, 188
Shimada, K. See Itakura, M., 1953
Shimo, T. See Kato, M., 3236
Shin, C. S. See Roh, Y. H., 3483
Shin, D. H.
—; Yoon, K. H.; Kwon, O. H.; Min, B. G.; Hwang, C. I.: Surface Resistivity and Rheological Behaviors of Carboxylated Multiwall Carbon Nanotube-Filled PET Composite Film, 900
Shin, D. I. See Kim, S. J., 1100
Shirzad, A. See Rezaei, M., 2352
Shlyapnikov, Y. A. See Mohakhova, T. V., 808
Shofransky, V. See Gutsanu, V., 59
Shtykova, L.
—; Ostrovskii, D.; Jacobsson, P.; Nydén, M.: Interaction between Medetomidine and Alkyd Resins: NMR and FTIR Investigation of Antifouling Marine Paint Model Systems, 2797
Shu, D. See Wang, J. T., 200
Shyu, S.-S. See Peng, C.-K., 2091
Siddaramaiah. See Kumar, H., 177
Sikora, A. See Kroutilová, I., 3669
Simões, P. See Pedroso, L. M., 3684
Simon, G. P. See Varley, R. J., 3288
Simonsen, J. See Geng, Y., 712
Singh, G. See Brar, A. S., 1437; Brar, A. S., 2174
Singh, V.
—; Polyacrylonitrile-Grafted *Cassia pudibunda* Seed Gum: A Potential Commercial Gum from Renewable Source, 619
Siracusa, V. See Finelli, L., 1374
Sivko, G. S. See Alston, W. B., 3549
Slepička, P. See Ävorčík, V., 1698
Smit, M.
—; Severn, J. R.; Zheng, X.; Loos, J.; Chadwick, J. C.: Metallocene-Catalyzed Olefin Polymerization using Magnesium Chloride-Supported Borate Activators, 986
Smith, B. F. See Densmore, C. G., 3153
So, L. K. See Ahmad, A. L., 1740
Soares, B. G. See Pires, N. M. T., 88
—; Cario, F. O. Jr.: Reactive Compatibilization of Polystyrene/Poly(Ethylene–co–Vinyl Acetate) (EVA) Blends, 14
Sokker, H. H. See Badawy, S. M., 1180
Somani, A. K. See Sengupta, R., 1633
Somashekar, R. See Kumar, H., 177
Someya, Y. See Shibata, M., 2594
Son, Y.
—; Comparative Measurement of Interfacial Tension by Transient Dynamic Methods, 1910
Song, B.
—; Chen, W.; Liu, Z.; Erhan, S. Z.: Compressive Properties of Soybean Oil-Based Polymers at Quasi-Static and Dynamic Strain Rates, 2759
Song, K. C. See Basarir, F., 3692
Song, L. See Cai, Y., 1320; Yang, L., 3275
Song, M. See Jin, J., 3677
Song, M. Y. See Choi, J. S., 2395
Song, P. See Qin, Y., 3110
Song, Y. See Cheng, X., 1188
—; Zheng, Q.: Time Dependences of Conduction and Self-Heating in Acetylene Carbon Black-Filled High-Density Polyethylene Composites, 1124
Souček, K. See Kroutilová, I., 3669
Soucek, M. D. See Nebioglu, A., 115
äpírková, M. See ävorčík, V., 1698
Sreedhar, B. See Narayan, R., 368
Staš, L. See Kroutilová, I., 3669
Stedile, F. C. See Pires, G. P., 2002
Stefani, P. M.
—; Cyras, V.; Barchi, A. T.; Vazquez, A.: Mechanical Properties and Thermal Stability of Rice Husk Ash Filled Epoxy Foams, 2957
Stefani, V. See Campo, L. F., 495; Campo, L. F., 2109
Steller, R.
—; Micewicz, E.; Meissner, W.; Piglowski, J.; Haponiuk, J.: Structure and Properties of Polyamides-Epoxidized Elastomers Blends, 1872
Stephan, M. See Krause, B., 260
Su, P.-L. See Yeh, J.-M., 1576
Subramanian, S. See Vijayalakshmi, S., 1516
Sue, H.-J. See Weon, J.-I., 3070
Sumita, M. See Akasaka, S., 2878
Summers, G. J. See Karakatsanis, E., 2554
Sun, J. See Wang, X., 2268
—; Liu, X.; Zhang, H.; Xiao, X.; Lin, F.; Schumann, H.: Ethylene Polymerization by Phenylenedimethylene-Bridged Homobinuclear Zirconocene/Methylaluminoxane Systems, 2193
—; Wang, X.; Wang, C.; Wang, Q.: Effects of Activation Time on the Properties and Structure of

Polyacrylonitrile-Based Activated Carbon Hollow Fiber, 2565
Sun, K. See Zhong, W., 1523; Zhong, W., 2558
Sun, R. See Zhang, H.-T., 3586
Sun, T. X. See Wang, W., 734
Sun, Z. See Wu, D., 2263
Sundar, S. See Seo, J., 1692
Suo, J. See Ni, P., 6
Surekha, P. See Roy, P. K., 236
Suriyan, M. R. See Reddy, B. S. R., 1919
Suryavansi, U. G. See Patri, M., 884
Sutter, L. L. See King, J. A., 1552
Sutton, D. See Hanley, T., 3328
Suzuki, A.
—; Hasegawa, T.: Superstructure and Mechanical Properties of Nylon 66 Microfiber Prepared by Carbon Dioxide Laser-Thinning Method, 802
—; Narusue, S.: Isotactic Polypropylene Microfiber Prepared by Continuous Laser-Thinning Method, 27
Swiderski, K. W. See Khudyakov, I. V., 489

Tajvidi, M.
—; Najafi, S. K.; Moteei, N.: Long-Term Water Uptake Behavior of Natural Fiber/Polypropylene Composites, 2199
Takagi, C. See Yamada, K., 381
Takasa, K.
—; Miyashita, N.; Takeda, K.: Micro-Structure and Characteristics of Highly Oriented Polyoxymethylene obtained by Press and Biaxial Drawing, 835
Takeda, K. See Inata, H., 2152; Takasa, K., 835
Tambe, S. M. See Kulkarni, S. S., 1380
Tan, S. T.
—; Huang, Z. F.; Liu, M. N.; Wang, X. Y.: Blends of Thermotropic Liquid Crystalline Polymer and *O*-Cresol Formaldehyde Epoxy Resin. II. Curing Kinetics, 1269
Tanaka, J. See Kino, R., 2822
Tang, L.
—; Yan, M.; Qu, B.: Effects of UV-Irradiation on the Nonisothermal Crystallization Kinetics of Polypropylene, 2068
—; Yang, J.; Yin, Y.; Zhang, M.: Effect of Water-Soluble Monomers on Emulsifier-Minor Emulsion Polymerization of Butylacrylate–Methacrylic Acid–Styrene and Properties of the Latices, 796
Tang, L.-X. See Jiang, T.-Y., 2702
Tang, Y. See Cai, Y., 1320
Tanimoto, T. See Zhu, Y. G., 501; Zhu, Y. G., 2868
Tanrattanakul, V.
—; Petchkaew, A.: Mechanical Properties and Blend Compatibility of Natural Rubber –Chlorosulfonated Polyethylene Blends, 127
Tanthapanichakoon, W. See Rimdusit, S., 1240
Taylor, J. See Abdullah, I., 1496
Teng, C.-C. See Chen, C.-H., 2167
Teng, G. See Nebioglu, A., 115
Teo, W. K. See Zhen, H., 2497
Terano, M. See Kawamoto, N., 1350
Terlemezyan, L. See Mokreva, P., 75
Tetsuya, T.
—; Hashimoto, Y.; Ishiaku, U. S.; Mizoguchi, M.; Leong, Y. W.; Hamada, H.: Effect of Heat-Sealing Temperature on the Properties of OPP/CPP Heat Seals. Part II. Crystallinity and Thermomechanical Properties, 513
Thevy, R. C. See Mohamad, Z., 1504
Thomas, S. See Jose, S., 2640
Tian, M. See Huang, H., 3203
—; Zhang, B.-Y.; Meng, F.-B.; Zang, B.-L.: Main-Chain Chiral Smectic Liquid-Crystalline Ionomers Containing Sulfonic Acid Groups, 1254
Tieghi, G. See Baldi, F., 3406
Tikku, V. K. See Sengupta, R., 1633
Tobita, E. See Kawamoto, N., 1350
Tobusawa, T. See Akasaka, S., 2878
Tominaga, Y. See Akasaka, S., 2878
Tong, L. See Zu, J., 3401
Tong, Z. See Bao-Xiu, Z., 2951
Ton-That, M.-T. See Wu, L., 580
Touchal, S.
—; Roizard, D.; Perrin, L.: Pervaporation Properties of Polypyrrolidinone-Based Membranes for EtOH/ETBE Mixtures Separation, 3622
Trad, H. See Jaballah, N., 2997
Trejo-Duran, M.
—; Martínez-Richa, A.; Vera-Graziano, R.; Mendoza-Diaz, G.; Castaño-Meneses, V. M.: Silicon-29 and Carbon-13 Nuclear Magnetic Resonance Identification of Intermediates Developed During the Formation of a Hybrid Based on Tetraethoxysilane (TEOS) and 4-[(5-dichloromethyl)(silyl)-pentyloxy]cyanobenzene (DCN), 520
Tsay, S.-Y.
—; Chen, B.-K.; Chen, C.-P.: Synthesis and Properties of Polyimide (Containing Naphthalene) Nanocomposites with Organo-Modified Montmorillonites, 2966
Tsocheva, D. See Mokreva, P., 75
Tsui, T.-A. See Dai, C.-A., 1960
Tsuji, H.
—; Okino, R.; Daimon, H.; Fujie, K.: Water Vapor Permeability of Poly(lactide)s: Effects of Molecular Characteristics and Crystallinity, 2245
Tsukigase, A. See Kato, M., 3236
Turta, C. See Gutsanu, V., 59

Ukey, V. V.
—; Juneja, H. D.: Synthetic and Spectroscopic Studies of Chelate Polymers Involving Azelaoyl Bis-*N*-phenyl Hydroxamic Acid with Transition Metal Ions, 273
Ulubayram, K. See Basgorenay, B., 3631
Unal, H. I. See Yilmaz, H., 3540
Uner, B.
—; Ramasubramanian, M. K.; Zauscher, S.; Kadla, J. F.: Adhesion Interactions between Poly(vinyl alcohol) and Iron-Oxide Surfaces: The Effect of Acetylation, 3528
Unnikrishnan, G. See Ganesh, B., 1069
Usuki, A. See Kato, M., 3236
Uysal, B.
—; Effects of the Steam Test on Bonding Strength of Laminated Veneer Lumbers Manufactured by Using Different Adhesives, 2973

Valentín, J. L.
—; Posadas, P.; Marcos-Fernández, A.; Ibarra, L.; Rodríguez, A.: Effect of a Fatty Amine on Processing and Physical Properties of SBR Compounds Filled With Silane–Silica Particles, 3222
van Zanten, J. H. See Whittier, R. E., 540
Varley, R. J.
—; Liu, W.; Simon, G. P.: Investigation of the Reaction Mechanism of Different Epoxy Resins Using a Phosphorus-Based Hardener, 3288
Varma, I. K. See Agarwal, N., 2414

Vatalis, A. S. See Papanicolaou, G. C., 1328
Vazquez, A. See Stefani, P. M., 2957
Vera-Graziano, R. See Trejo-Duran, M., 520
Vergnes, B. See Berzin, F., 2082
Verma, S. K. See Mohanty, S., 1476
Verney, V. See Fraäisse, F., 2238
Verstegen, E. See Mank, A., 1287
Vieira Marques, M. d. F.
—; Conte, A.: Propylene Polymerization Using Combined Syndio- and Isospecific Metallocene Catalysts Supported on Silica/MAO, 628
Vijayalakshmi, S.
—; Subramanian, S.; Rajagopan, S.; Kaliyappan, T.: Studies on Poly(8-hydroxy-4-azoquinolinephenylmethacrylate) and its Metal Complexes, 1516
Vijayaraghavan, P. G.
—; Reddy, B. S. R.: Synthesis, Characterization, Reactivity Ratios by Nuclear Magnetic Resonance Spectroscopy, and Application of (2,5-Dichlorophenyl acrylate-*co*-glycidyl methacrylate) Polymers as Adhesives for the Leather Industry, 1167
Vilaplana, F. See Martí-Ferrer, F., 1823
Villegas, S. See Rivas, B. L., 3266
Viscardo, D. See Errico, M. E., 2926
Viswanath, A. K. See Kulkarni, M. V., 812
Voigt, D. See Krause, B., 260
Volkland, S. See Krause, B., 260

Wahit, M. U. See Lim, J. W., 3441
Wallace, W. E. See Farahani, M., 1842
Wan, H. See Zhang, Y., 1674
Wan, Y. Z.
—; Luo, H. L.; Wang, Y. L.; Raman, S.; Huang, Y.; Zhang, T. L.; Liu, H.: Characterization of Three-Dimensional Braided Polyethylene Fiber–PMMA Composites and Influence of Fiber Surface Treatment, 949
Wan Daud, W. M. A. See Heidarian, J., 1817
Wang, C. See Hou, C., 32; Hou, C., 1050; Hou, C., 1940; Sun, J., 2565
Wang, C. L. See Wang, W., 734
Wang, D. See Dang, X., 1234
—; Gao, J.: Melting, Nonisothermal Crystallization Behavior and Morphology of Polypropylene/Random Ethylene–Propylene Copolymer Blends, 670
Wang, F. See Wang, Z.-Y., 244
Wang, H. See Chen, Z., 558
—; Li, C.-C.; Ke, Y.-C.; Zhang, D.; Li, Z.-Y.: Effects of Rosin-Type Clarifying Agent on the Crystallization and Compatibility of Polypropylene and Low Density Polyethylene, 1568
Wang, H. B. See Wei, Q. F., 2384
Wang, J. See Chen, T., 424; Wang, Z.-Y., 244
Wang, J.-l. See Lu, S.-h., 3195
Wang, J. T.
—; Shu, D.; Xiao, M.; Meng, Y. Z.: Copolymerization of Carbon Dioxide and Propylene Oxide Using Zinc Adipate as Catalyst, 200
Wang, Jialu. See Wang, Jincheng, 3578
Wang, Jincheng
—; Chen, Y.; Wang, Jialu: Preparation and Properties of a Novel Elastomeric Polyurethane/Organic Montmorillonite Nanocomposite, 3578
Wang, K.
—; Wu, J.; Zeng, H.: Microstructure and Fracture Behavior of Polypropylene/Barium Sulfate Composites, 1207
Wang, L. See Jiang, G., 728; Jiang, G., 1147; Jiang, S., 2389; Li, S., 1359; Wang, W., 734
—; Yu, H.-J.; Ma, Z.-L.; Ye, Z.-Y.; Jiang, S.; Feng, L.-F.; Gu, X.-P.: Preparation of Novel $MgCl_2$-Adduct Supported Spherical Ziegler–Natta Catalyst for α-Olefin Polymerization, 945
Wang, M.
—; Wei, L.; Zhao, T.: Addition-Curable Propargyl-Containing Novolac-Type Phenolic Resin: Its Synthesis, Characterization, Cure, and Thermal Properties, 1010
Wang, Q. See Ni, P., 6; Pei, X., 3116; Sun, J., 2565
—; Fu, L.; Hu, X.; Zhang, Z.; Xie, Z.: Preparation and Properties of Borosiloxane Gels, 719
Wang, Q.-F. See Ren, J., 1045
Wang, S. See Li, Y., 461
—; Zhang, Y.; Peng, Z.; Zhang, Y.: Morphology and Thermal Stability of BR/Clay Composites Prepared by a New Method, 905
Wang, W.
—; Wang, L.; Wang, C. L.; Sun, T. X.; Yu, H. J.; Chen, T.: Study on the Surface Grafting of Polypropylene Fibers, 734
Wang, X. See Di, Y., 875; Sun, J., 2565; Wu, D., 3336; Zhou, N., 3535
—; Sun, J.; Huang, R.: Influence of the Compounding Route on the Properties of Polypropylene/Nano-$CaCO_3$/Ethylene–Propylene–Diene Terpolymer Tercomponent Composites, 2268
Wang, X. Y. See Tan, S. T., 1269
Wang, Y. See Chen, Y., 107; Cheng, X., 1188; Qin, Y., 3110; Yi, Y., 1264
—; Zhu, R.; He, W.: Magnetic Properties of Polystyrene-*b*-Poly(2-hydroxylethyl methacrylate)/Metal Hybrids, 2314
Wang, Y. L. See Wan, Y. Z., 949
Wang, Y.-Q. See Ma, Y., 914
Wang, Z.-Y. See Jiang, T.-Y., 2702
—; Zhao, Y.-M.; Wang, F. ; Wang, J.: Syntheses of Poly(lactic acid-*co*-glycolic acid) Serial Biodegradable Polymer Materials via Direct Melt Polycondensation and Their Characterization, 244
Wantai, Y. See Jianping, D., 2710; Jianping, D., 2810
Ward, I. M. See Jenkins, M. J., 2789
Waseem, S. See Malik, M. A., 3565
Wei, L. See Wang, M., 1010
Wei, Q. F.
—; Ye, H.; Hou, D. Y.; Wang, H. B.; Gao, W. D.: Surface Functionalization of Polymer Nanofibers by Silver Sputter Coating, 2384
Weng, Z.-X. See Qi, D.-M., 3425
Weon, J.-I.
—; Gam, K.-T.; Boo, W.-J.; Sue, H.-J.; Chan, C.-M.: Impact-Toughening Mechanisms of Calcium Carbonate-Reinforced Polypropylene Nanocomposite, 3070
White, J. R. See Bhowmick, A. K., 150
Whitney, P. M.
—; Zhu, S.: Differential Scanning Calorimetry of Copolymer of Isotactic Polypropylene Backbone with Grafted Poly(ethylene-*co*-propylene) Branches, 3380
Whittier, R. E.
—; Xu, D.; van Zanten, J. H.; Kiserow, D. J.; Roberts, G. W.: Viscosity of Polystyrene Solutions Expanded with Carbon Dioxide, 540
Widmaier, J.-M. See Chenal, J.-M., 2989

Wilhelm, M. See Filipe, S., 347
Willett, J. L.
—; Finkenstadt, V. L.: Initiator Effects in Reactive Extrusion of Starch–Polyacrylamide Graft Copolymers, 52
Wolcott, M. P. See Schirp, A., 3138
Won, H. Y. See Lee, J. K., 2220
Wong, C. P. See Li, Y., 1665
Wong, W. K. See Yuen, C. W. M., 3700
Wood, S. M. See Jeong, H. M., 1732
Wool, R. P. See Lu, J., 2481
Wu, C. See Lu, Z., 2898
Wu, D.
—; Sun, Z.; Fu, R.: Structure and Adsorption Properties of Activated Carbon Aerogels, 2263
—; Wang, X.; Jin, R.: Effect of Nylon 6 on Fracture Behavior and Morphology of Tough Blends of Poly(2, 6-dimethyl-1,4-phenylene oxide) and Maleated Styrene-Ethylene-Butadiene-Styrene Block Copolymer, 3336
—; Zhou, C.; Fan, X.; Mao, D.; Bian, Z.: Nonisothermal Crystallization Kinetics of Poly(butylene terephthalate)/Montmorillonite Nanocomposites, 3257
—; Zhou, C.; Yu, W.; Xie, F.: Effect of Blending Sequence on the Morphologies of Poly(butylene terephthalate)/Epoxy/Clay Nanocomposites by a Rheological Approach, 340
—; Zhou, C.; Zheng, H.: A Rheological Study on Kinetics of Poly(butylene terephthalate) Melt Intercalation, 1865
Wu, H.
—; Li, F.; Lin, Y.; Yang, M.; Chen, W.; Cai, R.: Synthesis of Telechelic C_{60} End-Capped Polymers Under Microwave Irradiation, 828
Wu, H.-L. See Lee, T.-M., 3491
Wu, J. See Wang, K., 1207
Wu, L. See Chu, W., 1405; Li, F., 1429; Li, F., 3281
—; Hoa, S. V.; Ton-That, M.-T.: Effects of Composition of Hardener on the Curing and Aging for an Epoxy Resin System, 580
Wu, M. See Zu, J., 3396; Zu, J., 3401
—; Shaw, L.: Electrical and Mechanical Behaviors of Carbon Nanotube-Filled Polymer Blends, 477
Wu, N.
—; Huang, L.; Zheng, A.; Xiao, H.: Surface Properties of Block and Graft Polystyrene–Polydimethylsiloxane Copolymers, 2936
Wu, S.
—; Chi, B.; Yan, H.; Shen, J.: A Study of LLDPE Functionalized through Ultraviolet Irradiation and Interfacial Interaction of PA66/Functionalized LLDPE Blends, 2029
Wu, X. L. See Kong, F., 2477
Wu, Y. See He, W., 1140
Wu, Y.-P. See Ma, Y., 914

Xiang, B.
—; Guan, R.; Fang, Q.; Xiao, Z.; Jiang, Y.: Preparation and Characterization of Microcellular Thin Polycarbonate Sheets, 1760
Xiao, H. See Wu, N., 2936
Xiao, J. See Cheng, X., 1188
—; Li, H.-s.; Lu, X.; Meng, J.-q.: Stress Failure of Airborne Optical Assembly Resulting from Rigid, High Modulus Epoxy Adhesive and Quality Improvements, 45
Xiao, L. See Gunasekaran, S., 2470
Xiao, M. See Wang, J. T., 200
Xiao, S. See Liu, Q., 2746
Xiao, X. See Sun, J., 2193
Xiao, Z. See Xiang, B., 1760
Xie, B.-H. See Yang, W., 1781
Xie, D. See Xie, H.-Q., 1887; Xie, H.-Q., 1975
Xie, F. See Wu, D., 340
Xie, H.-Q.
—; Chen, Y.; Guan, J.-G.; Xie, D.: Novel Method for Preparation of Quaternary Ammonium Ionomer from Epoxidized Styrene–Butadiene–Styrene Triblock Copolymer and Its Use as Compatibilizer for Blending of Styrene–Butadiene–Styrene and Chlorosulfonated Polyethylene, 1975
—; Liu, D.-G.; Xie, D.; Guan, J.-G.: Behavior of Ionomers of Sulfonated Styrene–Butadiene–Styrene Triblock Copolymer in Polymer Blends with Crystalline Polyolefins and as Compatibilizer, 1887
Xie, T. See Li, Y., 335; Li, Y., 2076; Liu, H., 3300
Xie, Z. See Cheng, X., 1188; Wang, Q., 719
Xu, D. See Whittier, R. E., 540
Xu, H. See Zhang, Z., 2273
Xu, K. See Yu, H.-P., 1981; Yu, H.-P., 1986
Xu, Q. See Jin, L., 1111
Xu, T.
—; Farris, R. J.: Stresses Associated with Diffusion in Polyimide and Polyacrylics Films, 2661
Xu, W. See Zou, H., 1724
Xu, X. See Hu, H., 3477
Xu, Y. See Zhang, C., 2782
—; Ren, X.; Hanna, M. A.: Chitosan/Clay Nanocomposite Film Preparation and Characterization, 1684
Xu, Z. S. See Deng, Z. W., 3514

Yamada, K.
—; Nagano, R.; Hirata, M.: Adsorption and Desorption Properties of the Chelating Membranes Prepared from the PE films, 1895
—; Shibuya, M.; Takagi, C.; Hirata, M.: Adsorption and Desorption Properties of Cationic Polyethylene Film Gels to Organic Anions and Their Regeneration, 381
Yamauchi, A. See Hirao, K., 3507
Yan, H. See Wu, S., 2029
Yan, M. See Tang, L., 2068
Yan, S. See Di, Y., 875
Yan, W.
—; Han, K.; Zhou, H.; Yu, M.: Study on the Grafting of PET onto the Glass Fiber Surface during *In Situ* Solid-State Polycondensation, 775
Yang, B.
—; Sato, M.; Kuriyama, T.; Inoue, T.: Improvement of a Gram-scale Mixer for Polymer Blending, 1
Yang, C.-H. See Chen, C.-H., 2167
Yang, C. Z. See Kong, F., 2477
Yang, D. See Jiang, G., 2874
Yang, G. See Li, Y., 335; Li, Y., 2076; Liu, H., 3300
Yang, H. See Cheng, R., 1767
Yang, H.-X. See Zhou, L.-C., 1620
Yang, J. See Tang, L., 796; Ye, G., 3417
Yang, L.
—; Hu, Y.; Lu, H.; Song, L.: Morphology, Thermal, and Mechanical Properties of Flame-Retardant Silicone Rubber/Montmorillonite Nanocomposites, 3275
Yang, M. See Wu, H., 828
Yang, M.-B. See Yang, W., 1781
Yang, P. See Du, Y. K., 23
Yang, R. See Cai, Y., 1320; Hou, Q. X., 1346
Yang, W.
—; Xie, B.-H.; Shi, W.; Li, Z.-M.; Liu, Z.-Y.; Chen, J.; Yang, M.-B.:

Essential Work of Fracture Evaluation of Fracture Behavior of Glass Bead Filled Linear Low-Density Polyethylene, 1781
Yang, X. See Zhou, N., 3535
Yang, X. B. See Liu, L., 3172
Yao, K. J. See Jin, J., 3677
Yao, X. See Dai, J., 2253
Yasunaga, A. See Nonaka, T., 449
Yavuzcan, H. G. See Örs, Y., 3210
Yazawa, H. See Kato, M., 3236
Ye, G.
—; Zhou, H.; Yang, J.; Zeng, Z.; Chen, Y.: Synthesis and Characterization of Oligomers Containing the α-Aminoalkylphenone Chromophore as Oligomeric Photoinitiator, 3417
Ye, H. See Wei, Q. F., 2384
Ye, L. See Boonpangrak, S., 1390; Duan, Y., 3085
Ye, Z.-Y. See Wang, L., 945
Yeganeh, H.
—; Shamekhi, M. A.: Novel Polyurethane Insulating Coatings Based on Polyhydroxyl Compounds, Derived from Glycolysed PET and Castor Oil, 1222
Yeh, H. Y. See Dai, J., 2253
Yeh, J.-M.
—; Chen, C.-L.; Huang, C.-C.; Chang, F.-C.; Chen, S.-C.; Su, P.-L.; Kuo, C.-C.; Hsu, J.-T.; Chen, B.; Yu, Y.-H.: Effect of Organoclay on the Thermal Stability, Mechanical Strength, and Surface Wettability of Injection-Molded ABS–Clay Nanocomposite Materials Prepared by Melt Intercalation, 1576
Yi, C. F. See Deng, Z. W., 3514
Yi, F.
—; Li, Q.; Guo, Z.-X.; Yu, J.: Immobilization of Soluble Eggshell Membrane Protein on Polyethylene Film Surface: Effect on the Culture of NIH3T3 *in Vitro*, 1340
Yi, Y.
—; Wang, Y.; Zhang, W.: Synthesis of a New Chitosan Immobilized with β-Cyclodextrins and Its Adsorption Properties for Bilirubin, 1264
Yıldırım, H. See Denktaş, C., 1802
Yilmaz, H.
—; Unal, H. I.: Preparation of Electrorheological Active Ionomers from Poly(2-hydroxyethyl methacrylate)-*co*-Poly(4-vinyl pyridine), 3540
Yin, Y. See Tang, L., 796
Ying, L. See Hou, C., 32; Hou, C., 1050; Hou, C., 1940
Ying, X. See Yujun, W., 3365
Yokota, H. See Kawamoto, N., 1350
Yoon, K. H. See Shin, D. H., 900
Yoon, T. H. See Basarir, F., 3692
Yoshimura, T.
—; Matsuo, K.; Fujioka, R.: Novel Biodegradable Superabsorbent Hydrogels Derived from Cotton Cellulose and Succinic Anhydride: Synthesis and Characterization, 3251
You, B. See Li, F., 1429; Li, F., 3281
You, Y.
—; Lee, S. J.; Min, B.-M.; Park, W. H.: Effect of Solution Properties on Nanofibrous Structure of Electrospun Poly(lactic-*co*-glycolic acid), 1214
Young, T. J. See Obendorf, S. K., 1720
Yu, C. See Zu, J., 3396; Zu, J., 3401
Yu, H. See Jiang, G., 728; Jiang, S., 2389
Yu, H.-J. See Wang, L., 945; Wang, W., 734
Yu, H.-P.
—; Li, S.-D.; Zhong, J.-P.; Xu, K.: Effects of Dibutyltin Dilaurate and Epoxidized Soya Bean Oil on the Thermal Stability of Chlorinated Natural Rubber from Latex, 1986
—; Li, S.-D.; Zhong, J.-P.; Xu, K.: Effects of Stearates on the Thermal Stability of Chlorinated Natural Rubber from Latex, 1981
Yu, J. See Huang, M., 170; Yi, F., 1340
Yu, M. See Yan, W., 775
Yu, Q. S. See Gilliam, M. A., 2528
Yu, S.-H. See Peng, C.-K., 2091
Yu, W. See Liu, X., 937; Wu, D., 340
Yu, Y.-H. See Yeh, J.-M., 1576
Yuan, B.
—; McGlinchey, C.; Pearce, E. M.: Explanation of Tackifier Effect on the Viscoelastic Properties of Polyolefin-based Pressure Sensitive Adhesives, 2408
Yuan, Q. See Dang, X., 1234
Yuan, R. K. See Kong, F., 2477
Yuen, C. W. M.
—; Kan, C. W.; Wong, W. K.; Lee, H. L.: Modification of Wrinkle Resistance of Cotton Fabric, 3700
Yujun, W.
—; Ying, X.; Fei, C.; Guangsheng, L.: Preparation of Core–Shell Glass Bead/Polysulfone Microspheres With Two-Step Sol–Gel Process, 3365
Yunoki, S. See Kino, R., 2822

Zaikov, G. E. See Akhmetkhanov, R. M., 2885; Khalikov, R. M., 3571; Kozlov, G. V., 3574
Zang, B.-L. See Tian, M., 1254
Zanin, M. See Cruz, S. A., 2117
Zárate-Acevedo, M. C. See García-Gaitán, B., 2124
Zauscher, S. See Uner, B., 3528
Zehentner, J. See Ávorčík, V., 1698
Zeng, H. See Wang, K., 1207
Zeng, J. See Bennett, C., 2062
Zeng, Z. See Ye, G., 3417
Zghida, H.
—; Gauthier, R.; Helal, A.; Bartegi, A.: Modeling of Adsorption of Anionic Surfactants onto Cationized Lignocellulosic Materials, 82
Zhang, B.-Y. See Hu, J.-S., 2330; Tian, M., 1254
Zhang, C. See Chen, Y., 107; Liu, Y., 858
—; Zhu, B.; Ji, G.; Xu, Y.: Studies on Nonisothermal Crystallization of Ultra–High Molecular Weight Polyethylene in Liquid Paraffin, 2782
Zhang, D. See Wang, H., 1568; Zhu, Y. G., 501; Zhu, Y. G., 2868
Zhang, G. See Zhong, W., 1523; Zhong, W., 2558
Zhang, H. See Lu, S., 3241; Sun, J., 2193
—; Guo, L.; Shao, H.; Hu, X.: Nano-Carbon Black Filled Lyocell Fiber as a Precursor for Carbon Fiber, 65
Zhang, H.-T.
—; Huang, H.; Sun, R.; Huang, J.-X.: Preparation of Micron-Size Monodispersed PS/P(St/MAA) Microspheres by Seeded Dispersion Polymerization, 3586
Zhang, J. See Zu, J., 3396; Zu, J., 3401
Zhang, L. See Dong, Y., 286; Huang, H., 3203; Zhang, Z., 2273
Zhang, L.-Q. See Ma, Y., 914
Zhang, M. See He, W., 1140; Inoue, S.-I., 891; Tang, L., 796
Zhang, N.-W. See Ren, J., 1045
Zhang, Q. See Zou, H., 1724
Zhang, S. See Kan, J., 1848
Zhang, S.-J. See Zhou, L.-C., 1620
Zhang, S. Y. See Kong, F., 2477; Zhang, Y., 1674
Zhang, T. L. See Wan, Y. Z., 949

Zhang, W. See Liao, M., 3615; Liu, Y., 927; Yi, Y., 1264
Zhang, X. See Behrendt, N., 650
Zhang, Y. See Cai, Y., 1320; Li, Y., 461; Liao, M., 3615; Wang, S., 905
—; Carbon-13 NMR, GPC, and DSC Study on a Propylene-1-Butene Copolymer Fractionated by Temperature Rising Elution Fractionation, 845
—; Gao, J.; Shen, X.; Huang, F.: The Preparation, Characterization, and Cure Reactions of New Bisbenzocyclobutene-Terminated Aromatic Imides, 1705
—; Zhang, S. Y.; Chui, Y. H.; Wan, H.: Effect of Impregnation and In-Situ Polymerization of Methacrylates on Hardness of Sugar Maple Wood, 1674
Zhang, Y.-H. See Jiang, D., 472
Zhang, Yinxi. See Jiang, X., 2752
Zhang, Yong. See Jiang, X., 2752
Zhang, Z. See Cui, N., 1399; Lu, Z., 2898; Wang, Q., 719
—; Zhang, L.; Li, Y.; Xu, H.: Styrene–Butadiene–Styrene/Montmorillonite Nanocomposites Synthesized by Anionic Polymerization, 2273
Zhang, Z. Q. See Liu, L., 3172
Zhao, T. See Wang, M., 1010
Zhao, Y. See Di, Y., 875
Zhao, Y.-M. See Wang, Z.-Y., 244
Zhen, H.
—; Jang, S. M. J.; Teo, W. K.; Li, K.: Modified Silicone–PVDF Composite Hollow-Fiber Membrane Preparation and Its Application in VOC Separation, 2497
Zheng, A. See Wu, N., 2936
Zheng, H. See Wu, D., 1865
Zheng, Q. See Hu, H., 3477; Jiang, G., 2874; Song, Y., 1124
Zheng, S. See Liu, Y., 927
Zheng, X. See Smit, M., 986
Zheng, Y. See Kong, F., 2477
Zheng, Yaping
—; Zheng, Ying: Study on Sepiolite-Reinforced Polymeric Nanocomposites, 2163
Zheng, Ying. See Zheng, Yaping, 2163
Zhong, J.-P. See Yu, H.-P., 1981; Yu, H.-P., 1986
Zhong, W.
—; Qiao, X.; Sun, K.; Zhang, G.; Chen, X.: Polypropylene–Clay Blends Compatibilized with MAH-g-POE, 2558
—; Qiao, X.; Sun, K.; Zhang, G.; Chen, X.: The Linear Viscoelastic Properties of Copolypropylene–Clay Nanocomposites, 1523
Zhou, C. See Wu, D., 340; Wu, D., 1865; Wu, D., 3257
Zhou, H. See Yan, W., 775; Ye, G., 3417
Zhou, L.-C.
—; Li, Y.-F.; Zhang, S.-J.; Chang, X.-J.; Hou, Y.-F.; Yang, H.-X.: Synthesis of Chelate Resins Derived from Furfural and Their Adsorption Properties for Metal Ions, 1620
Zhou, N.
—; Lu, L.; Zhu, X.; Yang, X.; Wang, X.; Zhu, J.; Cheng, Z.: Synthesis of 1,3-Benzodioxole End-Functionalized Polymers via Reversible Addition–Fragmentation Chain Transfer Polymerization, 3535
Zhou, S. See Li, F., 1429; Li, F., 3281
Zhu, B. See Zhang, C., 2782
Zhu, J. See Zhou, N., 3535
Zhu, K. J. See Jiang, H. L., 2320
Zhu, Q. See Ge, X. C., 782
Zhu, R. See Wang, Y., 2314
Zhu, S. See Whitney, P. M., 3380
Zhu, T. See Dong, Y., 286
Zhu, W.
—; Ding, J.: Synthesis and Characterization of a Redox-Initiated, Injectable, Biodegradable Hydrogel, 2375
Zhu, X. See Zhou, N., 3535
Zhu, Y. G.
—; Li, Z. G.; Zhang, D.; Tanimoto, T.: Effect of Cryomilling on the Thermal Behaviors of Poly(ethylene terephthalate), 2868
—; Li, Z. Q.; Zhang, D.; Tanimoto, T.: ABS/Iron Nanocomposites Prepared by Cryomilling, 501
Zohuriaan-Mehr, M. J. See Mahdavinia, G. R., 1615
Zou, H.
—; Xu, W.; Zhang, Q.; Fu, Q.: Effect of Alkylammonium Salt on the Dispersion and Properties of Poly(*p*-phenylene sulfide)/Clay Nanocomposites via Melt Intercalation, 1724
Zu, J.
—; Wu, M.; Zhang, J.; Yu, C.; Liu, X.; Tong, L.: Radiation-Induced Grafting of Acrylic Acid and Sodium Styrene Sulfonate onto High-Density Polyethylene Membranes. I. Effect of Grafting Conditions, 3401
—; Yu, C.; Wu, M.; Jiao, Z.; Zhang, J.; Liu, X.: Radiation-Induced Grafting of Acrylic Acid and Sodium Styrene Sulfonate onto High-Density Polyethylene Membranes. II. Thermal and Chemical Properties, 3396
Zulfikar, M. A.
—; Mohammad, A. W.; Kadhum, A. A.; Hilal, N.: Poly(methyl methacrylate)/SiO_2 Hybrid Membranes: Effect of Solvents on Structural and Thermal Properties, 3163

Journal of Applied Polymer Science

Subject Index to Volume 99

Abnormal thermal behaviors, 2868
ABS, 1576
Absorption, 2253, 3110
Absorption enhancer, 1140
Absorption spectra, 100
4-Acetamidophenyl acrylate, 1919
Acetoacetylation, 368
Acrylamide, 3040
Acrylic acid, 2258, 2460, 2671, 3396, 3401
Acrylic latex, 1117
Acrylonitrile, 32, 1919
Acrylonitrile–butadiene–styrene copolymer, 1024
Acryloyloxypropyl *n*-octylphosphinic acid, 449
Activated carbon hollow fiber, 2565
Activation energy, 100, 218, 937, 1380, 1523, 1940, 2052, 3138, 3318
Activation time, 2565
Active layer, 3507
Active sites model, 1399
Additives, 644, 1214, 1346, 1842, 1928, 2152, 2279, 2848
Adhesion, 115, 744, 1960, 2052, 3318, 3528
Adhesives, 45, 1167, 1817, 2973, 3050, 3195
Adsorbent resin, 2951
Adsorption, 253, 381, 398, 449, 1264, 1620, 1895, 2263, 2288, 2300, 2888, 2904, 2951
Adsorption properties, 2565
Adsorptive isothermal model, 2951
Aerosil, 2943
AFM, 2384
Aging, 580, 1069, 2726
Aging properties, 884
Airborne optic assembly, 45
Alginate–carrageenan, 3483
Alkali solution, 1405, 2848
1-Allyl-2-thiourea, 1657
Alternating copolymers, 1993
Aluminum aryloxide, 1350
Amidoxime, 1180
Aminoalkoxysilane, 3491
Amino compounds, 2258
Amorphous, 3187
Amorphous polyolefin, 2408
Amorphous starch, 1880
Amphiphiles, 2314
Amphiphilic polymer, 2702
Aniomomer, 1234
Anionic polymerization, 738, 2273, 3615
Anionic surfactants, 82
Anisotropically conductive adhesives, 1665
Annealing, 2878
Antheraea mylitta, 3077
Antibacterial agent, 2389
Antimicrobial polymers, 2428
Antioxidant, 1350, 2885, 3500
Argon plasma, 744
Artificial extracellular matrix, 2091
Artificial neural network, 424
Atomic force microscopy (AFM), 501, 744, 1346, 3514, 3528
Atom transfer radical polymerization (ATRP), 728, 828, 1050, 1093, 1993, 3187, 3344
ATR, 1471
Audio, 2789
Automatic refilling process, 2395
Avrami equation, 2782

BA-MMA-St, 796
Barium sulfate, 1207
Barium titanate, 2815
Barrier, 3355
β-CD, 2583
β-Cyclodextrins, 1264
Beads, 1310
1,3-Benzodioxole, 3535
Benzoxazine, 1359
Benzoxazine trimethoxysilane, 927
Bimolecular termination, 920
Bioactive polymers, 2428
Biocide, 2428, 3153
Biocompatibility, 1340, 1832, 3153
Biocomposites, 1055
Biodegradable, 244, 852, 2305, 2375, 3251, 3520
Biodegradable polyesters, 2245
Biodegradable polymer, 188, 782
Biofiber, 1055
Biological activity, 2874
Biological applications of polymers, 2428
Biomaterial, 1340
Biomedical polymers, 2428
Biomineralization, 2822
Biopolymers, 52, 1346
Bipolar plates of PEM fuel cells, 477
Birefringence, 3433
Bisbenzocyclobutene-terminated aromatic imides, 1705
Bismaleimides, 1692, 3592
Bisphenol A (BPA), 2997
Bleaching, 3603
Blending, 1, 2926
Blending sequence, 340
Blend ratio, 1504
Blends, 14, 225, 461, 472, 477, 670, 974, 1069, 1310, 1773, 1887, 1975, 2033, 2044, 2512, 2558, 2640, 2878, 3336, 3344, 3622, 3638
Block copolymers, 1462, 2549, 2936, 3178, 3187
Blocked isocyanates, 589
Blown film, 974
Bombyx mori, 3077
Bone cement, 3631
Borate activators, 986
Boron load, 719
Borosiloxane gels, 719
Bound water, 1795
Brake fluid, 1559
Branched, 260, 1374, 2132
Branched and crosslinked polymers, 3571
Branched polyethylene, 2898
Breaking thread, 1910
Brinell hardness, 1674
1-(Bromoacetyl)-pyrene, 920
Butyl methacrylate (BMA), 2943

Calcium carbonate, 3070
Calculations, 1437
Calorimetry, 2062, 2520, 3658
ε-Caprolactone, 1462
Carbaryl, 1310
Carbon black (CB), 1124, 2167, 3477
Carbon black fillers, 65
Carbon dioxide, 200, 540
Carbon-13 NMR, 845
Carboxylic monomers, 796
Carboxymethylation, 1808, 3110
Cascade arc torch, 2528
Cascade model, 2771
Cashew gum, 326
Cassia pudibunda, 619
Catalyst immobilization, 986
Catalyst mixture, 628
Catalysts, 23
Cationic polymerization, 3147
Cationic polyurethane-acrylate hybrid dispersions, 2721
Cationic soap-free emulsion, 1111
Cationized lignocellulose, 82
CD inclusion compounds, 2586
Cellulose, 1808, 2951
Cellulose acetate, 3062, 3650
Centrifugal force field, 2395
Centrifugation, 3009

Cetylpyridinium chloride, 3153
Chain extending, 1045
Chain scission, 2549, 3178
Characterization, 75, 2978, 3093
Charge transfer, 2710
Charge transport, 100, 650
Chelate resin, 1620
Chelating membrane, 1895
Chelation, 1180, 3110
Chemorheology, 3669
Chiral, 1254
Chitosan, 326, 506, 1100, 1264, 1380, 1615, 1684, 2091, 3308, 3500
Chitosan fiber, 3110
Chloride, 1788
Chlorosulfonated polyethylene, 127
Cholesteric phase, 2330
Cholesterol, 1390
Chondritin sulfate, 2091
Chromatography, 260, 1296
Clay, 550, 905, 1004, 1523, 1576, 1752, 2558, 2578, 3677
^{13}C-NMR, 1303, 2016
Coatings, 489, 1083, 1175, 2052, 2797, 3195, 3318, 3365, 3417
Coextrusion, 974
Coil–globule transition, 1767
Cold plasma, 2528
Collagen, 1832
Colloids, 3514
Color fastness, 3603
Combustion, 2152
Compaction, 3389
Compatibility, 253, 1559, 1568, 2857, 3638
Compatibilization, 347, 1823, 1975, 3300
Compatibilizer, 712, 1887
Component, 107
Composite charged mosaic membrane, 3507
Composite materials, 1405
Composites, 162, 170, 266, 437, 477, 532, 775, 782, 858, 949, 1153, 1523, 1552, 1583, 1674, 1781, 1859, 2138, 2199, 2211, 2305, 2352, 2438, 2497, 2504, 2815, 2822, 2973, 3005, 3138, 3466
Composite thermal oxidative properties, 3549
Composition and structure, 1188
Compression, 1760
Compressive properties, 2759
Concentration profile, 3009
Concrete leachate, 1405
Conducting polymers, 75, 100, 437, 461, 477, 812, 2101, 2182
Conduction, 1124
Conjugated polymers, 2477, 2997
Contact angle, 2528
Controlled protein release, 2320
Controlled release, 2470, 3153
Conventional free radical polymerization, 3187
Conversion, 1287
Copolymerization, 75, 200, 244, 279, 292, 309, 520, 1167, 1437, 1940, 2109, 2124, 2174, 2913, 3622
Copolymers, 2428, 2454, 2874
Copolypropylene, 1523
Copper, 2888
Core-shell, 2943
Core-shell polymers, 107, 659, 3365, 3425
Cotton, 1720, 2848
Counter cation, 2687
Coupling agents, 1153
Crazing, 3070
Creep, 1496, 3077
Creep testing, 2204
Critical aggregation concentration, 3520
Crosslink density, 1222
Crosslinking, 1117, 1310, 1367, 1928, 2831, 2913, 3251, 3483
Cryogels, 319
Cryomilling, 501, 2868
Crystal, 835
Crystallinity, 200, 1462
Crystallization, 563, 670, 1568, 2044, 2076, 2220, 2245, 2782, 3257, 3380
Crystal texture, 597
^{13}C solid-state CPMAS NMR, 3062, 3650
Cumulative extension cycles, 1496
Cure mechanism, 3288
Cure reaction, 1705
Curie temperature, 969
Curing, 2414
Curing behavior, 1359
Curing kinetics, 1269
Curing of polymers, 489, 580, 858, 1010, 1367, 2726
Curing time, 2337
Cyclic stressing, 3077
Cyclic voltammetry, 3093
Cycloaliphatic vinyl ester resin, 2414

Damage, 1541
DEAE dextran microbeads, 2288, 2300
Decahydronaphthalene polystyrene, 540
Deformed dropo retraction, 1910
Degradation, 150, 170, 236, 286, 437, 852, 937, 1367, 1724, 2082, 2117, 2238, 2726, 3085, 3130, 3138
Dense polymeric membrane, 3062, 3650
Desizing, 2233
Desorption, 1895
4,4′-Diamonodiphenyl methane, 1359
Diblock copolymers, 2314, 3520
Dielectric properties, 2226, 3018, 3370
Dielectric relaxation, 2504
Differential scanning calorimetry (DSC), 260, 495, 513, 550, 679, 788, 1303, 2782, 2857, 2868, 2878, 3183, 3380
Diffusion, 360, 2152, 2199, 2245, 2253, 2661, 2746, 3571
Diffusion coefficient, 2204
Diol structure, 368
Dispersions, 162, 368, 1724
2D-NMR, 2694
Dodecylbenzene sulfonic acid (DBSA), 1277
Donor, 1399
Drawing, 650, 835
Drug delivery systems, 326, 2671, 2702
Drying, 1795
DSC, 27, 845, 1590, 2016, 3355
Dyes/pigments, 207, 279, 2109
Dye uptake, 3308
Dynamic cure, 2752
Dynamic modulus, 2010
Dynamic properties, 2010, 3477
Dynamic swelling, 3638

Effect, 796
E-glass, 1405
Elastomeric polyurethane, 3578
Elastomers, 150, 2268, 2542
Electrical conductivity, 1552
Electrical properties, 3005, 3592
Electrodialysis, 1788
Electroluminescent materials, 1945
Electrolyte, 2253
Electron beam irradiation, 260, 1633
Electron microscopy, 279, 812
Electrooxidation, 3093
Electrospinning, 1214, 1277, 1462
Emulsifier-minor emulsion polymerization, 796
Emulsion polymerization, 558, 659, 1111, 1934, 3195, 3425
Encapsulation, 2943
Energy dissipation, 3677
ENR-50, 1504
EPDM, 914, 2578
Epoxidized acrylated soybean oil, 3218
Epoxidized elastomers, 1872
Epoxidized natural rubber, 127
Epoxy, 550, 580, 2726, 3288, 3658
Epoxy foam, 2957
Epoxy network, 3669
Epoxy resin, 1328, 1665, 2163, 2752, 3009, 3491, 3592
ESCA/XPS, 744, 1627
ESEM, 2384
ESIPT, 495
ESR, 638
ESR/EPR, 218
Esterification, 2367
Ethanol, 1848

Ethanolamine, 170
Ethylene content, 914
Ethylene polymerization, 2002
Ethylene vinyl acetate, 1069
Ethylene-vinyl acetate copolymer, 3203
EVA, 1504, 1859
EVAL, 1859
Evaporation, 1698
Exchange reactions, 2258
Excimer laser, 1024
Exfoliation, 2578
Extrusion, 2082, 3138

Fast responsive hydrogels, 319
Fiber diameter, 424
Fibers, 27, 188, 279, 430, 532, 802, 937, 1346, 1720, 2039, 2144, 2211, 2305, 2352, 2888, 3172, 3700
Filament elasticity, 1496
Filler, 266, 2438, 2957
Filler network, 3477
Films, 115, 650, 835, 1903, 2443, 2822, 3483, 3514
Fire retardant, 1583
Flame retardance, 1320, 1367, 1928, 2039, 3130, 3203, 3275
Flexural strength, 2163
Flour rice husk, 1823
Fluor, 1903
Fluorescence, 207, 2109, 2367
Fluorescent monomers, 495
Fluorinated acrylate, 2721
Fluorinated acrylic copolymer, 1732
Fluoropolymers, 107, 558, 821
Foam, 360, 1760
Fouling, 2978
Fourier transform IR, 1802
Fractal, 3574
Fractal theory, 3571
Fracture, 1781, 3406
Fracture behavior, 3336
Fresh polymer concrete, 2337
FTIR, 236, 513, 812, 1303, 1446, 1627, 2062, 2367, 2797, 2810, 3318, 3528, 3700
Fullerene, 828, 2874
Functionalization, 2029
Functionalization of polymers, 398, 838, 852, 2109, 2888
Functionally graded material, 3009
Functional material, 3535
Functional microsphere, 3586
Furfural resin, 1620
Fusion property, 2167

Gamma radiation, 638
Gas permeability, 1485, 1590
Gelatin, 1795, 1960
Gelation, 738, 2470, 3483, 3669
Gel permeation chromatography (GPC), 218, 489
Gels, 326, 2401, 2771
GF/PET, 775
Glass beads, 1781, 3365
Glass transition, 2052, 2989, 3318
Glass transition temperature, 1024, 2408, 3592, 3669
Glycidylmethacrylate (GMA), 613
GMA, 2583
Gold, 1698
GPC, 845
Graft, 734
Graft copolymers, 52, 141, 300, 613, 1415, 1600, 1993, 2226, 2305, 2710, 2810, 2926, 2936, 3308, 3500
Grafting, 775, 2460, 2586
Grafting copolymerization, 2951
Grafting polymerization, 1446
Graft solution copolymerization, 1559
Ground-water quality, 2904
Gum-*graft*-poly(acrylonitrile), 619
G-value, 638

HA, 3631
Halogenated, 1981, 1986
^{1}H and ^{13}C NMR, 1919
Hardener, 580
Heat decomposition, 2454
Heat release rate, 1320
Heat sealing, 974
Heteroatom-containing polymers, 1083, 1367
High-density polyethylene, 1124, 3396, 3401
Highly filled system, 1240
High performance polymers, 869, 3549
High pressure, 1188
HMBC, 2174
Homogenization, 3466
Hybrid catalysts, 2002
Hybrid membrane, 3163
Hybrids, 891, 1153, 1175, 2627
Hydrogels, 37, 319, 1100, 1615, 1657, 2320, 2375, 2470, 2904, 3040, 3153, 3251, 3500
Hydrolysis, 3451
Hydrolytic stability, 884
Hydroperoxides, 2238
Hydrophilic monomer, 2721
Hydroxy, 2258
Hydroxyapatite, 2822, 3631
Hydroxyethyl methacrylate, 3153
Hydroxylated polyester, 368
2-Hydroxypropyl methacrylate, 3040
8-Hydroxyquinoline, 1945
Hypalon, 127
Hyperbranched polyester, 728
Hyperbranched polymer, 1147

ICP-AES procedure, 1620
Imbedded fiber retraction, 1910
Immersion behaviors, 2721
Immiscible, 2044
Immobilized, 1264
Impact resistance, 335
Impact strength, 2163, 3070
Impregnation, 1674, 3210
Indium tin oxide, 3125
Infrared, 3658
Infrared spectroscopy, 2182, 2831, 3116
Inherent viscosity, 1038
Initiator, 1928, 2737
Injection molding, 563, 1633, 2603
Inline IR spectroscopy, 2016
Inorganic fillers, 1559
Inorganic–organic, 927, 3163
Inorganic particles, 1207
Inorganic polymer, 273
In situ polymerization, 1674, 2898
Insulating coating, 1222
Insulin, 506, 1140
Intercalation, 6, 1865
Interface, 775, 1153, 1207, 1665, 1752, 2489, 3318
Interfacial interaction, 2029
Interfacial properties, 1541
Interfacial tension, 1910
Interfiber distance, 1541
Interfibrillar segregation, 2421
Interpenetrating networks (IPN), 1100, 1692, 2033, 2926, 2989
Interpenetrating polymer networks, 2542, 2857
Inverse relaxation, 3077
Ion exchangers, 59, 706, 1516
Ionic polymer-metal composite, 1732
Ionomers, 1374, 1732, 1887, 1975, 3540, 3622
IPNs, 177, 2671
Iron catalyst, 2898
Irradiation, 286, 1415, 1657
IR spectroscopy, 59
Isomer/isomerization, 2443
Isopropanol, 1380
Isosorbide, 1254
Isotactic, 628
Isotactic polypropylene, 808

Jute, 1476, 3603

K-carrageenan, 2904
Kelen-Tudos, 1167
Kinetic parameters, 495
Kinetics, 550, 580, 920, 937, 1050, 1111, 1865, 2710, 2782, 3288, 3658
Kinetics (polym.), 207, 218, 613, 858, 1940, 3257
Kinetic study, 3093

Laminates, 1590
Laser ablation, 1024
Latent heat, 1320

Latices, 107, 392, 1934, 3120
Light-emitting diodes (LED), 2997, 3125
Light scattering, 563
Limiting current density, 1788
Linear low-density polyethylene, 1781
Linseed oil epoxy, 2512
Liquid crystal, 3187
Liquid-crystalline polymers (LCP), 347, 1269, 2211, 2330, 2443
Liquid suppository, 1140
Living polymerization, 32, 1050
Low surface energy, 821
Luminescence, 2477, 2997
Lyocell fibers, 65

Macroazoinitiator, 2841
Macroinitiator synthesis, 728
Macromonomers, 3147
Macroporous polymers, 37, 319
Macroporous resins, 3565
Macrovoids, 3451
Maghnite, 3147
Maghnite-H^+, 3147
Magnesium chloride, 986
Magnesium hydroxide, 3203
Magnetic polymers, 969, 2314
Magnetic responsibility, 3241
Main-chain liquid-crystalline ionomers (LCIs), 1254
MALDI, 1842
Maleic anhydride grafted poly(ethylene-co-octene), 2558
MAPP, 1476
Mass loss, 1024
Mass spectrometry, 1842
Matrix, 858
Matrix crack, 1541
MCT β-CD, 2586
Mechanical characterization, 1405
Mechanical degradation, 1328
Mechanical properties, 65, 300, 477, 513, 532, 782, 802, 875, 884, 949, 974, 1004, 1069, 1633, 1684, 1802, 1928, 2010, 2167, 2279, 2352, 2438, 2481, 2489, 2504, 2570, 2594, 2603, 2789, 2831, 2957, 3210, 3275, 3355, 3466
Mechanical relaxation, 994
Mechanism, 2874, 3093
Melamine, 1083
Melamine dispersion, 2554
Melt, 244, 1724, 2578
Melt blown, 424
Melting, 3380
Melt intercalation, 1576
Melt manipulation, 2603
Melt spinning, 2211
Melt temperature, 1024
Membranes, 381, 430, 1415, 1740, 2359, 2497, 2746, 2978, 3571, 3622, 3692
Metal ions, 706, 1620
Metal ion uptake, 3040
Metallic monomers, 2337
Metallocene, 628
Metallocene catalysts, 808, 986, 1104, 2193
Metal methacrylate, 2542
Metaloquinolate-containing polymer, 1945
Metal-organic catalysts, 2737
Metal-polymer complexes, 449, 697, 1516, 1627, 2359, 2687, 3266
Metals, 2460
Methacrylic acid (MAA), 2943, 3586
Methionine, 1038
Methyl methacrylate, 1471, 2614
Micellar system, 1277
Micelles, 2702
Microcellular, 1760
Microcrystalline parameters, 177
Microemulsion, 1093
Microlayers, 597
Micro-mixing, 2554
Microparticles, 506
Microspheres, 1390
Microstructure, 88, 501, 1437, 2174, 2438, 2694, 3005, 3571, 3574
Microwave, 3658
Microwave irradiation, 828
Migration, 2152
Miniemulsion, 1471
MINI-MAX Molder, 1
Miscibility, 472, 2558, 2640
Mixing, 1
Mobilizer, 638
Modeling, 82, 2082, 2144, 3023
Modification, 558, 734, 1010, 1752, 2132, 2268, 2528, 2978, 3172
Modulus, 37, 2044, 2771
Modulus of elasticity, 3210
Moisture preservation, 3230
Molar ratio, 2454
Molecular imprinting, 1390, 2401
Molecularly imprinted polymeric microspheres, 3241
Molecular mass distribution, 1953
Molecular modeling, 3574
Molecular orientation, 3433
Molecular recognition, 2401
Molecular recognition selectivity, 3241
Molecular weight distribution, 3023
Molecular weight distribution/molar mass distribution, 2193
Monofilms, 1590
Monomer conversion, 1471
Monomer reactivity ratios, 3344
Monomers, 392, 1296
Monte Carlo simulation, 968
Montmorillonite, 6, 2614, 2966, 3578, 3615
Morphology, 14, 65, 340, 347, 461, 563, 670, 875, 905, 945, 1069, 1195, 1692, 1903, 1934, 2033, 2101, 2549, 2640, 2841, 2878, 3023, 3178, 3241, 3336, 3425, 3466, 3592
Multi-arm star polymers, 728
Multifunctional phosphate acrylate oligomer, 3130

Nanocomposite coatings, 1429, 3281
Nanocomposite film, 900
Nanocomposites, 6, 340, 501, 550, 659, 869, 914, 1004, 1576, 1645, 1665, 1684, 1724, 1752, 1854, 1865, 2101, 2163, 2226, 2268, 2273, 2578, 2594, 2841, 2943, 2966, 3018, 3236, 3257, 3275, 3406, 3425, 3433, 3441, 3578, 3615, 3677
Nanofiber, 1214, 1277, 1462
Nanolayers, 597, 1004, 2384, 3183
Nanoparticles, 286, 2138, 3125, 3520, 3700
Nanosilica, 1429
Nanotechnology, 1004
Nanothread, 1848
Nanotube, 900
Nanowire, 1277
Naphthalene, 2966
Natural fiber composites, 1823
Natural-fiber–plastic composite, 2570
Natural fibers, 1055, 2199
Natural organic matter, 430
Natural rubber, 127, 1600, 2504
Negative reflection coefficient, 3507
Network efficiency, 3040
Network formation, 3218
Networks, 2771
NEXAFS, 3433
N-(hydroxymethyl)methacrylamide, 1657
NIR, 3288
N-isopropylacrylamide, 449
Nitrate, 1788
Nitrile rubber, 1559
N-methylol acrylamide, 1117
N-methylol methacrylamide, 1117
NMR, 520, 589, 1167, 1437, 2174, 2226, 2797, 2913
Nonisothermal crystallization kinetics, 2068
Nonlinear polymers, 405, 520
Nonwoven, 424
Non-woven hemp mat, 1055
Nonwovens, 2489
N-substituted maleimide, 1993
N-trimethyl chitosan chloride, 1140
Nucleation, 650
N-vinyl-2-pyrrolidone, 1919
Nylon, 292, 300, 309, 532, 613, 802, 1024, 1633, 2062, 2144
Nylon 6, 1277, 3336

O-cresol formaldehyde epoxy resin, 1269
Oil spill clean-up, 360
Oligomers, 489, 3417, 3684
Optical properties, 974
Organic–inorganic materials, 2943
Organic light-emitting diodes (OLED), 1945
Organoclay, 6, 869, 914, 2841, 2966, 3236, 3406
Org-montmorillonite (org-MMT), 3441
Orientation, 225, 513, 835, 2603, 3328
Oxidation stability, 719
Oxidizing agents, 3370
Oxygen uptake, 2238
Oyster shell, 1583

PA-6, 2586
PA66/LLDPE blend, 2029
PAN, 1530
Paper wet-strength agent, 712
Partial hydrolysis, 3540
Particle size, 1, 945
Payne effect, 3222
PBS, 188
Peak tension, 3077
Peeling, 974
PEO, 1530
Percolation, 3005, 3018
Perfluorinated carboxylate membrane, 2687
Permeability, 3163, 3483
Pervaporation, 1380
Petaloid base, 3328
Phase behavior, 969, 1872
Phase change material (PCM), 1320
Phase inversion, 3451
Phase reversal, 1234
Phase separation, 162, 1903, 2220, 2726, 2989
Phenolic aldehydes, 2428
Phenolic esters, 2428
Phenol–urea–formaldehyde resin, 2016
1,3-phenylene bisoxazoline, 1359
Phosphorous hardener, 3288
Photoacoustic spectra, 3608
Photo- and thermo-oxidation, 2570
Photodegradation, 2068, 2367
Photografting, 1895
Photoluminescence, 2477
Photo-oxidation, 2238
Photo-oxidative degradation, 3603
Photophysics, 2109
Photopolymerization, 162, 207, 920, 1287, 1627, 2810, 3130, 3153, 3218, 3417
Photopolymerization kinetics, 1429, 3281
Photoresists, 2913
pH-sensitive release, 2320
pH-sensitivity, 2702
Phthalimide, 2258
Physical properties, 1854, 3222
Pigments, 2052, 3318
Pilocarpine, 326
Piperonic acid, 3535
Plasma, 1832, 2233
Plasma modification, 1340
Plasma polymerization, 1485, 3692
Plasma treatment, 1960
Plasticizer, 1195
Plasticizer extraction, 788
Plastics, 253, 1645, 3236
Platinum nanoparticles, 23
PMMA, 3451, 3631
PMMA/TEOS, 3163
PMR II-50 and VCAP-75, 3549
Podophyllotoxin, 2702
Polyacrylamide, 52
Polyacrylate, 558, 1615
Poly(acrylic acid), 2554
Polyacrylonitrile, 1854, 2565, 3389
Poly(α-L-glutamate)s, 994
Polyamide 6, 2076, 3300
Poly(amide-imide)s, 1038
Polyamides, 266, 335, 1817, 1872, 3406
Polyaminoamide-epichlorohydrin, 712
Polyaniline, 75, 1277, 1848
Poly(aryl ether ketone) containing napthalene (NA-PAEK), 472
Poly(aspartic acid), 2320, 2702
Polybenzoxazine, 1240
Poly(β,L-aspartate)s, 994
Polybutadiene, 88, 905, 3615
Poly(butylene isophthalate), 1374
Poly(butylene terephthalate), 340
Polycarbonates, 782, 1024, 1760, 2220
Polycarbosilane, 1188
Polycondensation, 1045, 3417
Poly(2,6-dimethyl-1,4-phenylene oxide), 2124, 3062, 3650
Polydimethylsilane, 1188
Poly(1,3-dioxolane), 3147
Polyelectrolyte complex, 2320
Polyesters, 115, 244, 279, 563, 900, 1214, 1374, 1720, 2124, 2305, 2594, 2737
Polyether, 3085
Poly(ether ether ketone) (PEEK), 756
Poly(ether imide), 2421
Poly ether nitrile, 1303
Polyethers, 2124
Poly(ether sulfone), 430, 472, 2978, 3116
Poly(ethylene-*co*-propylene) (EPR), 638, 3380
Polyethylene fibers, 3195
Polyethylene foams, 2204
Poly(ethylene 2,6-naphthalate) (PEN), 2211
Polyethylene octene (POE), 3441
Polyethylene (PE), 141, 236, 381, 597, 712, 949, 986, 1018, 1340, 1568, 1583, 1590, 1895, 2193, 2344, 2352, 2528, 3138
Poly(ethylene terephthalate), 1698, 1802, 1960, 2117, 2124, 2211, 3328
Polyglycidyl-methacrylate, 1559
Poly(2-hydroxyethyl methacrylate)-*co*-poly(4-vinyl pyridine), 3540
Polyimide composites, 3549
Polyimides, 292, 300, 309, 869, 1692, 2226, 2661, 2966, 3018, 3433
Poly(lactic acid), 1045
Poly(lactide)s, 2245
Polymaleimide, 1993
Polymer, 1180, 2258, 3005, 3574
Polymer electrolyte, 1530
Polymer functionalization, 1808
Polymerizable surfactant, 1111
Polymerization, 1471, 1817
Polymerization-induced phase separation, 335
Polymerization shrinkage, 1287
Polymer melts, 405
Polymer membranes, 756
Polymer-metal complexes, 706
Polymer nanofibers, 1018
Polymer optical fibers, 2395
Polymethacrylic acid, 506, 2512
Poly(methyl methacrylate), 949, 1600, 1773
Polymethylvinylsiloxane, 3477
Poly(*N*-isopropylacrylamide), 1767
Polyolefins, 875, 1104
Polyorganosiloxanes, 3491
Polyoxymethylene, 335, 835
Polyphenylene oxide, 2076
Polypropylene, 27, 260, 461, 513, 628, 650, 670, 734, 1207, 1350, 1446, 1568, 1752, 1823, 2068, 2082, 2132, 2152, 2199, 2268, 2489, 2558, 2752, 3300, 3380, 3441, 3466, 3692
Poly(propylene carbonate), 200
Poly(propylene-*co*-ethylene-*co*-1-butene) (TerPP), 2627
Poly(propylene-*co*-ethylene) (CoPP), 2627
Polypyrrole, 3370
Polysaccharides, 2288
Polysilanes, 2679
Polysiloxanes, 520, 3275
Polystyrene, 14, 1018, 1024, 1195, 2138, 2389, 2603, 2815, 2841, 2989, 3023
Polystyrene–butadiene–styrene, 2549, 3178
Polystyrene–isoprene–styrene, 2549, 3178
Polysulfone, 3365
Polytetrafluoroethylene, 1415
Poly(trimethylene terephthalate), 2421
Polyurethane, 6, 177, 360, 368, 489, 738, 875, 1222, 1234, 1832, 2989, 3592, 3677, 3684

Polyurethane sealant, 884
Poly(vinyl acetate), 1773
Poly(vinyl alcohol), 3528
Poly(vinyl chloride), 2033, 2167, 2885
Poly(vinylidene fluoride) (PVDF), 2497
Porosity formation, 3565
Posidonia oceanica, 1808
Post-consumer, 2117
Potassium persulphate, 619
Powder, 2943
PP nanocomposite, 3070
PPO, 3336
PPV and its derivatives, 2477
Precipitation polymerization, 1390
Pressure sensitive adhesives, 2408
Processing, 141, 1760
Process techniques, 45
Propene polymerization, 945
Property, 107, 1188
Propylene-1-butene copolymer, 845
Propylene polymerization, 1399
Protein rejection, 3389
Proteins, 2288, 2300, 2470
PU/PAN, 177
PVA, 2233, 3608
PVC, 788, 2520
PVP decomposition, 23
Pyrene, 920
Pyrolization, 2549, 3178
Pyrolysis, 719, 2679

Quaternary ammonium, 613, 2389
Quaternary ammonium salt, 1975
Quaternization, 3308

Radiation, 1180, 1415, 1446, 2460, 2520, 3638
γ Radiation, 1773
Radiation-induced grafting, 3396, 3401
Radical, 638
Radical copolymerization, 3266
Radical polymerization, 697, 1287, 1516, 3218
Radionuclide, 1903
RAFT, 3535
Raman spectra, 1287, 3608
Rayleigh ratio, 1953
Reaction-induced phase separation, 2076
Reaction kinetics, 1705
Reactions, 589
Reactive compatibilization, 14
Reactive extrusion, 52
Reactive processing, 1872, 2640, 2926
Reactive solvents, 1083
Reactivity ratios, 1437, 1919
Reactor blend, 628
Reclaim rubber, 957
Recovery, 3077
Recycling, 2117
Redox system, 2586
Refractive index, 1953, 2395, 2926
Reinforcement, 957, 1928, 2010, 3507
Relaxation, 679
Renewable resources, 2481, 3218
Resins, 589, 697, 706, 858, 1842, 3266
Retraction behaviors, 691
Reverse atom transfer radical polymerization, 32, 1093
Rheological properties, 1600, 3222
Rheology, 88, 340, 347, 405, 900, 1117, 1523, 1865, 2132, 2138, 2344, 2614
Rice husk ash, 2957
Ring-opening polymerization, 2737
Roughness, 3050
Rubber, 532, 691, 905, 1645, 1981, 1986, 3120
Rubber blend, 127, 1559
Rubber-toughened, 3441

SAXS, 3328
Scanning electron microscopy, 1802
Scratch, 1960
SEBS-*g*-MA, 3336
Seeded dispersion polymerization, 3586
Segregation morphology, 2421
Selectivity, 1380
Self-assembly, 728, 1147, 3514, 3520
Self-heating, 1124
Self-reinforced composites, 2789
SEM, 1476
Semicompatible, 2512
Sensor, 812, 2687
Separation, 1620
Separation techniques, 3622
Sepiolite, 2163
Sequence distribution, 2694
Shear, 2973
Shear strength, 3050
Shear yielding, 3070
Shirasu porous glass (SPG), 1195
Silane coupling agent, 691
Silica, 659, 691, 957, 2002, 3477
Silicagel, 2943
Silicon additive, 3203
Silicon carbide particles, 3009
Silicone rubber, 1069, 2253
Silicones, 644, 2279
Silk fibroin, 2822
Siloxane, 891
Silver, 2384
Silver nanoparticles, 3018, 3608
Sintering, 1665, 2344
Slow-release fertilizer, 3230
Smectic, 1254
Soda lignin, 2504
Sodium alginate, 2671
Sodium montmorillonite, 1645
Sodium styrene sulfonate, 3396, 3401
Sol–gel, 957, 1175, 3163, 3365
Solid-state polymerization, 2117
Soluble eggshell membrane protein, 1340
Solution and prepreg shelf life, 3549
Solution properties, 540, 1214, 2182, 3574
Sorption, 82, 808
Soybean oil-based polymers, 2759
Spatial confinement, 597
Spectroscopy, 1471
SPEEK, 756
Spherical $MgC1_2$-adduct support, 945
Spherical Ziegler–Natta catalyst, 945
Spinodal decomposition, 335
Split Hopkinson pressure bar (SHPB), 2759
Sputtering, 1698, 2384
SSP, 775
Stabilization, 1350, 1981, 1986, 2039, 2885, 3120
Stain repellence, 2454
Starch, 52, 2460
Star polymers, 3684
Static light scattering, 1953
Stearic anhydride, 712
Stength, 2973
Stereospecificity, 1399
Steroid groups, 2330
Stiffness, 2848
Stimuli-sensitive polymers, 449, 1732, 2470
Storage modulus, 1476, 2542
Strain, 1740
Strain-induced crystallization, 914
Strain rate, 2759
Strength, 1346
Stress, 2661
Stress failure, 45
Stress–strain curve, 2759
Structure, 65, 589, 1684, 2263, 2273, 3116
Structure development, 1880
Structure-property relations, 756, 994, 1485, 1732, 2044, 2389, 2848
Styrene, 1093, 3535, 3586
Styrene butadiene rubber, 1559
Styrene–butadiene–styrene, 1975
Styrene–butadiene–styrene triblock copolymer, 1887
Styrene-divinylbenzene copolymers, 3565
Styrene/*n*-butyl acrylate copolymer, 2694
Sulfonated jute, 3603
Sulfonate group, 1254
Sulfonation, 756, 3603
Superabsorbent, 1615
Superabsorbent polymers, 3230
Superstructure, 802
Supported membrane, 3389
Supported metallocene, 2002
Supports, 59
Supramolecular, 1147

Surface and layer characterization, 1698
Surface characterization, 398
Surface free energy, 2721
Surface modification, 744, 821
Surface polarity, 1446
Surface property, 2936
Surface resistivity, 900, 2167
Surface treatment, 949
Surfaces, 1627, 1720, 1832, 2233, 2344, 2352, 2384, 2528, 2710, 2810, 3116, 3172, 3700
Surfactant, 2554
Suspension polymerization, 1195, 3565
Swelled rubber, 2010
Swelling, 37, 319, 644, 1100, 1615, 1657, 1740, 2470, 2661, 2848, 2973, 3251, 3565
Swelling behavior, 3308
Swell ratio, 2687
Syndiotactic, 628
Synthesis, 244, 1945, 2263, 2330, 2389, 2481, 3540

Tackifiers, 2408
Talc, 2752
Tearing, 974
Telechelics, 828
TEM, 23, 1934, 3236
Temperature modulated differential scanning calorimetry, 1795
Temperature rising elution fractionation, 845
Template melt extrusion, 1018
Template polymerization, 506
Templates, 2401
TEMPO free radical, 3062, 3650
Tencel filament, 1496
Tensile properties, 2640
Tensile strength, 1496
Tensile testing, 1117
Terminal relaxation time, 2408
Termooxidative degradation, 808
TESPT, 3222
Tetraethylorthosilicate, 1380
TGA, 719, 2016
TG-FTIR, 3085
Thermal analysis, 3344
Thermal annealing, 2477
Thermal bonding, 2489
Thermal curing, 3491
Thermal degradation, 788
Thermal properties, 273, 644, 905, 927, 1010, 1104, 1374, 1552, 1600, 1684, 2033, 2144, 2344, 2359, 2414, 2438, 2594, 2913, 3183, 3355
Thermal stability, 368, 1038, 1773, 2627, 2957
Thermodynamics, 2300
Thermogravimetric analysis (TGA), 23, 273, 495, 937, 957, 1038, 1117, 1303, 1848, 2039, 2679, 2831, 3275
Thermogravimetry/FTIR, 788
Thermooxidative degradation, 2549, 3178
Thermoplastic cornstarch, 170
Thermoplastic elastomers, 1645, 2549, 3178
Thermoplastic interpenetrating polymer network, 1887
Thermoplastics, 150, 347, 1552
Thermoset resin, 1055
Thermosets, 644, 1010, 1083, 2279, 2481, 3183, 3236
Thigh reeled tasar silk, 3077
Thin films, 100, 1104, 1485, 2477, 3120
Thin layer, 1698
Thiolignin, 2504
Time-dependence, 1124
Time–temperature superposition principle, 1767
TiO_2, 3281
Toughness, 1207, 2076, 2268, 3300, 3406
TPE, 1504
Transient dynamic method, 1910
Transition, 3355
Transition kinetics, 1767
Transition metal chemistry, 59, 273
Transmission electron microscope, 1848
Transmittance, 3451
Transparency, 225
Transport number, 3507
Trimerization, 1303
Trimethylene carbonate, 1462
Triple-helix structure, 1795
Tris(pyrazolyl)borate titanium, 2002
Tryptophan, 3241
Two-dimensional fragmentation test, 1541

Ultrafiltration, 430, 3389
Ultra–high molecular weight polyethylene, 2782
Ultraviolet irradiation, 2029
Unconjugated bilirubin, 1264
Unsaturated polyester resin, 1055
Uranium, 1180
Urea formaldehyde, 589, 3230
Urethanes, 589
UV, 1471
UV curing, 1429, 3281
UV irradiation, 2068, 2570
UV-vis spectroscopy, 218, 812, 1175, 1981, 1986, 2182, 2288, 2300, 2443

Vapor pressure, 1720
Vibration-assisted injection molding, 2603
Vinylester, 1405
4-Vinylpyridine, 3308
2-Vinylpyridine–styrene–butadiene copolymer, 891
Viscoelastic properties, 88, 115, 141, 405, 679, 1476, 1523, 1823, 2746
Viscosity, 236, 540, 875, 2132, 3172, 3638
Vitrification, 3669
Voids, 1903, 3183
Volume shrinkage, 2395
Vulcanization, 691

Wastewater, 2888
Wastewater treatment, 2460
Water absorption, 2199
Water bamboo, 188
Water-borne coating, 1234
Water diffusion, 1328
Water glass, 891
Water resistance, 1083
Water solubility, 2874
Water-soluble monomers, 796
Water-soluble polymers, 52, 1310, 1808
Water sorption, 1692
Water uptake, 3040
Water vapor permeation, 2245
Wax emulsion, 2554
WAXS, 27, 177, 802, 1633, 1880, 2878
Weathering, 2367
Williams–Landel–Ferry equation, 1767
Wittig polycondensation, 2997
Wood, 712, 1674, 2367, 3050
Wood composite, 1240
Wood flour, 782
Wood materials, 3210
Wood-plastic composites, 712
Wood pulp, 2460
Workability, 2337
Working time, 2337

XPS, 558, 2233, 2570, 3116
X-ray, 2182
X-ray diffraction, 1848
X-ray microtomography, 360

Zeolite, 1740, 2627
Ziegler–Natta catalyst, 1350, 1399, 2898
Zinc adipate, 200
Zinc oxide, 1854

Journal of
Applied Polymer Science

CONTENTS

Volume 99

ISSUE NUMBER 1 / JANUARY 5, 2006

Improvement of a Gram-scale Mixer for Polymer Blending
B. Yang, M. Sato, T. Kuriyama, and T. Inoue **1**
Published online 11 October 2005

Novel Polyether Polyurethane/Clay Nanocomposites Synthesized with Organicly Modified Montmorillonite as Chain Extenders
P. Ni, Q. Wang, J. Li, J. Suo, and S. Li **6**
Published online 11 October 2005

Reactive Compatibilization of Polystyrene/Poly(Ethylene–co–Vinyl Acetate) (EVA) Blends
B. G. Soares and F. O. Cario, Jr. **14**
Published online 11 October 2005

Thermal Decomposition Behaviors of PVP Coated on Platinum Nanoparticles
Y. K. Du, P. Yang, Z. G. Mou, N. P. Hua, and L. Jiang **23**
Published online 11 October 2005

Isotactic Polypropylene Microfiber Prepared by Continuous Laser-Thinning Method
A. Suzuki and S. Narusue **27**
Published online 11 October 2005

Reverse Atom Transfer Radical Polymerization of Acrylonitrile
C. Hou, R. Qu, L. Ying, and C. Wang **32**
Published online 11 October 2005

Swelling–Deswelling Kinetics of Poly(*N*-isopropylacrylamide) Hydrogels Formed in PEG Solutions
Y. Dogu and O. Okay **37**
Published online 11 October 2005

Stress Failure of Airborne Optical Assembly Resulting from Rigid, High Modulus Epoxy Adhesive and Quality Improvements
J. Xiao, H.-s. Li, X. Lu, and J.-q. Meng **45**
Published online 11 October 2005

Initiator Effects in Reactive Extrusion of Starch–Polyacrylamide Graft Copolymers
J. L. Willett and V. L. Finkenstadt **52**
Published online 11 October 2005

Nature of Compounds Formed in Phase of Strongly Basic Anion Exchanger in Contact with $Fe_2(SO_4)_3$ Solutions
V. Gutsanu, V. Gafiichuk, V. Shofransky, and C. Turta ***59***
Published online 11 October 2005

Nano-Carbon Black Filled Lyocell Fiber as a Precursor for Carbon Fiber
H. Zhang, L. Guo, H. Shao, and X. Hu ***65***
Published online 11 October 2005

Copolymers of Aniline and *o*-Methoxyaniline: Synthesis and Characterization
P. Mokreva, D. Tsocheva, G. Ivanova, and L. Terlemezyan ***75***
Published online 11 October 2005

Modeling of Adsorption of Anionic Surfactants onto Cationized Lignocellulosic Materials
H. Zghida, R. Gauthier, A. Helal, and A. Bartegi ***82***
Published online 11 October 2005

Performance Evaluation of High-cis 1,4-Polybutadienes
N. M. T. Pires, A. A. Ferreira, C. H. de Lira, P. L. A. Coutinho, L. F. Nicolini, B. G. Soares, and F. M. B. Coutinho ***88***
Published online 11 October 2005

Studies on the Electronic Transport and Optical Properties of Some New Chelate Modified Polysulfones in Thin Films
G. I. Rusu, A. Airinei, C. Baban, G. G. Rusu, D. Mardare, and M. Rusu ***100***
Published online 11 October 2005

Chemical Components and Properties of Core–Shell Acrylate Latex Containing Fluorine in the Shell and Their Films
Y. Chen, S. Cheng, Y. Wang, and C. Zhang ***107***
Published online 11 October 2005

Dual-Curable Unsaturated Polyester Inorganic/Organic Hybrid Films
A. Nebioglu, G. Teng, and M. D. Soucek ***115***
Published online 11 October 2005

Mechanical Properties and Blend Compatibility of Natural Rubber –Chlorosulfonated Polyethylene Blends
V. Tanrattanakul and A. Petchkaew ***127***
Published online 11 October 2005

Parameters Affecting the Free-Radical Melt Grafting of Maleic Anhydride onto Linear Low-Density Polyethylene in an Internal Mixer
M. K. Razavi Aghjeh, H. Nazockdast, and H. Assempour ***141***
Published online 11 October 2005

Photomechanical Degradation of Thermoplastic Elastomers
A. K. Bhowmick, S. Ray, A. M. Shanmugharaj, J. Heslop, N. Köppen, and J. R. White ***150***
Published online 11 October 2005

Structural Effect of Photoinitiators on Electro-optical Properties of Polymer-Dispersed Liquid Crystal Composite Films
J.-W. Seok, Y. S. Han, Y. Kwon, and L. S. Park ***162***
Published online 11 October 2005

Structure and Properties of Thermoplastic Corn Starch/Montmorillonite Biodegradable Composites
M. Huang and J. Yu ***170***
Published online 18 October 2005

Structure–Property Relationship of Polyethylene Glycol-Based PU/PAN Semi-Interpenetrating Polymer Networks
H. Kumar, Siddaramaiah, R. Somashekar, S. S. Mahesh, S. Abhishek, T. N. G. Row, and G. S. Kini **177**
Published online 18 October 2005

Water Bamboo Husk-Reinforced Poly(butylene succinate) Biodegradable Composites
Y.-F. Shih, W.-C. Lee, R.-J. Jeng, and C.-M. Huang **188**
Published online 18 October 2005

Copolymerization of Carbon Dioxide and Propylene Oxide Using Zinc Adipate as Catalyst
J. T. Wang, D. Shu, M. Xiao, and Y. Z. Meng **200**
Published online 18 October 2005

Asymmetric Cyanine Dyes as Fluorescence Probes and Visible-Light Photoinitiators of Free-Radical Polymerization Processes
J. Kabatc, B. Jędrzejewska, and J. Pączkowski **207**
Published online 18 October 2005

Kinetic Study of the Polymerization of Ethyl Acrylate in an Aqueous Nitric Acid Medium
G. V. Ramana Reddy, J. Arun, and J. Panda **218**
Published online 18 October 2005

Improving the Transparency of Stretched Poly(ethylene terephthalate)/Polyamide Blends
V. Prattipati, Y. S. Hu, S. Bandi, S. Mehta, D. A. Schiraldi, A. Hiltner, and E. Baer **225**
Published online 18 October 2005

Study on the Degradation of Low-Density Polyethylene in the Presence of Cobalt Stearate and Benzil
P. K. Roy, P. Surekha, C. Rajagopal, R. Raman, and V. Choudhary **236**
Published online 18 October 2005

Syntheses of Poly(lactic acid-*co*-glycolic acid) Serial Biodegradable Polymer Materials via Direct Melt Polycondensation and Their Characterization
Z.-Y. Wang, Y.-M. Zhao, F. Wang, and J. Wang **244**
Published online 18 October 2005

Examination of Data Relating to the Thermodynamic and Kinetic Interactions Between Nonvolatile Aqueous Solutes and Three Ethylene–Vinyl Acetate Copolymers
D. R. Jenke **253**
Published online 18 October 2005

Long-Chain Branching of Polypropylene by Electron-Beam Irradiation in the Molten State
B. Krause, M. Stephan, S. Volkland, D. Voigt, L. Häußler, and H. Dorschner **260**
Published online 18 October 2005

Effect of Titanate Coupling Agent on the Mechanical, Thermal, Dielectric, Rheological, and Morphological Properties of Filled Nylon 6
S. Bose and P. A. Mahanwar **266**
Published online 18 October 2005

Synthetic and Spectroscopic Studies of Chelate Polymers Involving Azelaoyl Bis-*N*-phenyl Hydroxamic Acid with Transition Metal Ions
V. V. Ukey and H. D. Juneja **273**
Published online 18 October 2005

Alkaline Dissolution Monitoring of Radial-Type Polyester Microfiber Fabrics by a Cationic Dye-Staining Method
J. Koh, M.-J. Oh, H. Kim, and S. D. Kim ***279***
Published online 18 October 2005

Finishing of Cotton Fabrics with Aqueous Nano-Titanium Dioxide Dispersion and the Decomposition of Gaseous Ammonia by Ultraviolet Irradiation
Y. Dong, Z. Bai, L. Zhang, R. Liu, and T. Zhu ***286***
Published online 18 October 2005

Preparation and Characterization of Polyimide-*g*-Nylon 6 Copolymers from Nonfunctionalized Polyimides
Y. Pae ***292***
Published online 18 October 2005

Structure and Properties of Polyimide-*g*-Nylon 6 and Nylon 6-*b*-Polyimide-*b*-Nylon 6 Copolymers
Y. Pae ***300***
Published online 18 October 2005

Preparation of Polyimide/Nylon 6 Graft Copolymers from Polyimides Containing Ester Moieties: Synthesis and Characterization
Y. Pae ***309***
Published online 18 October 2005

Swelling–Deswelling Kinetics of Ionic Poly(acrylamide) Hydrogels and Cryogels
D. Ceylan, M. M. Ozmen, and O. Okay ***319***
Published online 18 October 2005

Reacetylated Chitosan/Cashew Gum Gel: Preliminary Study for Potential Utilization as Drug Release Matrix
J. S. Maciel, H. C. B. Paula, M. A. R. Miranda, J. M. Sasaki, and R. C. M. de Paula ***326***
Published online 18 October 2005

Studies on Novel Composites of Polyoxymethylene/ Polyamide 6
Y. Li, T. Xie, and G. Yang ***335***
Published online 18 October 2005

Effect of Blending Sequence on the Morphologies of Poly(butylene terephthalate)/Epoxy/Clay Nanocomposites by a Rheological Approach
D. Wu, C. Zhou, W. Yu, and F. Xie ***340***
Published online 18 October 2005

Evolution of the Morphological and Rheological Properties along the Extruder Length for Compatibilized Blends of a Commercial Liquid-Crystalline Polymer and Polypropylene
S. Filipe, M. T. Cidade, M. Wilhelm, and J. M. Maia ***347***
Published online 18 October 2005

Effect of Foam Density, Oil Viscosity, and Temperature on Oil Sorption Behavior of Polyurethane
H. T. T. Duong and R. P. Burford ***360***
Published online 18 October 2005

Synthesis and Characterization of Crosslinked Polyurethane Dispersions Based on Hydroxylated Polyesters
R. Narayan, D. K. Chattopadhyay, B. Sreedhar, K. V. S. N. Raju, N. N. Mallikarjuna, and T. M. Aminabhavi ***368***
Published online 18 October 2005

Adsorption and Desorption Properties of Cationic Polyethylene Film Gels to Organic Anions and Their Regeneration
K. Yamada, M. Shibuya, C. Takagi, and M. Hirata **381**
Published online 18 October 2005

Determination of the Methyl Methacrylate Monomer in Its Polymer Latex by Headspace Gas Chromatography
X.-S. Chai, Q. X. Hou, and F. J. Schork **392**
Published online 18 October 2005

Surface Treatment and Characterization of Functionalized Latex Particles and Inorganic Pigment Particles Used in the Study of Film Formation from Pigmented Latex Systems
T. Ding, E. S. Daniels, M. S. El-Aasser, and A. Klein **398**
Published online 18 October 2005

Using Multiple-Mode Models for Fitting and Predicting Rheological Properties of Polymeric Melts
B. Jiang, P. A. Kamerkar, D. J. Keffer, and B. J. Edwards **405**
Published online 18 October 2005

Artificial Neural Network Modeling for Predicting Melt Blowing Processing
T. Chen, J. Wang, and X. Huang **424**
Published online 18 October 2005

Preparation of Poly(ether sulfone) Hollow Fiber UF Membrane for Removal of NOM
J.-J. Qin, Y.-M. Cao, and M.-H. Oo **430**
Published online 18 October 2005

ISSUE NUMBER 2 / JANUARY 15, 2006

Preparation, Characterization, Thermooxidative Degradation, and Stability of Polyaniline/Polyacrylonitrile Composites in Terms of Direct-Current Electrical Conductivity Retention
A. Al-Ahmed, F. Mohammad, and M. Z. A. Rahman **437**
Published online 28 October 2005

Formation of Thermosensitive Copolymer Beads Having Phosphinic Acid Groups and Adsorption Ability for Metal Ions
T. Nonaka, A. Yasunaga, T. Ogata, and S. Kurihara **449**
Published online 28 October 2005

Carbon Black-Filled Immiscible Polypropylene/Epoxy Blends
Y. Li, S. Wang, Y. Zhang, and Y. Zhang **461**
Published online 28 October 2005

Preliminary Investigation of Poly(ether sulfone)/Poly(aryl ether ketone) Containing 1,4-Naphthalene Blends
D. Jiang, X.-B. Chen, Y.-M. Niu, Y.-H. Zhang, Z.-H. Jiang, and R.-T. Ma **472**
Published online 28 October 2005

Electrical and Mechanical Behaviors of Carbon Nanotube-Filled Polymer Blends
M. Wu and L. Shaw **477**
Published online 28 October 2005

Structure-Property Relations in UV-Curable Urethane Acrylate Oligomers
I. V. Khudyakov, K. W. Swiderski, and R. W. Greer **489**
Published online 28 October 2005

New Fluorescent Monomers and Polymers Displaying an Intramolecular Proton-Transfer Mechanism in the Electronically Excited State. III. Thermogravimetric Stability Study of the Benzazolylvinylene Derivatives
L. F. Campo, F. S. Rodembusch, and V. Stefani **495**
Published online 28 October 2005

ABS/Iron Nanocomposites Prepared by Cryomilling
Y. G. Zhu, Z. Q. Li, D. Zhang, and T. Tanimoto **501**
Published online 28 October 2005

Interpolymer Complex Microparticles Based on Polymethacrylic Acid-Chitosan for Oral Insulin Delivery
S. S. and C. P. Sharma **506**
Published online 28 October 2005

Effect of Heat-Sealing Temperature on the Properties of OPP/CPP Heat Seals. Part II. Crystallinity and Thermomechanical Properties
T. Tetsuya, Y. Hashimoto, U. S. Ishiaku, M. Mizoguchi, Y. W. Leong, and H. Hamada **513**
Published online 28 October 2005

Silicon-29 and Carbon-13 Nuclear Magnetic Resonance Identification of Intermediates Developed During the Formation of a Hybrid Based on Tetraethoxysilane (TEOS) and 4-[(5-dichloromethyl)(silyl)pentyloxy]cyanobenzene (DCN)
M. Trejo-Duran, A. Martínez-Richa, R. Vera-Graziano, G. Mendoza-Diaz, and V. M. Castaño-Meneses **520**
Published online 28 October 2005

Effect of an Epoxy-Based Bonding Agent on the Cure Characteristics and Mechanical Properties of Short-Nylon-Fiber-Reinforced Acrylonitrile–Butadiene Rubber Composites
A. Seema and S. K. N. Kutty **532**
Published online 28 October 2005

Viscosity of Polystyrene Solutions Expanded with Carbon Dioxide
R. E. Whittier, D. Xu, J. H. van Zanten, D. J. Kiserow, and G. W. Roberts **540**
Published online 28 October 2005

DSC Study of the Cure Kinetics During Nanocomposite Formation: Epoxy/Poly(oxypropylene) Diamine/Organically Modified Montmorillonite System
M. Ivankovic, I. Brnardic, H. Ivankovic, and H. J. Mencer **550**
Published online 28 October 2005

Synthesis and Characterization of Fluoropolymer Modified Polyacrylate in Emulsion Polymerization
Z. Chen, X. Cui, W. Jiang, X. Cheng, and H. Wang **558**
Published online 28 October 2005

Optical Monitoring of Polyesters Injection Molding
A. L. Marinelli, M. Farah, and R. E. S. Bretas **563**
Published online 28 October 2005

Effects of Composition of Hardener on the Curing and Aging for an Epoxy Resin System
L. Wu, S. V. Hoa, M.-Tan, and T.-That **580**
Published online 28 October 2005

^{13}C NMR Investigation of the Reaction in Water of UF Resins With Blocked Emulsifiable Isocyanates
A. Despres, A. Pizzi, and L. Delmotte **589**
Published online 28 October 2005

Morphology Studies of Multilayered HDPE/PS Systems
T. E. Bernal-Lara, R. Masirek, A. Hiltner, E. Baer, E. Piorkowska, and A. Galeski **597**
Published online 28 October 2005

Graft Copolymerization of Glycidylmethacrylate onto Modified Nylon-6 Fibers
S. E. Shalaby, N. G. Al-Balakocy, and S. M. Abo El-Ola **613**
Published online 8 November 2005

Polyacrylonitrile-Grafted *Cassia pudibunda* Seed Gum: A Potential Commercial Gum from Renewable Source
V. Singh **619**
Published online 8 November 2005

Propylene Polymerization Using Combined Syndio- and Isospecific Metallocene Catalysts Supported on Silica/MAO
M. d. F. Vieira Marques and A. Conte **628**
Published online 8 November 2005

An ESR Study of the Radiolysis of Semi-Crystalline Ethylene-Propylene Copolymers Containing DOP Mobilizer
M. Fuzail, D. J. T. Hill, and T. T. Le **638**
Published online 8 November 2005

Vinyl Ester Resin Modified With Silicone-Based Additives: II. Flammability Properties
C. A. I. Mazali and M. I. Felisberti **644**
Published online 8 November 2005

Charge Storage Behavior of Isotropic and Biaxially-Oriented Polypropylene Films Containing α- and β-Nucleating Agents
N. Behrendt, N. Mohmeyer, J. Hillenbrand, M. Klaiber, X. Zhang, G. M. Sessler, H.-W. Schmidt, and V. Altstädt **650**
Published online 8 November 2005

Preparation of Spherical Nanocomposites Consisting of Silica Core and Polyacrylate Shell by Emulsion Polymerization
T. Mizutani, K. Arai, M. Miyamoto, and Y. Kimura **659**
Published online 8 November 2005

Melting, Nonisothermal Crystallization Behavior and Morphology of Polypropylene/Random Ethylene–Propylene Copolymer Blends
D. Wang and J. Gao **670**
Published online 8 November 2005

Correlation between Viscoelastic Behavior and Cooling Stresses in a Cured Epoxy Resin System
V. Nassiet, J. P. Habas, B. Hassoune-Rhabbour, Y. Baziard, and J. A. Petit **679**
Published online 8 November 2005

Influence of Polymer–Filler Interactions on Retraction Behaviors of Natural Rubber Vulcanizates Reinforced with Silica and Carbon Black
S.-S. Choi **691**
Published online 8 November 2005

Metal Ion Retention Properties of Water-Insoluble Polymers Containing Carboxylic Acid Groups
B. L. Rivas, B. Quilodrán, and E. Quiroz **697**
Published online 8 November 2005

Resins with the Ability to Bind Copper and Uranyl Ions
B. L. Rivas, E. Pereira, M. Jara, and C. Esparza **706**
Published online 8 November 2005

Further Investigation of Polyaminoamide-Epichlorohydrin/Stearic Anhydride Compatibilizer System for Wood-Polyethylene Composites
Y. Geng, K. Li, and J. Simonsen ***712***
Published online 8 November 2005

Preparation and Properties of Borosiloxane Gels
Q. Wang, L. Fu, X. Hu, Z. Zhang, and Z. Xie ***719***
Published online 11 November 2005

Structure and Barrier Property of Acrylatemethacrylate Film Coating in Aspirin Microcapsules
F. E. Eichie, R. S. Okor, and R. Groning ***725***
Published online 11 November 2005

Synthesis of Multi-Arm Star Polystyrene with Hyperbranched Polyester Initiators by Atom Transfer Radical Polymerization
Guohua Jiang, Li Wang, Tao Chen, Chang Chen, and Haojie Yu ***728***
Published online 11 November 2005

Study on the Surface Grafting of Polypropylene Fibers
W. Wang, L. Wang, C. L. Wang, T. X. Sun, H. J. Yu, and T. Chen ***734***
Published online 11 November 2005

Development of a Novel Microorganism Immobilization Method Using Anionic Polyurethane
Y.-H. Lin, S. J. Hwang, W.-C. Shih, and K.-C. Chen ***738***
Published online 11 November 2005

Surface Modification of Polyimide Films by Argon Plasma for Copper Metallization on Microelectronic Flex Substrates
Y.-S. Lin, H.-M. Liu, and H.-T. Chen ***744***
Published online 11 November 2005

Structural and Mechanical Characterization of Poly(Ether Ether Ketone) (PEEK) and Sulfonated PEEK Films: Effects of Thermal History, Sulfonation, and Preparation Conditions
A. Reyna-Valencia, S. Kaliaguine, and M. Bousmina ***756***
Published online 11 November 2005

Study on the Grafting of PET onto the Glass Fiber Surface during *In Situ* Solid-State Polycondensation
W. Yan, K. Han, H. Zhou, and M. Yu ***775***
Published online 11 November 2005

Fabrication and Characterization of Biodegradable Poly(propylene Carbonate)/Wood Flour Composites
X. C. Ge, Q. Zhu, and Y. Z. Meng, ***782***
Published online 11 November 2005

Characterization of PVC Cable Insulation Materials and Products Obtained after Removal of Additives
M. Beneš, V. Plaček, G. M. A. Kettrup, K. G. and V. Balek ***788***
Published online 11 November 2005

Effect of Water-Soluble Monomers on Emulsifier-Minor Emulsion Polymerization of Butylacrylate–Methacrylic Acid–Styrene and Properties of the Latices
L. Tang, J. Yang, Y. Yin, and M. Zhang ***796***
Published online 11 November 2005

Superstructure and Mechanical Properties of Nylon 66 Microfiber Prepared by Carbon Dioxide Laser-Thinning Method
A. Suzuki and T. Hasegawa **802**
Published online 11 November 2005

Thermooxidative Degradation of Isotactic Polypropylene Prepared on Metallocene Catalyst and Its Sorption Capacity
T. V. Mohakhova, P. M. Nedorezova, and Y. A. Shlyapnikov **808**
Published online 11 November 2005

Synthesis and Characterization of Poly(*N*-Methyl Aniline) Doped with Sulphonic Acids: Their Application as Humidity Sensors
M. V. Kulkarni, A. K. Viswanath, and P. K. Khanna **812**
Published online 11 November 2005

Fluorinated Acrylic Polymers: Surface Properties and XPS Investigations
S. Saïdi, F. Guittard, C. Guimon, and S. Géribaldi **821**
Published online 11 November 2005

Synthesis of Telechelic C_{60} End-Capped Polymers Under Microwave Irradiation
H. Wu, F. Li, Y. Lin, M. Yang, W. Chen, and R. Cai **828**
Published online 11 November 2005

Micro-Structure and Characteristics of Highly Oriented Polyoxymethylene obtained by Press and Biaxial Drawing
K. Takasa, N. Miyashita, and K. Takeda **835**
Published online 11 November 2005

Carbon-13 NMR, GPC, and DSC Study on a Propylene-1-Butene Copolymer Fractionated by Temperature Rising Elution Fractionation
Y. Zhang **845**
Published online 11 November 2005

Releasing Polyacrylonitrile from Poor Biodegradability by Insertion of a Highly Biodegradable Chemical Structure into the Main Chain
N. Kawabata, K. Ohashi, and T. Nishiyama **852**
Published online 11 November 2005

Preparation and Curing Kinetics of Bisphenol A Type Novolac Epoxy Resins
Y. Liu, C. Zhang, Z. Du, and H. Li **858**
Published online 11 November 2005

Preparation and Properties of Polyimide Nanocomposites via a Soluble Polyisoimide Precursor
S. B. Oh, Y. J. Kim, and J. H. Kim **869**
Published online 11 November 2005

Morphology and Mechanical Properties of Blends of Thermoplastic Polyurethane and Polyolefins
Y. Di, M. Kang, Y. Zhao, S. Yan, and X. Wang **875**
Published online 11 November 2005

A Novel Polyurethane Sealant Based on Hydroxy-Terminated Polybutadiene
M. Patri, S. K. Rath, and U. G. Suryavansi **884**
Published online 11 November 2005

Preparation and Properties of a Siloxane-Containing 2-Vinylpyridine–styrene–butadiene Copolymer with Water Glass
S.-I. Inoue, S. Nakakita, M. Zhang, Y. Imoto, T. Sakaki, K. Muraoka, T. Mizoguti, and H. Okamoto **891**
Published online 11 November 2005

Surface Resistivity and Rheological Behaviors of Carboxylated Multiwall Carbon Nanotube-Filled PET Composite Film
D. Ho Shin, K. Han Yoon, O. Hyeong Kwon, B. Ghyl Min, and C. Ik Hwang **900**
Published online 18 November 2005

Morphology and Thermal Stability of BR/Clay Composites Prepared by a New Method
S. Wang, Y. Zhang, Z. Peng, and Y. Zhang **905**
Published online 18 November 2005

Structure and Properties of Organoclay/EPDM Nanocomposites: Influence of Ethylene Contents
Y. Ma, Y.-P. Wu, Y.-Q. Wang, and L.-Q. Zhang **914**
Published online 18 November 2005

Methylmethacrylate Polymerization Photoinitiated by 1-(Bromoacetyl)pyrene
S. Daswal and A. Mishra **920**
Published online 18 November 2005

Polybenzoxazine Containing Polysilsesquioxane: Preparation and Thermal Properties
Y. Liu, W. Zhang, Y. Chen, and S. Zheng **927**
Published online 18 November 2005

Evaluating the Thermal Stability of High Performance Fibers by TGA
X. Liu and W. Yu **937**
Published online 18 November 2005

Preparation of Novel $MgCl_2$-Adduct Supported Spherical Ziegler–Natta Catalyst for α-Olefin Polymerization
L. Wang, H.-J. Yu, Z.-L. Ma, Z.-Y. Ye, S. Jiang, L.-F. Feng, and X.-P. Gu **945**
Published online 18 November 2005

Characterization of Three-Dimensional Braided Polyethylene Fiber–PMMA Composites and Influence of Fiber Surface Treatment
Y. Z. Wan, H. L. Luo, Y. L. Wang, S. Raman, Y. Huang, T. L. Zhang, and H. Liu **949**
Published online 18 November 2005

Reinforcing Effect of Silica on the Properties of Styrene Butadiene Rubber–Reclaim Rubber Blend System
D. De, A. Das, D. De, P. K. Panda, B. Dey, and B. C. Roy **957**
Published online 18 November 2005

Curie Temperature of a Ferromagnetic Polymer Chain Model
J.-H. Huang, M.-B. Luo, and C.-J. Qian **969**
Published online 18 November 2005

Optimization of PE/Binder/PA Extrusion Blow-Molded Films. I. Heat Sealing Ability Improvement Using PE/EVA Blends
C. Poisson, V. Hervais, M. F. Lacrampe, and P. Krawczak **974**
Published online 18 November 2005

Metallocene-Catalyzed Olefin Polymerization using Magnesium Chloride-Supported Borate Activators
M. Smit, J. R. Severn, X. Zheng, J. Loos, and J. C. Chadwick **986**
Published online 18 November 2005

Mechanical Relaxations of Poly(β,L-aspartate)s
X. Ramis, M. García-Alvarez, and S. Muñoz-Guerra **994**
Published online 18 November 2005

Nano-Addition of Raw Bentonite Enhances Polypropylene (PP) Properties
A. K. Kulshreshtha, A. K. Maiti, M. S. Choudhary, and K. V. Rao **1004**
Published online 18 November 2005

Addition-Curable Propargyl-Containing Novolac-Type Phenolic Resin: Its Synthesis, Characterization, Cure, and Thermal Properties
M. Wang, L. Wei, and T. Zhao **1010**
Published online 18 November 2005

Polymer Nanofibers Prepared by Template Melt Extrusion
H. Li, Y. Ke, and Y. Hu **1018**
Published online 18 November 2005

The Effects of Excimer Laser Irradiation at 248 nm on the Surface Mass Loss and Thermal Properties of PS, ABS, PA6, and PC Polymers
E. Sancaktar and H. Lu **1024**
Published online 18 November 2005

Polycondensation Reaction of *N,N′*-(4,4′-Oxydiphthaloyl)-bis-L-methionine Diacid Chloride with Aromatic Diamines: Synthesis and Properties
S. Mallakpour and E. Kowsari **1038**
Published online 18 November 2005

Chain-Linked Lactic Acid Polymers by Benzene Diisocyanate
J. Ren, Q.-F. Wang, S.-Y. Gu, N.-W. Zhang, and T.-B. Ren **1045**
Published online 18 November 2005

Atom Transfer Radical Polymerization of Acrylonitrile
C. Hou, L. Ying, and C. Wang **1050**
Published online 18 November 2005

Effect of Fiber Surface Treatment on the Properties of Biocomposites from Nonwoven Industrial Hemp Fiber Mats and Unsaturated Polyester Resin
G. Mehta, L. T. Drzal, A. K. Mohanty, and M. Misra **1055**
Published online 18 November 2005

Cure Characteristics, Morphology, Mechanical Properties, and Aging Characteristics of Silicone Rubber/Ethylene Vinyl Acetate Blends
B. Ganesh and G. Unnikrishnan **1069**
Published online 18 November 2005

New Melamine–Formaldehyde–Ketone Polymers. III. Coatings from Melamine and Reactive Solvents Based on Cyclohexanone
D. Głowacz-Czerwonka and M. Kucharski **1083**
Published online 18 November 2005

The Research of RATRP of Styrene in the Microemulsion
H. Feng and Y. Dan **1093**
Published online 18 November 2005

Temperature and pH-Response Swelling Behavior of Poly(2-ethyl-2-oxazoline)/Chitosan Interpenetrating Polymer Network Hydrogels
S. J. Kim, K. J. Lee, I. Y. Kim, D. I. Shin, and S. I. Kim **1100**
Published online 18 November 2005

Thermal Diffusivity of Polyolefins by Temperature Wave Analysis
H. J. Chang, J. Morikawa, and T. Hashimoto **1104**
Published online 18 November 2005

Preparation of Soap-Free Cationic Emulsion Using Polymerizable Surfactant
L. Jin, Z. Liu, Q. Xu, and Y. Li ***1111***
Published online 18 November 2005

Rheological and Thermogravimetric Studies of the Crosslinking Process of Functionalized Acrylic Latexes
S. Fourdrin, M. Rochery, M. Lewandowski, M. Ferreira, and S. Bourbigot ***1117***
Published online 18 November 2005

Time Dependences of Conduction and Self-Heating in Acetylene Carbon Black-Filled High-Density Polyethylene Composites
Y. Song and Q. Zheng ***1124***
Published online 18 November 2005

Effect of Vulcanization Technique on the Physical Properties of Silica-Filled EPDM Rubber
A. Das, D. De, N. Naskar, and S. Chandra Debnath ***1132***
Published online 18 November 2005

Effects of *N*-trimethyl Chitosan Chloride as an Absorption Enhancer on Properties of Insulin Liquid Suppository In Vitro and In Vivo
W. He, Y. Du, W. Dai, Y. Wu, and M. Zhang ***1140***
Published online 18 November 2005

Synthesis and Self-Assembly of Hyperbranched Polyethers Peripherally Modified with Adenosine 5′-Monophosphate
G. Jiang, L. Wang, X. Dong, C. Chen, and T. Chen ***1147***
Published online 18 November 2005

Bioactive Composites with Designed Interphases Based on Hyperbranched Macromers
R. L. Oréfice, A. E. Clark, and A. B. Brennan ***1153***
Published online 18 November 2005

Synthesis, Characterization, Reactivity Ratios by Nuclear Magnetic Resonance Spectroscopy, and Application of (2,5-Dichlorophenyl acrylate-*co*-glycidyl methacrylate) Polymers as Adhesives for the Leather Industry
P. G. Vijayaraghavan and B. S. R. Reddy ***1167***
Published online 18 November 2005

The Synthesis and Application of Pb-doped GLYMO/Chelated-Zirconium Complex Coating Materials for UV-Light Absorption
M. Asiltürk, F. Sayılkan, H. Sayılkan, and G. İçduygu ***1175***
Published online 18 November 2005

Chelating Polymer Granules Prepared by Radiation-Induced Homopolymerization. II. Characterizations
S. M. Badawy, H. H. Sokker, and A. M. Dessouki ***1180***
Published online 18 November 2005

Structure and Properties of Polycarbosilane Synthesized from Polydimethylsilane under High Pressure
X. Cheng, Z. Xie, Y. Song, J. Xiao, and Y. Wang ***1188***
Published online 18 November 2005

The Effects of Acrylate Monomers and Polystyrene Addition on the Morphology of DOP-Plasticized Styrene–Acrylate Polymer Particles Prepared by SPG Emulsification and Suspension Polymerization
R. Nuisin, S. Omi, and S. Kiatkamjornwong ***1195***
Published online 18 November 2005

Microstructure and Fracture Behavior of Polypropylene/Barium Sulfate Composites
K. Wang, J. Wu, and H. Zeng **1207**
Published online 18 November 2005

Effect of Solution Properties on Nanofibrous Structure of Electrospun Poly(lactic-*co*-glycolic acid)
Y. You, S. J. Lee, B.-M. Min, and W. H. Park **1214**
Published online 18 November 2005

Novel Polyurethane Insulating Coatings Based on Polyhydroxyl Compounds, Derived from Glycolysed PET and Castor Oil
H. Yeganeh and M. A. Shamekhi **1222**
Published online 18 November 2005

Phase Reversal during Water Dispersion of Polyurethane Anionomer
X. Dang, Q. Yuan, J. Fang, and D. Wang **1234**
Published online 18 November 2005

High Performance Wood Composites from Highly Filled Polybenzoxazine
S. Rimdusit, W. Tanthapanichakoon, and C. Jubsilp **1240**
Published online 18 November 2005

Main-Chain Chiral Smectic Liquid-Crystalline Ionomers Containing Sulfonic Acid Groups
M. Tian, B.-Y. Zhang, F.-B. Meng, and B.-L. Zang **1254**
Published online 18 November 2005

Synthesis of a New Chitosan Immobilized with β-Cyclodextrins and Its Adsorption Properties for Bilirubin
Y. Yi, Y. Wang, and W. Zhang **1264**
Published online 18 November 2005

Blends of Thermotropic Liquid Crystalline Polymer and *O*-Cresol Formaldehyde Epoxy Resin. II. Curing Kinetics
S. T. Tan, Z. F. Huang, M. N. Liu, and X. Y. Wang **1269**
Published online 18 November 2005

Polyaniline–Nylon 6 Composite Nanowires Prepared by Emulsion Polymerization and Electrospinning Process
K. H. Hong and T. J. Kang **1277**
Published online 18 November 2005

In-Situ Curing Analysis of Photoreplicated Objective Lenses using Raman and IR Spectroscopy
A. Mank, E. Verstegen, and H. Kloosterboer **1287**
Published online 18 November 2005

Determination of the Solubility of a Monomer in Water by Multiple Headspace Extraction Gas Chromatography
X.-S. Chai, Q. X. Hou, and F. J. Schork **1296**
Published online 18 November 2005

ISSUE NUMBER 4 / FEBRUARY 15, 2006

Synthesis and Properties of Poly Ether Nitrile Sulfone Copolymers with Pendant Methyl Groups
A. Saxena, R. Sadhana, V. L. Rao, P. V. Ravindran, and K. N. Ninan **1303**
Published online 28 November 2005

Controlled Release of Insecticide Carbaryl from Sodium Alginate, Sodium Alginate/Gelatin, and Sodium Alginate/Sodium Carboxymethyl Cellulose Blend Beads Crosslinked with Glutaraldehyde
N. Işiklan **1310**
Published online 28 November 2005

Flammability and Thermal Properties of High Density Polyethylene/Paraffin Hybrid as a Form-Stable Phase Change Material
Y. Cai, Y. Hu, L. Song, Y. Tang, R. Yang, Y. Zhang, Z. Chen, and W. Fan **1320**
Published online 28 November 2005

Water Absorption Mechanism and Some Anomalous Effects on the Mechanical and Viscoelastic Behavior of an Epoxy System
G. C. Papanicolaou, Th. V. Kosmidou, A. S. Vatalis, and C. G. Delides **1328**
Published online 28 November 2005

Immobilization of Soluble Eggshell Membrane Protein on Polyethylene Film Surface: Effect on the Culture of NIH3T3 *in Vitro*
F. Yi, Q. Li, Z.-X. Guo, and J. Yu **1340**
Published online 28 November 2005

Characterization of Lignocellulosic–Poly(lactic acid) Reinforced Composites
Q. X. Hou, X. S. Chai, R. Yang, T. Elder, and A. J. Ragauskas **1346**
Published online 28 November 2005

Novel Stabilization System for Polypropylene via the Ziegler–Natta Catalyzed Polymerization in the Presence of Aluminum Aryloxide
N. Kawamoto, T. Horikoshi, K. Nomura, H. Yokota, Y. Negishi, E. Tobita, and M. Terano **1350**
Published online 28 November 2005

Curing Behavior of 4,4′-Diamonodiphenyl Methane-Based Benzoxazine Oligomers/Bisoxazoline Copolymers and the Properties of Their Cured Resins
S. Li and L. Wang **1359**
Published online 28 November 2005

Flame Retardant Epoxy Resins Based on Diglycidyl Ether of Isobutyl Bis(hydroxypropyl)phosphine Oxide
G. Ribera, L. A. Mercado, M. Galià, and V. Cádiz **1367**
Published online 28 November 2005

Synthesis and Thermal Properties of Randomly Branched Poly(butylene isophthalate) Containing Sodium Sulfonate Groups
L. Finelli, V. Siracusa, N. Lotti, M. Gazzano, and A. Munari **1374**
Published online 28 November 2005

Modification of Tetraethylorthosilicate Crosslinked Poly(vinyl alcohol) Membrane Using Chitosan and Its Application to the Pervaporation Separation of Water–Isopropanol Mixtures
S. S. Kulkarni, S. M. Tambe, A. A. Kittur, and M. Y. Kariduraganavar **1380**
Published online 28 November 2005

Molecularly Imprinted Polymer Microspheres Prepared by Precipitation Polymerization Using a Sacrificial Covalent Bond
S. Boonpangrak, V. Prachayasittikul, L. Bülow, and L. Ye **1390**
Published online 28 November 2005

Effect of Diether as Internal Donor on $MgCl_2$-Supported Ziegler–Natta Catalyst for Propylene Polymerization
N. Cui, Y. Ke, H. Li, Z. Zhang, C. Guo, Z. Lv, and Y. Hu **1399**
Published online 28 November 2005

Comparative Degradation of Pultruded E-Glass/Vinylester in Deionized Water, Alkaline Solution, and Concrete Leachate Solution
W. Chu, L. Wu, and V. M. Karbhari **1405**
Published online 28 November 2005

Comparative Degradation of Pultruded E-Glass/Vinylester in Deionized Water, Alkaline Solution, and Concrete Leachate Solution
W. Chu, L. Wu, and V. M. Karbhari **1405**
Published online 28 November 2005

Preparation and Characterization of a Proton-Exchange Membrane by the Radiation Grafting of Styrene onto Polytetrafluoroethylene Films
K. Kang, P. H. Kang, and Y. C. Nho **1415**
Published online 28 November 2005

Kinetic Investigations on the UV-Induced Photopolymerization of Nanocomposites by FTIR Spectroscopy
F. Li, S. Zhou, B. You, and L. Wu **1429**
Published online 28 November 2005

Microstructure Analysis of Methyl Acrylate/Methyl Methacrylate Copolymers by Two-Dimensional NMR Spectroscopy
A. S. Brar, G. Singh, and R. Shankar **1437**
Published online 28 November 2005

Surface Modification of Polypropylene Sheets by UV-Radiation Grafting Polymerization
J.-D. Cho, S.-G. Kim, and J.-W. Hong **1446**
Published online 28 November 2005

Electrospun Nanofibers of Block Copolymer of Trimethylene Carbonate and ε-Caprolactone
Y.-T. Jia, H.-Y. Kim, J. Gong, and D.-R. Lee **1462**
Published online 28 November 2005

ATR-UV Monitoring of Methyl Methacrylate Miniemulsion Polymerization for Determination of Monomer Conversion
X.-S. Chai, F. J. Schork, and E. M. Oliver **1471**
Published online 28 November 2005

Rheological Characterization of PP/Jute Composite Melts
S. Mohanty, S. K. Verma, and S. K. Nayak **1476**
Published online 28 November 2005

Microwave Assisted HMDSO/Oxygen Plasma Coated Polyethylene Terephthalate Films: Effects of Process Parameters and Uniaxial Strain on Gas Barrier Properties, Surface Morphology, and Chemical Composition
E. Schmachtenberg, F. Reny Costa, and S. Göbel **1485**
Published online 30 November 2005

Tensile and Elastic Behavior of Tencel Continuous Filaments
I. Abdullah, R. S. Blackburn, S. J. Russell, and J. Taylor **1496**
Published online 30 November 2005

Characterization of Epoxidized Natural Rubber/Ethylene Vinyl Acetate (ENR-50/EVA) Blend: Effect of Blend Ratio
Z. Mohamad, H. Ismail, and R. C. Thevy **1504**
Published online 30 November 2005

Studies on Poly(8-hydroxy-4-azoquinolinephenylmethacrylate) and its Metal Complexes
S. Vijayalakshmi, S. Subramanian, S. Rajagopan, and T. Kaliyappan **1516**
Published online 30 November 2005

The Linear Viscoelastic Properties of Copolypropylene–Clay Nanocomposites
W. Zhong, X. Qiao, K. Sun, G. Zhang, and X. Chen **1523**
Published online 30 November 2005

New Solid Polymer Electrolytes Based on PEO/PAN Hybrids
W. Chun-Guey, W. Chiung-Hui, L. Ming-I, and C. Huey-Jan **1530**
Published online 30 November 2005

Study on the Interfacial Properties of Two-Dimensionally Arranged Glass Fiber/Epoxy Resin Model Composites
C. K. Moon, G. A. Holmes, and W. G. McDonough **1541**
Published online 6 December 2005

Thermal and Electrical Conductivity of Carbon–Filled Liquid Crystal Polymer Composites
J. A. King, M. G. Miller, R. L. Barton, J. M. Keith, R. A. Hauser, K. R. Peterson, and L. L. Sutter **1552**
Published online 6 December 2005

Improvement of the Homogeneity of SBR/NBR Blends Using Polyglycidylmethacrylate-g-Butadiene Rubber
S. H. Botros, A. F. Moustafa, and S. A. Ibrahim **1559**
Published online 6 December 2005

Effects of Rosin-Type Clarifying Agent on the Crystallization and Compatibility of Polypropylene and Low Density Polyethylene
H. Wang, C.-C. Li, Y.-C. Ke, D. Zhang, and Z.-Y. Li **1568**
Published online 6 December 2005

Effect of Organoclay on the Thermal Stability, Mechanical Strength, and Surface Wettability of Injection-Molded ABS–Clay Nanocomposite Materials Prepared by Melt Intercalation
J.-M. Yeh, C.-L. Chen, C.-C. Huang, F.-C. Chang, S.-C. Chen, P.-L. Su, C.-C. Kuo, J.-T. Hsu, B. Chen, and Y.-H. Yu **1576**
Published online 6 December 2005

Fire-Retardant Plastic Material from Oyster-Shell Powder and Recycled Polyethylene
M. H. Chong, B. C. Chun, Y.-C. Chung, and B. G. Cho **1583**
Published online 6 December 2005

Gas Transport and Thermal Characterization of Mono- and Di-Polyethylene Films Used for Food Packaging
S. Mrkić, K. Galić, M. Ivanković, S. Hamin, and N. Ciković **1590**
Published online 6 December 2005

Rheological, Thermal, and Curing Properties of Natural Rubber-*g*-Poly(methyl methacrylate)
C. Nakason, W. Pechurai, K. Sahakaro, and A. Kaesaman **1600**
Published online 6 December 2005

A Convenient One-Step Preparation of Chitosan-Poly(sodium acrylate-*co*-acrylamide) Hydrogel Hybrids with Super-Swelling Properties
G. R. Mahdavinia, A. Pourjavadi, and M. J. Zohuriaan-Mehr **1615**
Published online 6 December 2005

Synthesis of Chelate Resins Derived from Furfural and Their Adsorption Properties for Metal Ions
L.-C. Zhou, Y.-F. Li, S.-J. Zhang, X.-J. Chang, Y.-F. Hou, and H.-X. Yang **1620**
Published online 6 December 2005

Metallization of UV-Cured Acrylate Resins by Reduction of Polymer-Incorporated Cobalt Ion
M. Kuribayashi, Y. Narita, and M. Shibata **1627**
Published online 6 December 2005

Effect of Ambient-Temperature and High-Temperature Electron-Beam Radiation on the Structural, Thermal, Mechanical, and Dynamic Mechanical Properties of Injection-Molded Polyamide-6,6
R. Sengupta, S. Sabharwal, V. K. Tikku, A. K. Somani, T. K. Chaki, and A. K. Bhowmick **1633**
Published online 6 December 2005

Preparation and Characterization of Nanocomposites Based on Thermoplastic Elastomers from Rubber–Plastic Blends
M. Maiti, A. Bandyopadhyay, and A. K. Bhowmick **1645**
Published online 6 December 2005

Characterization of Poly(*N*-(hydroxymethyl)methacrylamide-ATU) Hydrogels Synthesized by γ Radiation
N. Şahiner, Ö. Çelikbıçak, S. Malcı, Ö. Kantoğlu, and B. Salih **1657**
Published online 6 December 2005

Enhancement of Electrical Properties of Anisotropically Conductive Adhesive Joints via Low Temperature Sintering
Y. Li, K.-s. Moon, and C. P. Wong **1665**
Published online 6 December 2005

Effect of Impregnation and In-Situ Polymerization of Methacrylates on Hardness of Sugar Maple Wood
Y. Zhang, S. Y. Zhang, Y. H. Chui, and H. Wan **1674**
Published online 6 December 2005

Chitosan/Clay Nanocomposite Film Preparation and Characterization
Y. Xu, X. Ren, and M. A. Hanna **1684**
Published online 6 December 2005

Water Sorption and Diffusion Behaviors in Composite Films of Poly(ether imide) and Bismaleimide
J. Seo, C. Lee, W. Jang, S. Sundar, and H. Han **1692**
Published online 6 December 2005

Characterization of Evaporated and Sputtered Thin Au Layers on Poly(ethylene terephtalate)
V. Švorčík, P. Slepička, J. Švorčíková, M. Špírková, J. Zehentner, and V. Hnatowicz **1698**
Published online 6 December 2005

The Preparation, Characterization, and Cure Reactions of New Bisbenzocyclobutene-Terminated Aromatic Imides
Y. Zhang, J. Gao, X. Shen, and F. Huang **1705**
Published online 6 December 2005

Effects of Aroma Chemical Vapor Pressure and Fiber Morphology on the Retention of Aroma Chemicals on Cotton and Poly(ethylene terephthalate) Fabrics
S. K. Obendorf, H. Liu, M. J. Leonard, T. J. Young, and M. J. Incorvia **1720**
Published online 6 December 2005

Effect of Alkylammonium Salt on the Dispersion and Properties of Poly(*p*-phenylene sulfide)/Clay Nanocomposites via Melt Intercalation
H. Zou, W. Xu, Q. Zhang, and Q. Fu **1724**
Published online 6 December 2005

Effect of Molecular Structure on Performance of Electroactive Ionic Acrylic Copolymer–Platinum Composites
H. M. Jeong, S. M. Woo, S. Lee, G.-C. Cha, and M. S. Mun **1732**
Published online 6 December 2005

Characterization and Performance Evaluations of Sodium Zeolite-Y Filled Chitosan Polymeric Membrane: Effect of Sodium Zeolite-Y Concentration
A. L. Ahmad, M. G. Mohd Nawawi, and L. K. So **1740**
Published online 6 December 2005

Effects of Organoclay Modification on Microstructure and Properties of Polypropylene–Organoclay Nanocomposites
J. W. Lee, M. H. Kim, W. M. Choi, and O Ok Park **1752**
Published online 6 December 2005

Preparation and Characterization of Microcellular Thin Polycarbonate Sheets
B. Xiang, R. Guan, Q. Fang, Z. Xiao, and Y. Jiang **1760**
Published online 6 December 2005

Application of Time–Temperature Superposition Principle To Polymer Transition Kinetics
R. Cheng and H. Yang **1767**
Published online 7 December 2005

Thermal Decomposition Behavior of γ-Irradiated Poly(vinyl acetate)/Poly(methyl methacrylate) Miscible Blends
H. M. N. El-Din, A. W. M. El-Naggar, and F. I. Ali **1773**
Published online 7 December 2005

Essential Work of Fracture Evaluation of Fracture Behavior of Glass Bead Filled Linear Low-Density Polyethylene
W. Yang, B.-H. Xie, W. Shi, Z.-M. Li, Z.-Y. Liu, J. Chen, and M.-B. Yang **1781**
Published online 7 December 2005

Electrodialytic Removal of Nitrates and Hardness from Simulated Mixtures Using Ion-Exchange Membranes
S. K. Nataraj, K. M. Hosamani, and T. M. Aminabhavi **1788**
Published online 7 December 2005

Thermal Properties Measurements of Renatured Gelatin Using Conventional and Temperature Modulated Differential Scanning Calorimetry
C.-A. Dai, Y.-F. Chen, and M.-W. Liu **1795**
Published online 7 December 2005

Influence of Apple Flavor Absorption on Physical and Mechanical Properties of Poly(ethylene terephthalate) Films
C. Denktaş, H. Yıldırım, and N. San **1802**
Published online 7 December 2005

Experimental Study on Carboxymethylation of Cellulose Extracted from *Posidonia oceanica*
C. Aguir and M. F. M'Henni **1808**
Published online 7 December 2005

Optimum Temperature Profile for Noncatalytic Reaction to Produce Polyamide Hot Melt Adhesives
J. Heidarian, N. M. Ghasem, and W. M. A. Wan Daud **1817**
Published online 7 December 2005

Flour Rice Husk as Filler in Block Copolymer Polypropylene: Effect of Different Coupling Agents
F. Martí-Ferrer, F. Vilaplana, A. Ribes-Greus, A. Benedito-Borrás, and C. Sanz-Box **1823**
Published online 7 December 2005

Preparation of Collagen–Polyurethane Composite Film and Its Subcutaneous Implantation in Rats: The Improvement of Tissue Compatibility
Y. Li and Y. Huang **1832**
Published online 7 December 2005

Analysis by Mass Spectrometry of the Hydrolysis/Condensation Reaction of a Trialkoxysilane in Various Dental Monomer Solutions
M. Farahani, W. E. Wallace, J. M. Antonucci, and C. M. Guttman **1842**
Published online 7 December 2005

Effect of Ethanol on Chemically Synthesized Polyaniline Nanothread
J. Kan, S. Zhang, and G. Jing **1848**
Published online 7 December 2005

Effects of Zinc Oxide Nanoparticles on the Physical Properties of Polyacrylonitrile
D. W. Chae and B. C. Kim **1854**
Published online 7 December 2005

Comparative Effects of Pyrolyzed Oil Shale and Pyrolyzed Burned Oil Shale Used as Fillers in Poly(ethylene-*co*-vinyl alcohol)
R. V. Barbosa, R. Baumhardt-Neto, R. S. Mauler, É. C. Lima, and C. G. Schneider **1859**
Published online 7 December 2005

A Rheological Study on Kinetics of Poly(butylene terephthalate) Melt Intercalation
D. Wu, C. Zhou, and H. Zheng **1865**
Published online 7 December 2005

Structure and Properties of Polyamides-Epoxidized Elastomers Blends
R. Steller, E. Micewicz, W. Meissner, J. Piglowski, and J. Haponiuk **1872**
Published online 7 December 2005

Structure Development in Amorphous Starch as Revealed by X-ray Scattering: Influence of the Network Structure and Water Content
R. K. Bayer, M. E. Cagiao, and F. J. Baltá Calleja **1880**
Published online 7 December 2005

Behavior of Ionomers of Sulfonated Styrene–Butadiene–Styrene Triblock Copolymer in Polymer Blends with Crystalline Polyolefins and as Compatibilizer
H.-Q. Xie, D.-G. Liu, D. Xie, and J.-G. Guan **1887**
Published online 7 December 2005

Adsorption and Desorption Properties of the Chelating Membranes Prepared from the PE films
K. Yamada, R. Nagano, and M. Hirata **1895**
Published online 7 December 2005

Effect of Nonsolvent Coagulant on the Morphology and Radionuclide Detection Efficiency of CAYS-Impregnated Polysulfone Films
K.-W. Lee, B.-K. Seo, N.-J. Lim, S.-T. Nam, and M.-J. Han **1903**
Published online 7 December 2005

Comparative Measurement of Interfacial Tension by Transient Dynamic Methods
Y. Son **1910**
Published online 7 December 2005

4-Acetamidophenyl Acrylate Copolymers with Acrylonitrile and *N*-Vinyl-2-pyrrolidone: Synthesis, Characterization, and Reactivity Ratios
B. S. R. Reddy, S. Balasubramaniam, and M. R. Suriyan **1919**
Published online 7 December 2005

Modification of Polyethylene and Incorporation of Fillers for Effective Reinforcement of Mechanical and Better Flame Retardant Properties
G. Bali Shah and M. Fuzail **1928**
Published online 7 December 2005

Influences of the Polymerization Ingredients on the Porous Morphology of Soap-Free Poly(methyl methacrylate/ethyl acrylate/methacrylic acid) Seeded Latex Particles
K. Kang, C. Y. Kan, Y. Du, and D. S. Liu **1934**
Published online 7 December 2005

Copolymerization of Acrylonitrile with Methyl Vinyl Ketone
C. Hou, J. Liu, L. Ying, and C. Wang **1940**
Published online 7 December 2005

Synthesis and Characterization of High Molecular Weight Metaloquinolate-Containing Polymers
Q. Mei, N. Du, and M. Lu **1945**
Published online 7 December 2005

A Convenient Method to Determine the Rayleigh Ratio with Uniform Polystyrene Oligomers
M. Itakura, K. Shimada, S. Matsuyama, T. Saito, and S. Kinugasa **1953**
Published online 7 December 2005

Adhesion Measurement of Interfaces Between Gelatin and Poly(ethylene terephthalate) Using Microscratch Technique
C.-A. Dai, C.-C. Liao, T.-A. Tsui, H.-C. Chien, and M.-W. Liu **1960**
Published online 7 December 2005

Novel Method for Preparation of Quaternary Ammonium Ionomer from Epoxidized Styrene–Butadiene–Styrene Triblock Copolymer and Its Use as Compatibilizer for Blending of Styrene–Butadiene–Styrene and Chlorosulfonated Polyethylene
H.-Q. Xie, Y. Chen, J.-G. Guan, and D. Xie **1975**
Published online 7 December 2005

Effects of Stearates on the Thermal Stability of Chlorinated Natural Rubber from Latex
H.-P. Yu, S.-D. Li, J.-P. Zhong, and K. Xu **1981**
Published online 7 December 2005

Effects of Dibutyltin Dilaurate and Epoxidized Soya Bean Oil on the Thermal Stability of Chlorinated Natural Rubber from Latex
H.-P. Yu, S.-D. Li, J.-P. Zhong, and K. Xu **1986**
Published online 7 December 2005

ISSUE NUMBER 5 / MARCH 5, 2006

Graft Copolymerization of Methylmethacrylate with N-Substituted Maleimide-Styrene Copolymer by ATRP
T. Çakir, I. E. Serhatli, and A. Önen **1993**
Published online 6 December 2005

Supported Hybrid Catalysts based on Zirconocene and Tris(pyrazolyl)borate Titanium Derivatives
G. P. Pires, M. P. Gil, J. A. Rohrman, F. C. Stedile, O. L. Casagrande Jr., J. H. Z. dos Santos, and T. Sano **2002**
Published online 6 December 2005

Mechanical Properties of Swelled Vulcanizates of Polar Diene Elastomers
J. Magryta, C. Dębek, and D. Dębek **2010**
Published online 6 December 2005

Characterization of Phenol–Urea–Formaldehyde Resin by Inline FTIR Spectroscopy
I. Poljanšek, U. Šebenik, and M. Krajnc **2016**
Published online 6 December 2005

A Study of LLDPE Functionalized through Ultraviolet Irradiation and Interfacial Interaction of PA66/Functionalized LLDPE Blends
S. Wu, B. Chi, H. Yan, and J. Shen **2029**
Published online 6 December 2005

Mechanical, Thermomechanical, and Morphology of PVC/PBMA Blends and Full IPNs
R. Bhattacharyya, N. Roy, and D. Chakraborty **2033**
Published online 6 December 2005

Preparation of Flame-Retardant Leather Pretreated with Pyrovatex CP
O. A. Mohamed and F. A. Abdel-Mohdy **2039**
Published online 6 December 2005

Selected Physical Characteristics of Polystyrene/High Density Polyethylene Composites Prepared from Virgin and Recycled Materials
J. Joshi, R. Lehman, and T. Nosker **2044**
Published online 6 December 2005

Effect of Moisture-Ingress on Adhesion Energy in a Metal Oxide-Polymer System
S. Devasahayam **2052**
Published online 6 December 2005

Synthesis of Copolyamides Containing Octadecanedioic Acid: An Investigation of Nylon 6/6,18 in Various Ratios
C. Bennett, J. Zeng, S. Kumar, and L. J. Mathias **2062**
Published online 6 December 2005

Effects of UV-Irradiation on the Nonisothermal Crystallization Kinetics of Polypropylene
L. Tang, M. Yan, and B. Qu **2068**
Published online 6 December 2005

Effects of Polyphenylene Oxide Content on Morphology, Thermal, and Mechanical Properties of Polyphenylene Oxide/Polyamide 6 Blends
Y. Li, T. Xie, and G. Yang **2076**
Published online 6 December 2005

Evolution of the Peroxide-Induced Degradation of Polypropylene Along a Twin-Screw Extruder: Experimental Data and Theoretical Predictions
F. Berzin, B. Vergnes, S. V. Canevarolo, A. V. Machado, and J. A. Covas **2082**
Published online 6 December 2005

Polysaccharide-Based Artificial Extracellular Matrix: Preparation and Characterization of Three-Dimensional, Macroporous Chitosan and Chondroitin Sulfate Composite Scaffolds
C.-K. Peng, S.-H. Yu, F.-L. Mi, and S.-S. Shyu **2091**
Published online 6 December 2005

Structural and Thermal Characterization of Poly(2-chloroaniline)/Red Mud Nanocomposite Materials
A. Gök and İ. Oğuz **2101**
Published online 6 December 2005

New Fluorescent Monomers and Polymers Displaying an Intramolecular Proton-Transfer Mechanism in the Electronically Excited State (ESIPT). IV. Synthesis of Acryloylamide and Diallylamino Benzazole Dyes and Its Copolymerization with MMA
L. Franciscato Campo, F. Severo Rodembusch, and V. Stefani **2109**
Published online 6 December 2005

PET Recycling: Evaluation of the Solid State Polymerization Process
S. A. Cruz and M. Zanin **2117**
Published online 6 December 2005

Synthesis and Characterization of a Poly(ether–ester) Copolymer from Poly(2,6 dimethyl-1,4-phenylene oxide) and Poly(ethylene terephthalate)
B. García-Gaitán, M. d. P. Pérez-González, M. C. Zárate-Acevedo, A. Martínez-Richa, G. Luna-Bárcenas, and S. M. Nuño-Donlucas **2124**
Published online 6 December 2005

Rheological Properties of Polypropylene Modified by High-Intensity Ultrasonic Waves
K. Y. Kim, G. J. Nam, S. M. Lee, and J. W. Lee **2132**
Published online 6 December 2005

Plasticization of Nano-$CaCO_3$ in Polystyrene/Nano-$CaCO_3$ Composites
G. Li, K. Mai, and K. Feng **2138**
Published online 6 December 2005

Comparison of the Guarded-Heat-Flow and Transient-Plane-Source Methods for Carbon-Filled Nylon 6,6 Composites: Experiments and Modeling
M. G. Miller, J. M. Keith, J. A. King, R. A. Hauser, and A. M. Moran **2144**
Published online 6 December 2005

Diffusion of Additives and Deterioration with Passage of Time in Polypropylene
H. Inata, I. Maki, T. Ishikawa, and K. Takeda **2152**
Published online 7 December 2005

Study on Sepiolite-Reinforced Polymeric Nanocomposites
Y. Zheng and Y. Zheng **2163**
Published online 7 December 2005

Fusion, Electrical Conductivity, Thermal, and Mechanical Properties of Rigid Poly(vinyl chloride) (PVC)/Carbon Black (CB) Composites
C.-H. Chen, H.-C. Li, C.-C. Teng, and C.-H. Yang **2167**
Published online 7 December 2005

Microstructure Analysis of Methyl Acrylate/Methyl Methacrylate Copolymers by Two-Dimensional NMR Spectroscopy. II
A. S. Brar, G. Singh, and R. Shankar **2174**
Published online 7 December 2005

Synthesis, Characterization, and Comparison of Self-Doped, Doped, and Undoped Forms of Polyaniline, Poly(*o*-anisidine), and Poly[aniline-*co*-(*o*-anisidine)]
C. Özdemir, H. Kaplan Can, N. Çolak, and A. Güner **2182**
Published online 7 December 2005

Ethylene Polymerization by Phenylenedimethylene-Bridged Homobinuclear Zirconocene/Methylaluminoxane Systems
J. Sun, X. Liu, H. Zhang, X. Xiao, F. Lin, and H. Schumann **2193**
Published online 7 December 2005

Long-Term Water Uptake Behavior of Natural Fiber/Polypropylene Composites
M. Tajvidi, S. Kazemi Najafi, and N. Moteei **2199**
Published online 7 December 2005

Sample Size Effect on the Effective Diffusion Coefficients for the Gas Contained in Closed-Cell Polyethylene-Based Foam Subjected to Compressive Creep Tests
J. L. Ruiz-Herrero, M. A. Rodríguez-Pérez, and J. A. de Saja **2204**
Published online 7 December 2005

Structure and Property Relationship of Thermotropic Liquid Crystal Polymer and Polyester Composite Fibers
J. Y. Kim and S. H. Kim **2211**
Published online 7 December 2005

Morphology Development and Crystallization Behavior of a Poly(ethylene terephthalate)/Polycarbonate Blend
J. K. Lee, J. E. Im, J. H. Park, H. Y. Won, and K. H. Lee **2220**
Published online 7 December 2005

Low-κ Nanocomposite Films Based on Polyimides with Grafted Polyhedral Oligomeric Silsesquioxane
Y. Chen, L. Chen, H. Nie, and E. T. Kang **2226**
Published online 8 December 2005

The Mechanism of Air/Oxygen/Helium Atmospheric Plasma Action on PVA
Z. Cai and Y. Qiu **2233**
Published online 8 December 2005

Photo-Oxidation of Polymers: Validation of Oxygen Uptake and Relationship with Extent of Hydroperoxidation
F. Fraïsse, A. Kumar, S. Commereuc, and V. Verney **2238**
Published online 8 December 2005

Water Vapor Permeability of Poly(lactide)s: Effects of Molecular Characteristics and Crystallinity
H. Tsuji, R. Okino, H. Daimon, and K. Fujie **2245**
Published online 8 December 2005

Moisture Absorption of Filled Silicone Rubber Under Electrolyte
J. Dai, X. Yao, H. Y. Yeh, and X. Liang **2253**
Published online 9 December 2005

Exchange Reactions of Poly-2-(*N*-phthalimido)ethyl Acrylate with Hydroxy and Amino Compounds
A. A. Khalil **2258**
Published online 9 December 2005

Structure and Adsorption Properties of Activated Carbon Aerogels
D. Wu, Z. Sun, and R. Fu **2263**
Published online 9 December 2005

Influence of the Compounding Route on the Properties of Polypropylene/Nano-$CaCO_3$/Ethylene–Propylene–Diene Terpolymer Tercomponent Composites
X. Wang, J. Sun, and R. Huang **2268**
Published online 9 December 2005

Styrene–Butadiene–Styrene/Montmorillonite Nanocomposites Synthesized by Anionic Polymerization
Z. Zhang, L. Zhang, Y. Li, and H. Xu **2273**
Published online 9 December 2005

Vinyl Ester Resin Modified with Silicone-Based Additives. I. Mechanical Properties
C. A. I. Mazali and M. I. Felisberti **2279**
Published online 9 December 2005

Investigation of Adsorption–Desorption Dynamism of Bovine Serum Albumin on Crosslinked *N,N′*-Diethylaminoethyl Dextran Microbeads: Solution Phase
H. K. Can and A. Güner **2288**
Published online 14 December 2005

Thermodynamic Aspects of the Bovine Serum Albumin Adsorption onto *N,N′*- Diethylaminoethyl Dextran Microbeads
H. K. Can and A. Güner **2300**
Published online 14 December 2005

Composites of Poly(lactic acid) with Flax Fibers Modified by Interstitial Polymerization
R. A. Shanks, A. Hodzic, and D. Ridderhof **2305**
Published online 14 December 2005

Magnetic Properties of Polystyrene-*b*-Poly(2-hydroxylethyl methacrylate)/Metal Hybrids
Y. Wang, R. Zhu, and W. He **2314**
Published online 14 December 2005

Comparison of Poly(aspartic acid) Hydrogel and Poly(aspartic acid)/Gelatin Complex for Entrapment and pH-Sensitive Release of Protein Drugs
H. L. Jiang and K. J. Zhu **2320**
Published online 14 December 2005

Synthesis and Characterization of Side-Chain Cholesteric Liquid-Crystalline Polymers Derived from Steroid Substituents
J.-S. Hu, B.-Y. Zhang, W. Pan, Y.-H. Li, and S.-C. Ren **2330**
Published online 14 December 2005

Influences of Metallic Polymeric Materials on the Properties of Fresh Polyester and Acrylic Polymer Concrete
N. Ahn **2337**
Published online 14 December 2005

Surface Modification of Ultra-High-Molecular-Weight Polyethylene. I. Characterization and Sintering Studies
M. Rezaei, N. G. Ebrahimi, and M. Kontopoulou **2344**
Published online 12 December 2005

Surface Modification of Ultra-High-Molecular-Weight Polyethylene. II. Effect on the Physicomechanical and Tribological Properties of Ultra-High-Molecular-Weight Polyethylene/Poly(ethylene terephthalate) Composites
M. Rezaei, A. Shirzad, N. G. Ebrahimi, and M. Kontopoulou **2352**
Published online 12 December 2005

Synthesis, Characterization, and Metal Complexation of Poly(*N*-phenylmaleimide-*co*-acrylic acid) and Poly(*N*-phenylmaleimide-*co*-acrylamide) as Polychelatogens in Aqueous Solution
G. del C. Pizarro, O. G. Marambio, M. J. Orell, M. Huerta, and B. L. Rivas **2359**
Published online 12 December 2005

Photostability of Wood Surfaces Esterified by Benzoyl Chloride
K. K. Pandey and N. Chandrashekar **2367**
Published online 12 December 2005

Synthesis and Characterization of a Redox-Initiated, Injectable, Biodegradable Hydrogel
W. Zhu and J. Ding **2375**
Published online 12 December 2005

Surface Functionalization of Polymer Nanofibers by Silver Sputter Coating
Q. F. Wei, H. Ye, D. Y. Hou, H. B. Wang, and W. D. Gao **2384**
Published online 12 December 2005

Study on Antibacterial Behavior of Insoluble Quaternary Ammonium
S. Jiang, L. Wang, H. Yu, Y. Chen, and Q. Shi **2389**
Published online 15 December 2005

Fabrication of a Graded-Index Polymer Optical Fiber Preform without Cavity via the Automatic Refilling Process
J. S. Choi, S. H. Im, M. Y. Song, O. O. Park, H. Cho, and J. T. Hwang **2395**
Published online 15 December 2005

Protein-Imprinted Soft-Wet Gel Composite Microspheres with Magnetic Susceptibility. II. Characteristics
S. Lu, G. Cheng, and X. Pang **2401**
Published online 15 December 2005

Explanation of Tackifier Effect on the Viscoelastic Properties of Polyolefin-based Pressure Sensitive Adhesives
B. Yuan, C. McGlinchey, and E. M. Pearce **2408**
Published online 15 December 2005

Methacrylate/Acrylate Terminated Derivatives of Diglycidyl Hexahydrophthalate: Synthesis, Structural, and Thermal Characterization
N. Agarwal, I. K. Varma, and V. Choudhary **2414**
Published online 16 December 2005

Lamellar Morphology of Poly(trimethylene terephthalate)/Poly(ether imide) Blends Studied via Small-Angle X-ray Scattering
H.-J. Chiu and J.-M. Huang **2421**
Published online 16 December 2005

Synthesis and Antimicrobial Activity of Some Polymers Derived from Modified Amino Polyacrylamide by Reacting It with Benzoate Esters and Benzaldehyde Derivatives
E.-R. Kenawy, F. Imam Abdel-Hay, A. Abou El-Magd, and Y. Mahmoud **2428**
Published online 16 December 2005

The Physical and Mechanical Properties of Polymer Composites Filled with Fe Powder
A. Gungor **2438**
Published online 16 December 2005

Synthesis and Physical Properties of Liquid-Crystalline Copolymers with Azobenzene Segments
J.-H. Liu and C.-D. Hsieh **2443**
Published online 16 December 2005

Synthesis, Characterization, and Application of PVP/PAM Copolymer
K. S. Huang, C. N. Hsiao, Y. H. Nien, and J. M. Lin **2454**
Published online 16 December 2005

The Use of Wood Pulp and Radiation-Modified Starch in Wastewater Treatment
S. E. Abdel-Aal, Y. H. Gad, and A. M. Dessouki **2460**
Published online 16 December 2005

Whey Protein Concentrate Hydrogels as Bioactive Carriers
S. Gunasekaran, L. Xiao, and M. M. Ould Eleya **2470**
Published online 16 December 2005

Effect of Thermal Annealing in Atmosphere on Photoluminescence of BTEO–PPV Films
F. Kong, C. G. Ou, Y. Zheng, S. Y. Zhang, C. Z. Yang, X. L. Wu, and R. K. Yuan **2477**
Published online 16 December 2005

Novel Thermosetting Resins for SMC Applications from Linseed Oil: Synthesis, Characterization, and Properties
J. Lu and R. P. Wool **2481**
Published online 16 December 2005

Review of Thermally Point-Bonded Nonwovens: Materials, Processes, and Properties
S. Michielsen, B. Pourdeyhimi, and P. Desai **2489**
Published online 16 December 2005

Modified Silicone–PVDF Composite Hollow-Fiber Membrane Preparation and Its Application in VOC Separation
H. Zhen, S. M. J. Jang, W. K. Teo, and K. Li **2497**
Published online 16 December 2005

Thermal Stability and Dielectric Relaxation of Natural Rubber/Soda Lignin and Natural Rubber/Thiolignin Composites
S. H. Botros, M. A. M. Eid, and Z. A. Nageeb **2504**
Published online 16 December 2005

Miscibility Studies on Linseed Oil Epoxy Blend with Poly(methacrylic acid)
S. M. Ashraf, S. Ahmad, U. Riaz, M. Alam, and H. O. Sharma **2512**
Published online 16 December 2005

Bench-Scale Studies of Poly(vinyl chloride) Fires with Water Mist
J. Qin and W. K. Chow **2520**
Published online 28 December 2005

Surface Characterization of Low-Temperature Cascade Arc Plasma–Treated Low-Density Polyethylene Using Contact Angle Measurements
M. A. Gilliam and Q. S. Yu **2528**
Published online 28 December 2005

Interpenetrating Polymer Networks based on Nitrile Rubber and Metal Methacrylates
A. B. Samui, V. G. Dalvi, L. Chandrasekhar, M. Patri, B. C. Chakraborty **2542**
Published online 28 December 2005

Morphology of Pyrolysed Polystyrene–Isoprene–Styrene and Polystyrene–Butadiene–Styrene Block Copolymers
B. D. Sarwade, R. R. Sanghavi, D. B. Sarwade, and S. N. Asthana **2549**
Published online 28 December 2005

SEM Studies of Surfactant-Assisted Micro-Mixing of Melamine and Wax Particles
E. Karakatsanis, W. W. Focke, and G. J. Summers **2554**
Published online 28 December 2005

Polypropylene–Clay Blends Compatibilized with MAH-g-POE
W. Zhong, X. Qiao, K. Sun, G. Zhang, and X. Chen **2558**
Published online 28 December 2005

Effects of Activation Time on the Properties and Structure of Polyacrylonitrile-Based Activated Carbon Hollow Fiber
J. Sun, X. Wang, C. Wang, and Q. Wang **2565**
Published online 28 December 2005

Performance of Natural-Fiber–Plastic Composites under Stress for Outdoor Applications: Effect of Moisture, Temperature, and Ultraviolet Light Exposure
J. L. Lopez, M. Sain, and P. Cooper **2570**
Published online 28 December 2005

Novel Preparation and Properties of EPDM/Montmorillonite Nanocomposites
B. Liu, Q. Ding, Q. He, J. Cai, B. Hu, and J. Shen **2578**
Published online 28 December 2005

Synthesis and Characterization of Novel Biocidal Cyclodextrin Inclusion Complexes Grafted onto Polyamide-6 Fabric by a Redox Method
S. M. Gawish, A. M. Ramadan, S. Mosleh, M. Morcellet, and B. Martel **2586**
Published online 28 December 2005

Thermal and Mechanical Properties of Plasticized Poly(L-lactide) Nanocomposites with Organo-Modified Montmorillonites
M. Shibata, Y. Someya, M. Orihara, and M. Miyoshi **2594**
Published online 19 December 2005

Assessing the Effect of Processing Variables on the Mechanical Response of Polysytrene Molded Using Vibration-Assisted Injection Molding Process
A. Kikuchi, J. P. Coulter, and R. R. Gomatam **2603**
Published online 19 December 2005

Study of the Factors Influencing the Exfoliation of an Organically Modified Montmorillonite in Methyl Methacrylate/Poly(methyl methacrylate) Mixtures
M. McAlpine, N. E. Hudson, J. J. Liggat, R. A. Pethrick, D. Pugh, and I. Rhoney **2614**
Published online 19 December 2005

Properties of Highly Filled Polypropylene Derivative Composites Containing Calcite and Zeolite
J. Biswas, H. Kim, and S. Choe **2627**
Published online 19 December 2005

Effect of Reactive Compatibilisation on the Phase Morphology and Tensile Properties of PA12/PP Blends
S. Jose, S. V. Nair, S. Thomas, and J. Karger-Kocsis **2640**
Published online 19 December 2005

Stresses Associated with Diffusion in Polyimide and Polyacrylics Films
T. Xu and R. J. Farris **2661**
Published online 19 December 2005

pH Sensitive Interpenetrating Network Microgels of Sodium Alginate-Acrylic Acid for the Controlled Release of Ibuprofen
V. R. Babu, K. S. V. K. Rao, M. Sairam, B. V. K. Naidu, K. M. Hosamani, and T. M. Aminabhavi **2671**
Published online 19 December 2005

Thermal Degradation of Poly(dimethylsilylene) and Poly(tetramethyldisilylene-*co*-styrene)
T. S. Radhakrishnan **2679**
Published online 19 December 2005

Electrochemical Behavior of a New Type of Perfluorinated Carboxylate Membrane/Platinum Composite
H. Y. Jeong and B. K. Kim **2687**
Published online 19 December 2005

Two-Dimensional NMR Studies of Styrene/*n*-Butyl Acrylate Copolymers Synthesized by Atom Transfer Radical Polymerization
A. S. Brar and P. Juneeta **2694**
Published online 19 December 2005

Polymer Micellar Aggregates of Novel Amphiphilic Biodegradable Graft Copolymer Composed of Poly(aspartic acid) Derivatives: Preparation, Characterization, and Effect of pH on Aggregation
T.-Y. Jiang, Z.-Y. Wang, L.-X. Tang, F.-K. Mo, and C. Chen **2702**
Published online 19 December 2005

Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride, and Their Charge-Transfer Complex. VIII. Charge-Transfer Complex (4)
D. Jianping and Y. Wantai **2710**
Published online 19 December 2005

Effect of Hydrophilic Monomer on the Surface Properties of Cationic Polyurethane-Fluorinated Acrylate Hybrid Dispersions
G. Li, X. Li, Y. Shen, and Q. Ren **2721**
Published online 19 December 2005

Aging Behavior of a Hot-Cured Epoxy System
D. Fata and W. Possart **2726**
Published online 19 December 2005

Ring-Opening Polymerization of Lactones Using $RuCl_2(PPh_3)_3$ as Initiator: Effect of Hydroxylic Transfer Agents
J. L. Mata-Mata J. E. Báez, J. A. Gutiérrez, and A. Martínez-Richa **2737**
Published online 19 December 2005

Diffusion in Elongated Membranes
Q. Liu, S. Xiao, D. De Kee, and C. Moresoli **2746**
Published online 19 December 2005

Study of Dynamically Cured PP/MAH-*g*-PP/Talc/Epoxy Composites
X. Jiang, Y. Zhang, and Y. Zhang **2752**
Published online 19 December 2005

Compressive Properties of Soybean Oil-Based Polymers at Quasi-Static and Dynamic Strain Rates
B. Song, W. Chen, Z. Liu, and S. Z. Erhan **2759**
Published online 19 December 2005

Cascade Model for Coupled Two-Component Polymer Gels
C.-F. Mao and J.-C. Chen **2771**
Published online 19 December 2005

Studies on Nonisothermal Crystallization of Ultra–High Molecular Weight Polyethylene in Liquid Paraffin
C. Zhang, B. Zhu, G. Ji, and Y. Xu **2782**
Published online 19 December 2005

Mechanical and Acoustic Frequency Responses in Flat Hot-Compacted Polyethylene and Polypropylene Panels
M. J. Jenkins, P. J. Hine, J. N. Hay, and I. M. Ward **2789**
Published online 19 December 2005

Interaction between Medetomidine and Alkyd Resins: NMR and FTIR Investigation of Antifouling Marine Paint Model Systems
L. Shtykova, D. Ostrovskii, P. Jacobsson, and M. Nydén **2797**
Published online 19 December 2005

Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride and Their Charge-Transfer Complex. VII. Charge-Transfer Complex (3)
D. Jianping, L. Lianying, and Y. Wantai **2810**
Published online 21 December 2005

Effect of Dehydroxylation of Hydrothermal Barium Titanate on Dielectric Properties in Polystyrene Composite
P. Badheka, V. Magadala, N. G. Devaraju, B. I. Lee, and E. S. Kim **2815**
Published online 21 December 2005

Deposition of Bone-Like Apatite on Modified Silk Fibroin Films From Simulated Body Fluid
R. Kino, T. Ikoma, A. Monkawa, S. Yunoki, M. Munekata, J. Tanaka, and T. Asakura **2822**
Published online 21 December 2005

A Novel Devulcanization Technology for Vulcanized Natural Rubber
G. K. Jana, R. N. Mahaling, and C. K. Das **2831**
Published online 28 December 2005

Characteristics of Polystyrene/Organoclay Nanocomposites Prepared by In-Situ Polymerization with Macroazoinitiator Containing Poly(dimethylsiloxane) Segment
H. M. Jeong, J. Suk Choi, Y. T. Ahn, and K. H. Kwon **2841**
Published online 28 December 2005

Alkaline Treatment of Cotton in Different Reagent Mixtures with Reduced Water Content. I. Influence of Alkali Type and Additives
C. Ibanescu, C. Schimper, and T. Bechtold **2848**
Published online 28 December 2005

ISSUE NUMBER 6 / MARCH 15, 2006

Synthesis and Characterization of Sequential Interpenetrating Polymer Networks of Novolac Resin and Poly(ethyl acrylate)
S. Goswami and D. Chakrabarty **2857**
Published online 27 December 2005

Effect of Cryomilling on the Thermal Behaviors of Poly(ethylene terephthalate)
Y. G. Zhu, Z. Q. Li, D. Zhang, and T. Tanimoto **2868**
Published online 27 December 2005

Synthesis of a Water-Soluble Fullerene Derivative Nanoball and Its Biological Activity
G. Jiang, Q. Zheng, and D. Yang **2874**
Published online 27 December 2005

Low-Frequency Sound Absorption of Organic Hybrid Comprised of Chlorinated Polyethylene and *N,N'*-dicyclohexyl-2-benzothiazolyl Sulfenamide
S. Akasaka, T. Tobusawa, Y. Tominaga, S. Asai, and M. Sumita **2878**
Published online 27 December 2005

Stabilization of Poly(vinyl chloride) by Elemental Sulfur
R. M. Akhmetkhanov, S. V. Kolesov, E. I. Nagumanova, N. N. Kabalnova, R. R. Akhmetkhanov, and G. E. Zaikov **2885**
Published online 27 December 2005

A Chelating Cellulose Adsorbent for the Removal of Cu(II) from Aqueous Solutions
D. W. O'Connell, C. Birkinshaw, and T. F. O'Dwyer **2888**
Published online 27 December 2005

Synthesis of Branched Polyethylene by *In Situ* Polymerization of Ethylene with Combined Iron Catalyst and Ziegler–Natta Catalyst
Z. Lu, Z. Zhang, Y. Li, C. Wu, and Y. Hu **2898**
Published online 11 January 2006

Characterization and Adsorption Properties of the Chelating Hydrogels Derived from Natural Materials for Possible Use in the Improvement of Groundwater Quality
H. A. Shawky, A. El-Hag Ali, and R. A. El Sheikh **2904**
Published online 11 January 2006

Homopolymer and Copolymers of 4-Methacrylamidophenyl-4-methoxystyryl Ketone with Methyl Methacrylate: Synthesis, Characterization, Reactivity Ratios, and Photocrosslinkable Properties
S. Nanjundan, R. Jayakumar, and C. S. J. Selvamalar **2913**
Published online 11 January 2006

Acrylate/EVA Reactive Blends and Semi-IPN: Chemical, Chemical–Physical, and Thermo-Optical Characterization
M. E. Errico, R. Greco, P. Laurienzo, M. Malinconico, and D. Viscardo **2926**
Published online 11 January 2006

Surface Properties of Block and Graft Polystyrene–Polydimethylsiloxane Copolymers
N. Wu, L. Huang, A. Zheng, and H. Xiao **2936**
Published online 11 January 2006

Preparation of Organic–Inorganic Nanocomposites with Core-Shell Structure by Inorganic Powders
N. Naderi, N. Sharifi-Sanjani, B. Khayyat-Naderi, and R. Faridi-Majidi **2943**
Published online 11 January 2006

Preparation and Adsorption Performance of a Cellulosic-Adsorbent Resin for Copper(II)
Z. Bao-Xiu, W. Peng, Z. Tong, C. Chun-yun, and S. Jing **2951**
Published online 11 January 2006

Mechanical Properties and Thermal Stability of Rice Husk Ash Filled Epoxy Foams
P. M. Stefani, V. Cyras, A. Tejeira Barchi, and A. Vazquez **2957**
Published online 11 January 2006

Synthesis and Properties of Polyimide (Containing Naphthalene) Nanocomposites with Organo-Modified Montmorillonites
S.-Y. Tsay, B.-K. Chen, and C.-P. Chen **2966**
Published online 11 January 2006

Effects of the Steam Test on Bonding Strength of Laminated Veneer Lumbers Manufactured by Using Different Adhesives
B. Uysal **2973**
Published online 11 January 2006

Effects of Preparation Conditions on the Surface Modification and Performance of Polyethersulfone Ultrafiltration Membranes
D. B. Mosqueda-Jimenez, R. M. Narbaitz, and T. Matsuura **2978**
Published online 11 January 2006

Influence of the Process on Phase Separation Induced by Radical Copolymerization of Styrene and Divinylbenzene in the Presence of Reactive Polyurethane Network Precursors
J.-M. Chenal, D. Colombini, and J.-M. Widmaier **2989**
Published online 11 January 2006

Synthesis and Characterization of New Blue-Photoluminescent Copolymer Derived from Bisphenol A
N. Jaballah, H. Trad, M. Majdoub, M. Jouini, J. Roussel, and J. L. Fave **2997**
Published online 11 January 2006

Submicron Copper-Low-Density Polyethylene Conducting Composites: Structural, Electrical, and Percolation Threshold
M. P. Alvarez, V. H. Poblete, M. E. Pilleux, and V. M. Fuenzalida **3005**
Published online 11 January 2006

Attaining a Controlled Graded Distribution of Particles in Polymerizing Fluid for Functionally Graded Materials
S. A. R. Hashmi **3009**
Published online 11 January 2006

Dielectric Behavior of Three Phase Polyimide Percolative Nanocomposites
N. G. Devaraju and B. I. Lee **3018**
Published online 11 January 2006

Heterogeneous Bulk Polymerization of Styrene in the Presence of Polybutadiene: Calculation of the Macromolecular Structure
N. Casis, D. Estenoz, L. Gugliotta, H. Oliva, and G. Meira **3023**
Published online 19 January 2006

Synthesis and Characterization of Acrylamide and 2-Hydroxylpropyl Methacrylate Hydrogels for Specialty Applications
G. S. Chauhan, S. Chauhan, K. Chauhan, and U. Sen **3040**
Published online 19 January 2006

The Shear Strength of Calabrian Pine (*Pinus brutia* Ten.) Bonded with Polyurethane and Polyvinyl Acetate Adhesives
E. Burdurlu, Y. Kılıç, G. C. Elibol, and M. Kılıç **3050**
Published online 19 January 2006

Study on the Spin Probe Added Polymeric Dense Membranes by ^{13}C Solid-State Nuclear Magnetic Resonance Spectroscopy
D. Rana, T. Matsuura, K. C. Khulbe, and C. Feng **3062**
Published online 19 January 2006

Impact-Toughening Mechanisms of Calcium Carbonate-Reinforced Polypropylene Nanocomposite
J.-I. Weon, K.-T. Gam, W.-J. Boo, H.-J. Sue, and C.-M. Chan **3070**
Published online 19 January 2006

Study of Creep, Stress Relaxation, and Inverse Relaxation in Mulberry (*Bombyx mori*) and Tasar (*Antheraea mylitta*) Silk
S. Das and A. Ghosh **3077**
Published online 19 January 2006

Study on the Thermal Degradation of Polyoxymethylene by Thermogravimetry–Fourier Transform Infrared Spectroscopy (TG–FTIR)
Y. Duan, H. Li, L. Ye, and X. Liu **3085**
Published online 19 January 2006

Electropolymerization Kinetics of *o*-Aminophenol and Characterization of the Obtained Polymer Films
S. M. Sayyah, M. M. El-Rabiey, S. S. A. El-Rehim, and R. E. Azooz **3093**
Published online 19 January 2006

Effect of Carboxymethylation on the Absorption and Chelating Properties of Chitosan Fibers
Y. Qin, H. Hu, A. Luo, Y. Wang, X. Huang, and P. Song **3110**
Published online 19 January 2006

Friction and Wear Behavior of Proton-Implanted Phenolphthalein Poly(ether sulfone)
X. Pei, Q. Wang, and J. Chen **3116**
Published online 19 January 2006

Effect of Magnesium and Phosphate Ions on the Stability of Concentrated Natural Rubber Latex and the Properties of Natural Rubber Latex–Dipped Products
L. Karunanayake and G. M. P. Perera **3120**
Published online 19 January 2006

Indium Tin Oxide Nanoparticles as Anode for Light-Emitting Diodes
A. Cirpan and F. E. Karasz **3125**
Published online 19 January 2006

Different Effects of Tri(acryloyloxyethyl) Phosphate on the Thermal Degradation of Photopolymerized Epoxy Acrylate and Polyurethane Acrylate Films
H. Liang, Z. Huang, and W. Shi **3130**
Published online 19 January 2006

Fungal Degradation of Wood-Plastic Composites and Evaluation Using Dynamic Mechanical Analysis
A. Schirp and M. P. Wolcott **3138**
Published online 19 January 2006

One-Step Synthesis of Bis-Macromonomers of Poly(1,3-dioxolane) Catalyzed by Maghnite-H^+
F. Reguieg, N. Sahli, M. Belbachir, and P. J. Lutz **3147**
Published online 28 December 2005

Controlled Release and Absorption of Cetylpyridinium Chloride Using Polymer Hydrogels
C. G. Densmore, T. W. Robison, B. F. Smith, and R. E. Lewis **3153**
Published online 28 December 2005

Poly(methyl methacrylate)/SiO_2 Hybrid Membranes: Effect of Solvents on Structural and Thermal Properties
M. A. Zulfikar, A. W. Mohammad, A. A. Kadhum, and N. Hilal **3163**
Published online 28 December 2005

Effect of Ultrasound on Wettability Between Aramid Fibers and Epoxy Resin
L. Liu, Y. D. Huang, Z. Q. Zhang, and X. B. Yang **3172**
Published online 28 December 2005

Morphology of Pyrolyzed Polystyrene–Isoprene–Styrene and Polystyrene–Butadiene–Styrene Block Copolymers
B. D. Sarwade, R. R. Sanghavi, D. B. Sarwade, and S. N. Asthana **3178**
Published online 28 December 2005

Effects of Physical Confinement (< 125 nm) on the Curing Behavior of Phenolic Resin
S. Amanuel and V. M. Malhotra **3183**
Published online 28 December 2005

Synthesis of Liquid Crystalline–Amorphous Block Copolymers by Combination of CFRP and ATRP Mechanisms
I. E. Serhatli and T. Kacar **3187**
Published online 28 December 2005

Synthesis and Performance Characteristics of a Water- Based Polyacrylate Microemulsion for UHMWPE Fiber Adhesive Coating
S.-h. Lu, G.-z. Liang, J.-l. Wang, and H.-j. Ren **3195**
Published online 28 December 2005

Effects of Silicon Additive as Synergists of $Mg(OH)_2$ on the Flammability of Ethylene Vinyl Acetate Copolymer
H. Huang, M. Tian, L. Liu, Z. He, Z. Chen, and L. Zhang **3203**
Published online 28 December 2005

Impacts of Impregnation with Imersol-Aqua on the Modulus of Elasticity in Bending
Y. Örs, M. Atar, H. Keskin, and H. Güçlü Yavuzcan **3210**
Published online 19 January 2006

Acrylated Vegetable Oils as Photocrosslinkable Materials
H. Pelletier, N. Belgacem, and A. Gandini **3218**
Published online 19 January 2006

Effect of a Fatty Amine on Processing and Physical Properties of SBR Compounds Filled With Silane–Silica Particles
J. L. Valentín, P. Posadas, A. Marcos-Fernández, L. Ibarra, and A. Rodríguez **3222**
Published online 19 January 2006

Granular Urea-Formaldehyde Slow-Release Fertilizer with Superabsorbent and Moisture Preservation
M. Guo, M. Liu, R. Liang, and A. Niu **3230**
Published online 19 January 2006

Preparation and Thermal Properties of Resole-Type Phenol Resin–Clay Nanocomposites
M. Kato, A. Tsukigase, A. Usuki, T. Shimo, and H. Yazawa **3236**
Published online 19 January 2006

Preparation and Characteristics of Tryptophan-Imprinted Fe_3O_4/P(TRIM) Composite Microspheres with Magnetic Susceptibility by Inverse Emulsion–Suspension Polymerization
S. Lu, G. Cheng, H. Zhang, and X. Pang **3241**
Published online 19 January 2006

Novel Biodegradable Superabsorbent Hydrogels Derived from Cotton Cellulose and Succinic Anhydride: Synthesis and Characterization
T. Yoshimura, K. Matsuo, and R. Fujioka **3251**
Published online 19 January 2006

Nonisothermal Crystallization Kinetics of Poly(butylene terephthalate)/Montmorillonite Nanocomposites
D. Wu, C. Zhou, X. Fan, D. Mao, and Z. Bian **3257**
Published online 19 January 2006

Water-Insoluble Polymers Containing Amine, Sulfonic Acid, and Carboxylic Acid Groups: Synthesis, Characterization, and Metal-Ion-Retention Properties
B. L. Rivas, S. Villegas, and B. Ruf **3266**
Published online 19 January 2006

Morphology, Thermal, and Mechanical Properties of Flame-Retardant Silicone Rubber/Montmorillonite Nanocomposites
L. Yang, Y. Hu, H. Lu, and L. Song **3275**
Published online 19 January 2006

Kinetic Study on the UV-Induced Photopolymerization of Epoxy Acrylate/TiO_2 Nanocomposites by FTIR Spectroscopy
F. Li, S. Zhou, B. You, and L. Wu **3281**
Published online 19 January 2006

Investigation of the Reaction Mechanism of Different Epoxy Resins Using a Phosphorus-Based Hardener
R. J. Varley, W. Liu, and G. P. Simon **3288**
Published online 19 January 2006

Toughening and Compatibilization of Polypropylene/Polyamide-6 Blends with a Maleated–Grafted Ethylene-*co*-vinyl acetate
H. Liu, T. Xie, L. Hou, Y. Ou, and G. Yang **3300**
Published online 19 January 2006

Homogeneous and Heterogeneous Grafting of 4-Vinylpyridine onto Chitosan
S. S. Elkholy, K. D. Khalil, and M. Z. Elsabee **3308**
Published online 19 January 2006

Towards Improving Wet-Adhesion in a Metal Oxide-Polymer Coating System
S. Devasahayam **3318**
Published online 19 January 2006

Molecular Morphology of Petaloid Bases of PET Bottles: A Small-Angle X-ray Scattering Study
T. Hanley, D. Sutton, D. Cookson, E. Kosior, and R. Knott **3328**
Published online 19 January 2006

Effect of Nylon 6 on Fracture Behavior and Morphology of Tough Blends of Poly(2, 6-dimethyl-1,4-phenylene oxide) and Maleated Styrene-Ethylene-Butadiene-Styrene Block Copolymer
D. Wu, X. Wang, and R. Jin **3336**
Published online 19 January 2006

Polymers Based on Phenyl Methacrylate: Synthesis via Atom Transfer Radical Polymerization, Characterization, Monomer Reactivity Ratios, and Thermal Stabilities
K. Demirelli, E. Kaya, and M. Coşkun **3344**
Published online 19 January 2006

Effect of Starch on Thermal, Mechanical, and Barrier Properties of Low Density Polyethylene Film
J. H. Jagannath, S. Nadanasabapathi, and A. S. Bawa **3355**
Published online 19 January 2006

Preparation of Core–Shell Glass Bead/Polysulfone Microspheres With Two-Step Sol–Gel Process
W. Yujun, X. Ying, C. Fei, and L. Guangsheng **3365**
Published online 19 January 2006

Study of Dielectric Properties of Polypyrrole Prepared using Two Different Oxidizing Agents
S. A. Saafan, M. K. El-Nimr, and E. H. El-Ghazzawy **3370**
Published online 19 January 2006

Differential Scanning Calorimetry of Copolymer of Isotactic Polypropylene Backbone with Grafted Poly(ethylene-*co*-propylene) Branches
P. M. Whitney and S. Zhu **3380**
Published online 19 January 2006

Effect of Support Material on Ultrafiltration Membrane Performance
H. R. L. Y. S. Bhole, and U. K. Kharul **3389**
Published online 19 January 2006

Radiation-Induced Grafting of Acrylic Acid and Sodium Styrene Sulfonate onto High-Density Polyethylene Membranes. II. Thermal and Chemical Properties
J. Zu, C. Yu, M. Wu, Z. Jiao, J. Zhang, and X. Liu **3396**
Published online 19 January 2006

Radiation-Induced Grafting of Acrylic Acid and Sodium Styrene Sulfonate onto High-Density Polyethylene Membranes. I. Effect of Grafting Conditions
J. Zu, M. Wu, J. Zhang, C. Yu, X. Liu, and L. Tong **3401**
Published online 19 January 2006

Rubber Toughening of Polyamide 6/Organoclay Nanocomposites Obtained by Melt Blending
F. Baldi, F. Bignotti, G. Tieghi, and T. Riccò **3406**
Published online 19 January 2006

Synthesis and Characterization of Oligomers Containing the α-Aminoalkylphenone Chromophore as Oligomeric Photoinitiator
G. Ye, H. Zhou, J. Yang, Z. Zeng, and Y. Chen **3417**
Published online 19 January 2006

Synthesis and Characterization of Poly(butyl acrylate)/Silica and Poly(butyl acrylate)/Silica/Poly(methyl methacrylate) Composite Particles
D.-M. Qi, Y.-Z. Bao, Z.-M. Huang, and Z.-X. Weng **3425**
Published online 19 January 2006

Effects of Particle Size on the Molecular Orientation and Birefringence of Magnetic Nanoparticles/Polyimide Composites
J. H. Kang, Y. C. Kim, K. Cho, and C. E. Park **3433**
Published online 19 January 2006

Rubber-Toughened Polypropylene Nanocomposite: Effect of Polyethylene Octene Copolymer on Mechanical Properties and Phase Morphology
J. W. Lim, A. Hassan, A. R. Rahmat, and M. U. Wahit **3441**
Published online 19 January 2006

Hydrolysis Induced Formation of Macrovoids in Poly(methyl methacrylate)
Z.-H. Chen, C. B. Lin, and W.-C. Liu **3451**
Published online 19 January 2006

Effects of Fiber Aggregates on the Transverse Mechanical Behavior of Commingled PP–Glass Fiber Composites
F. Dubouloz-Monnet, N. D. Albérola, and P. Mélé **3466**
Published online 19 January 2006

Effect of Filler Network on Dynamic Viscoelastic Properties of Uncured Polymethylvinylsiloxanes Filled with Silica and Carbon Black
H. Hu, J. Lin, Q. Zheng, and X. Xu **3477**
Published online 19 January 2006

Preparation and Characterization of Alginate–Carrageenan Complex Films
Y. H. Roh and C. S. Shin **3483**
Published online 19 January 2006

Syntheses of Epoxy-Bridged Polyorganosiloxanes and the Effects of Terminated Alkoxysilanes on Cured Thermal Properties
T.-M. Lee, C.-C. M. Ma, C.-W. Hsu, and H.-L. Wu **3491**
Published online 19 January 2006

Preparation and Characterization of Eugenol-Grafted Chitosan Hydrogels and Their Antioxidant Activities
B.-O. Jung, S.-J. Chung,and S. B. Lee **3500**
Published online 19 January 2006

Material Transport Properties of Polymer–Gel Composite-Charged Mosaic Membrane with and without Reinforcement [II]
K. Hirao, A. Yamauchi, and A. M. E. Sayed **3507**
Published online 19 January 2006

Self-Assembled Poly(styrene-*co*-*N*-isopropylacrylamide) Film Induced by Capillary Force
Z. W. Deng, X. X. Hu, L. Li, Z. S. Xu, and C. F. Yi **3514**
Published online 19 January 2006

Synthesis and Physicochemical Characterization of Amphiphilic Block Copolymer Self-Aggregates Formed by Poly(ethylene glycol)-*block*-Poly(ε-caprolactone)
C. Choi, S. Y. Chae, T.-H. Kim, J. K. Kweon, C. S. Cho, M.-K. Jang, and J.-W. Nah **3520**
Published online 19 January 2006

Adhesion Interactions between Poly(vinyl alcohol) and Iron-Oxide Surfaces: The Effect of Acetylation
B. Uner, M. K. Ramasubramanian, S. Zauscher, and J. F. Kadla **3528**
Published online 19 January 2006

Synthesis of 1,3-Benzodioxole End-Functionalized Polymers via Reversible Addition–Fragmentation Chain Transfer Polymerization
N. Zhou, L. Lu, X. Zhu X. Yang, X. Wang, J. Zhu, and Z. Cheng, **3535**
Published online 19 January 2006

Preparation of Electrorheological Active Ionomers from Poly(2-hydroxyethyl methacrylate)-*co*-Poly(4-vinyl pyridine)
H. Yilmaz and H. I. Unal **3540**
Published online 19 January 2006

A Comparison Study: The New Extended Shelf Life Isopropyl Ester PMR Technology versus the Traditional Methyl Ester PMR Approach
W. B. Alston, D. A. Scheiman, and G. S. Sivko **3549**
Published online 19 January 2006

A Simple Method for Estimating Parameters Representing Macroporosity of Porous Styrene–Divinylbenzene Copolymers
M. A. Malik, S. W. Ali, and S. Waseem **3565**
Published online 19 January 2006

Gas Diffusion in Branched and Crosslinked Polymers: A Model of Treelike Clusters
R. M. Khalikov, G. V. Kozlov, and G. E. Zaikov **3571**
Published online 19 January 2006

Description of the Structure of Branched Polyphenylquinoxaline Macromolecular Coil within the Framework of Fractal Theory
G. Kozlov, I. Dolbin, and G. Zaikov **3574**
Published online 19 January 2006

Preparation and Properties of a Novel Elastomeric Polyurethane/Organic Montmorillonite Nanocomposite
J. Wang, Y. Chen, and J. Wang **3578**
Published online 19 January 2006

Preparation of Micron-Size Monodispersed PS/P(St/MAA) Microspheres by Seeded Dispersion Polymerization
H.-T. Zhang, H. Huang, R. Sun, and J.-X. Huang **3586**
Published online 19 January 2006

A Comparative Study on the Preparation and Characterization of Aromatic and Aliphatic Bismaleimides-Modified Polyurethane–Epoxy Interpenetrating Polymer Network Matrices
K. P. O. Mahesh, M. Alagar, and S. Jothibasu **3592**
Published online 19 January 2006

Effect of Hydrogen Peroxide Bleaching onto Sulfonated Jute Fiber
M. A. Salam **3603**
Published online 19 January 2006

Enhancement of the Optical Properties of Poly Vinyl Alcohol by Doping with Silver Nanoparticles
Y. Badr and M. A. Mahmoud **3608**
Published online 19 January 2006

Structure and Properties of Polybutadiene/Montmorillonite Nanocomposites Prepared by *In Situ* Polymerization
M. Liao, W. Zhang, W. Shan, and Y. Zhang **3615**
Published online 19 January 2006

Pervaporation Properties of Polypyrrolidinone-Based Membranes for EtOH/ETBE Mixtures Separation
S. Touchal, D. Roizard, and L. Perrin **3622**
Published online 19 January 2006

Preparation, Modification, and Characterization of Acrylic Cements
B. Basgorenay, K. Ulubayram, K. Serbetci, E. Onurhan, and N. Hasirci **3631**
Published online 19 January 2006

Radiation-Processed Styrene–Butadiene-*co*-Ethylene– Propylene Diene Rubber Blends: Compatibility and Swelling Studies
K. A. Dubey, Y. K. Bhardwaj, C. V. Chaudhari, and S. Sabharwal **3638**
Published online 19 January 2006

Study on the Spin Probe-Added Polymeric Dense Membranes by ^{13}C Solid-State Nuclear Magnetic Resonance Spectroscopy
D. Rana, T. Matsuura, K. C. Khulbe, and C. Feng **3650**
Published online 19 January 2006

Comparison of the Curing Kinetics of the RTM6 Epoxy Resin System Using Differential Scanning Calorimetry and a Microwave-Heated Calorimeter
P. Navabpour, A. Nesbitt, B. Degamber, G. Fernando, T. Mann, and R. Day **3658**
Published online 19 January 2006

Curing of Epoxy Systems at Sub-Glass Transition Temperature
I. Kroutilová, L. Matějka, A. Sikora, K. Souček, and L. Staš **3669**
Published online 19 January 2006

A Study on Viscoelasticity of Polyurethane–Organoclay Nanocomposites
J. Jin, M. Song, K. J. Yao, and L Chen **3677**
Published online 19 January 2006

Cyanuric Acid–Epichlorohydrin Prepolymers
L. M. Pedroso, P. Simões, and A. Portugal **3684**
Published online 19 January 2006

Electrochemical Properties of Polypropylene Membranes Modified by the Plasma Polymerization Coating of SO_2/Acetylene
F. Basarir, E. Y. Choi, S. H. Moon, K. C. Song, and T. H. Yoon **3692**
Published online 19 January 2006

Modification of Wrinkle Resistance of Cotton Fabric
C. W. M. Yuen, C. W. Kan, W. K. Wong, and H. L. Lee **3700**
Published online 19 January 2006

Volume Title Page ***I***

Author Index to Volume 99 ***III***

Subject Index to Volume 99 ***XXVI***

Volume Contents to Volume 99 ***XXXIII***